OFFICIAL COPY.

(6)

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 5, 1907.

During the week ending 5th January 1907 there were registered in Eight of the Principal Towns the births of 945 living children, and the deaths of 796 persons. These births are equivalent to an annual birth-rate of 27·2 per thousand of the estimated population of these towns, and these deaths to a death-rate of 22·9 per thousand. This death-rate is higher than any recorded in these weekly reports since that for the week ending 19th March 1904. It is 3·9 higher than the death-rate of the previous week, and the same amount higher than the mean of the death-rates of the three preceding weeks.

The death-rate of the week was highest in Paisley, 31·8; and lowest in Perth, 15·0. In Dundee it was 29·0; in Aberdeen, 26·3; in Edinburgh, 23·7; in Greenock, 22·7; in Leith, 21·2; and in Glasgow, 20·3.

Deaths from the principal epidemic diseases numbered 71; these are 16 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·0 per thousand. These deaths include 10 from measles, 2 from scarlet fever, 11 from diphtheria, 18 from hooping-cough, 7 from enteric fever, 7 from cerebro-spinal meningitis, and 16 from diarrhœas. Deaths from scarlet fever are 2 fewer than in the previous week, those from hooping-cough are of the same number, while those from diarrhœas are 2 more, from enteric fever and cerebro-spinal meningitis each 3 more, those from measles 4 more, and those from diphtheria 7 more. The death-rate from these causes ranged from 2·9 in Paisley, and 2·7 in Aberdeen, to 0 in Perth.

Deaths from bronchitis, pneumonia, and pleurisy numbered 182; these are 15 more than in the previous week, and 49 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 149; these are 16 more than in the previous week, and 1 more than in the corresponding week of last year. Deaths of persons aged over sixty numbered 220; these are 27 more than in the previous week, and 57 more than in the corresponding week of last year.

The mean temperature was 33°·7, being 2°·3 above that for the week immediately preceding, but 5°·2 below that for the corresponding week of 1906. The mean rainfall was 1·07 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 5, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Jan. 5, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	945	796	1219	51·7	10·0	33·7	1·07
GLASGOW, . . .	12,789	847,584	66·274	9·18	445	330	615	50·8	20·7	35·9	1·31
EDINBURGH, . .	11,416	345,747	30·286	13·58	166	157	183	50·1	23·8	35·0	0·44
DUNDEE, . . .	4,162	165,748	39·824	11·85	73	92	178	48·6	15·8	31·4	0·69
ABERDEEN, . .	6,795	174,579	25·692	14·75	114	88	95	46·0	10·0	29·8	1·51
PAISLEY, . . .	3,538	88,710	25·073	14·93	50	54	52	49·2	23·2	36·5	1·43
LEITH, ...	2,044	83,668	40·933	11·68	40	34	37	51·7	24·6	37·2	0·58
GREENOCK, . .	1,440	71,269	49·492	10·63	46	31	40	47·7	20·2	33·4	2·01
PERTH, ...	2,122	34,866	16·431	18·44	11	10	19	49·5	11·0	30·4	0·61
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	881	680	1102	48·5	28·0	38·9	0·73

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1907. 74/741.

[TURN OVER

Week ending Saturday, JANUARY 5, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 5, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·9	2·0	796	149	220	0	10	2	11	18	14	16	1	182	32	156	43	3
GLASGOW, .	20·3	2·2	330	58	64	0	2	2	4	11	13*	3	0	79	14	70	14	1
EDINBURGH,	23·7	1·8	157	31	53	0	2	0	4	1	0	5	0	27	7	40	15	1
DUNDEE, . .	29·0	2·5	92	22	30	0	0	0	1	2	0	5	1	22	5	10	5	1
ABERDEEN, .	26·3	2·7	88	18	33	0	6	0	1	2	0	0	0	27	2	17	2	0
PAISLEY, . .	31·8	2·9	54	12	15	0	0	0	1	1	0	3	0	13	4	6	7	0
LEITH, . . .	21·2	0·6	34	3	13	0	0	0	0	0	1	0	0	7	0	8	0	0
GREENOCK, .	22·7	0·7	31	5	6	0	0	0	0	1	0	0	0	5	0	2	0	0
PERTH, . . .	15·0	0·0	10	0	6	0	0	0	0	0	0	0	0	2	0	3	0	0

* 7 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 6, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·8	2·3	680	148	163	0	33	2	13	11	1	20	3	133	39	190	25	1
GLASGOW, .	20·9	2·3	335	82	62	0	18	0	6	2	0	11	1	76	18	106	12	1
EDINBURGH,	17·1	0·8	112	14	35	0	1	0	1	1	0	2	0	16	4	35	5	0
DUNDEE, . .	26·2	7·3	83	26	18	0	8	0	3	8	0	4	0	17	7	21	1	0
ABERDEEN, .	16·5	0·6	54	14	18	0	0	0	1	0	0	1	0	12	5	9	3	0
PAISLEY, . .	13·2	1·2	22	4	4	0	1	0	0	0	0	1	0	4	2	3	1	0
LEITH, . . .	22·7	1·9	36	3	12	0	0	2	1	0	0	0	2	4	2	11	0	0
GREENOCK, .	17·7	5·2	24	4	8	0	5	0	0	0	1	1	0	4	1	0	2	0
PERTH, . . .	21·1	1·5	14	1	6	0	0	0	1	0	0	0	0	0	0	5	1	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 12, 1907.

During the week ending 12th January 1907 there were registered in Eight of the Principal Towns the births of 955 living children, and the deaths of 721 persons. The births are equivalent to an annual birth-rate of 27·5 per thousand of the estimated population of these towns, and the deaths to an annual mortality-rate of 20·8 per thousand.

The death-rates for the three preceding weeks were 22·9, 19·0, and 19·9. The death-rate of last week is thus 2·1 below that of the previous week, but 0·2 above the mean of the rates of the three preceding weeks.

The highest death-rate was recorded in Greenock, 25·6; and the lowest in Paisley, 18·2. The rate in Perth was 24·0; in Aberdeen, 23·0; in Dundee, 22·3; in Leith, 21·2; in Glasgow, 20·3; and in Edinburgh, 19·2.

Deaths from the principal epidemic diseases numbered 67; these are 4 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths include 9 from measles, 3 from scarlet fever, 6 from diphtheria, 19 from hooping-cough, 4 from enteric fever, 14 from cerebro-spinal meningitis, and 12 from diarrhœas. Deaths from diphtheria are 5 fewer than in the previous week, from diarrhœas 4 fewer, from enteric fever 3 fewer, and from measles 1 fewer; those from scarlet fever are 1 more, from hooping-cough 1 more, and from cerebro-spinal meningitis 7 more. The death-rate from these causes ranged from 3·7 in Greenock to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 185; these are 3 more than in the previous week, and 59 more than in the corresponding week of 1906.

Deaths of infants under one year of age numbered 125, which is 24 fewer than in the previous week, but 16 more than in the corresponding week of last year. Deaths of persons aged sixty years and upwards numbered 219, and were 1 fewer than in the previous week, but 26 more than in the corresponding week of last year.

The mean temperature was 43°·4, being 9°·7 above that for the week immediately preceding, and 4°·8 above that for the corresponding week of 1906. The mean rainfall was 0·21 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 12, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Jan. 12, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	955	721	324	54·0	28·0	43·4	0·21
GLASGOW, . . .	12,789	847,584	66·274	9·18	445	330	160	51·4	36·2	44·1	0·51
EDINBURGH, . .	11,416	345,747	30·286	13·58	179	127	52	49·5	37·0	43·9	0·03
DUNDEE, . . .	4,162	165,748	39·824	11·85	109	71	25	52·2	33·9	42·8	0·02
ABERDEEN, . .	6,795	174,579	25·692	14·75	83	77	24	50·0	28·0	38·8	0·13
PAISLEY, . . .	3,538	88,710	25·073	14·93	46	31	45	49·9	38·0	44·8	0·24
LEITH, ...	2,044	83,668	40·933	11·68	45	34	6	50·8	38·7	45·3	0·04
GREENOCK, . .	1,440	71,269	49·492	10·63	31	35	6	51·5	36·5	44·0	0·72
PERTH, ...	2,122	34,866	16·431	18·44	17	16	6	54·0	33·0	43·4	0·01
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	901	610	221	48·5	26·5	38·6	1·09

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1907. 74/741.

[TURN OVER

Week ending Saturday, JANUARY 12, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 12, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·8	1·9	721	125	219	0	9	3	6	19	18	12	1	185	29	166	19	3
GLASGOW, .	20·3	2·3	330	51	88	0	1	2	3	13	14*	4	0	93	17	89	6	0
EDINBURGH,	19·2	1·8	127	20	46	0	2	0	1	1	4†	4	1	21	4	41	4	0
DUNDEE, . .	22·3	0·6	71	11	27	0	0	1	0	0	0	1	0	22	5	18	2	2
ABERDEEN, .	23·0	2·1	77	19	25	0	5	0	1	1	0	0	0	24	2	6	3	1
PAISLEY, . .	18·2	1·2	31	9	7	0	0	0	1	0	0	1	0	6	0	5	2	0
LEITH, . . .	21·2	1·2	34	6	12	0	1	0	0	0	0	1	0	11	0	3	0	0
GREENOCK, .	25·6	3·7	35	5	10	0	0	0	0	4	0	1	0	6	1	2	2	0
PERTH, . . .	24·0	0·0	16	4	4	0	0	0	0	0	0	0	0	2	0	2	0	0

* 11 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 13, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	1·8	610	109	193	0	28	2	8	5	2	16	0	126	23	148	19	3
GLASGOW, .	19·0	2·2	304	51	90	0	20	0	4	1	2	9	0	65	15	66	8	1
EDINBURGH,	17·6	1·1	115	17	38	0	1	0	2	1	0	3	0	17	4	42	5	0
DUNDEE, . .	24·4	3·2	77	15	22	0	5	0	1	1	0	3	0	19	1	15	1	0
ABERDEEN, .	11·6	0·3	38	9	13	0	0	0	0	0	0	1	0	9	1	9	2	0
PAISLEY, . .	11·4	1·2	19	2	5	0	2	0	0	0	0	0	0	4	1	5	1	0
LEITH, . . .	12·0	1·3	19	10	4	0	0	0	0	2	0	0	0	4	1	0	1	1
GREENOCK, .	19·2	2·2	26	5	11	0	0	2	1	0	0	0	0	6	0	7	1	1
PERTH, . . .	18·1	0·0	12	0	10	0	0	0	0	0	0	0	0	2	0	4	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 19, 1907.

During the week ending 19th January 1907 there were registered in Eight of the Principal Towns the births of 931 living children, and the deaths of 713 persons. These births are equivalent to an annual birth-rate of 26·8 per thousand of the estimated population of these towns, and these deaths to an annual death-rate of 20·5 per thousand.

The death-rates of the three preceding weeks were 20·8, 22·9, and 19·0. The death-rate of this week is thus 0·3 lower than that of the previous week, and 0·4 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Aberdeen, 23·9; and lowest in Perth, 15·0. In Dundee, it was 22·7; in Greenock, 22·0; in Leith, 21·8; in Edinburgh, 20·4; in Glasgow, 19·8; and in Paisley, 17·1.

Deaths from the principal epidemic diseases numbered 80; these are 13 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·3 per thousand. These deaths include 7 from measles, 1 from scarlet fever, 11 from diphtheria, 23 from hooping-cough, 16 from cerebro-spinal meningitis, 3 from enteric fever, and 19 from diarrhœas. Deaths from measles and scarlet fever are each 2 fewer than in the previous week, and those from enteric fever 1 fewer; but those from diphtheria are 5 more, from diarrhœas 7 more, from hooping-cough 4 more, and from cerebro-spinal meningitis 2 more. The death-rate from these causes ranged from 4·5 in Aberdeen to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 177; they are 8 fewer than in the previous week, but 67 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 144; they are 19 more than in the previous week, and 18 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 209; they are 10 fewer than in the previous week, but 43 more than in the corresponding week of last year.

The mean temperature was 41°·5, being 1°·9 below that for the week immediately preceding, but 2°·8 above that for the corresponding week of 1906. The mean rainfall was 0·09 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 19, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Jan. 19, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	931	713	116	50·1	25·0	41·5	0·09
GLASGOW, . . .	12,789	847,584	66·274	9·18	461	322	54	49·8	30·6	42·6	0·04
EDINBURGH, . .	11,416	345,747	30 286	13·58	151	135	23	48·5	33·7	42·2	0·00
DUNDEE, . . .	4,162	165,748	39·824	11·85	89	72	6	48·8	27·8	41·7	0·03
ABERDEEN, . .	6,795	174,579	25·692	14·75	81	80	20	50·0	27·0	38·3	0·03
PAISLEY, . . .	3,538	88,710	25·073	14·93	45	29	5	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	48	35	3	50·1	30·9	42·1	0·00
GREENOCK, . .	1,440	71,269	49·492	10·63	35	30	4	49·7	33·0	43·1	0·52
PERTH, ...	2,122	34,866	16·431	18·44	21	10	1	50·0	25·0	40·8	0·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	943	624	133	50·2	29·0	38·7	0·90

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1907. 74/741.

[TURN OVER

Week ending Saturday, JANUARY 19, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 19, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·5	2·3	713	144	209	0	7	1	11	23	19	19	0	177	14	173	24	1
GLASGOW, .	19·8	2·5	322	64	68	0	2	0	5	12	16*	5	0	77	4	81	12	1
EDINBURGH,	20·4	2·0	135	27	51	0	1	1	3	1	1†	6	0	34	4	39	5	0
DUNDEE, . .	22·7	1·6	72	13	30	0	0	0	1	1	1	2	0	18	1	21	2	0
ABERDEEN, .	23·9	4·5	80	22	25	0	4	0	2	5	0	4	0	25	1	15	3	0
PAISLEY, . .	17·1	1·2	29	3	8	0	0	0	0	1	0	1	0	9	0	4	2	0
LEITH, . . .	21·8	1·2	35	8	10	0	0	0	0	0	1†	1	0	6	1	9	0	0
GREENOCK, .	22·0	2·2	30	6	10	0	0	0	0	3	0	0	0	3	3	1	0	0
PERTH, . . .	15·0	0·0	10	1	7	0	0	0	0	0	0	0	0	5	0	3	0	0

* 14 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 20, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·2	1·5	624	126	166	0	24	3	5	2	0	19	4	110	21	161	21	4
GLASGOW, .	18·7	1·7	299	58	72	0	19	3	0	1	0	5	2	54	10	79	8	2
EDINBURGH,	18·4	0·6	120	17	37	0	1	0	1	0	0	2	0	17	5	35	6	1
DUNDEE, . .	22·8	4·1	72	20	15	0	3	0	1	1	0	8	0	17	1	20	3	0
ABERDEEN, .	17·1	1·2	56	13	19	0	0	0	0	0	0	4	1	9	2	10	1	0
PAISLEY, . .	11·4	0·0	19	7	6	0	0	0	0	0	0	0	0	4	1	4	1	0
LEITH, . . .	13·9	0·0	22	5	7	0	0	0	0	0	0	0	1	4	1	5	0	0
GREENOCK, .	18·4	1·5	25	6	5	0	1	0	1	0	0	0	0	4	1	5	2	1
PERTH, . . .	16·6	3·0	11	0	5	0	0	0	2	0	0	0	0	1	0	3	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 26, 1907.

During the week ending 26th January 1907 there were registered in Eight of the Principal Towns the births of 945 living children, and the deaths of 662 persons. The equivalent annual birth-rate per thousand is 27·2, and the death-rate, 19·1.

The death-rates of the three preceding weeks were 20·5, 20·8, and 22·9. The death-rate of this week is 1·4 less than that of the previous week, and 2·3 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 26·9; and lowest in Leith, 15·6. In Edinburgh it was 22·0; in Glasgow, 18·9; in Dundee, 18·9; in Greenock, 18·3; in Paisley, 16·5; and in Aberdeen, 15·8.

Deaths from the principal epidemic diseases numbered 71; these are 9 fewer than in the preceding week, and equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 3 from measles, 7 from scarlet fever, 4 from diphtheria, 16 from hooping-cough, 2 from enteric fever, 1 from typhus fever, 22 from cerebro-spinal meningitis, and 16 from diarrhœas. Deaths from diphtheria are 7 fewer than in the previous week, from hooping-cough 7 fewer, from measles 4 fewer, from diarrhœas 3 fewer, and from enteric fever 1 fewer; but those from scarlet fever are 6 more, and from cerebro-spinal meningitis 6 more than in that week. Of the 22 deaths from cerebro-spinal meningitis, 20 were in Glasgow, and 2 in Edinburgh. The death-rate from these causes ranged from 2·8 in Glasgow, and 2·5 in Leith, to 0 in Paisley and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 134; these are 43 fewer than in the previous week, but 24 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 112; these are 32 fewer than in the previous week, and also 32 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 175; these are 34 fewer than in the previous week, but 3 more than in the corresponding week of last year.

The mean temperature was 33°·8, being 7°·7 below that for the week immediately preceding, and 8°·3 below that for the corresponding week of 1906. The mean rainfall was 0·24 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 26, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Jan. 26, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	945	662	146	45·3	15·8	33·8	0·24
GLASGOW, . . .	12,789	847,584	66·274	9·18	460	307	64	45·3	15·8	34·1	0·30
EDINBURGH, . .	11,416	345,747	30·286	13·58	128	146	30	43·9	20·7	33·3	0·03
DUNDEE, . . .	4,162	165,748	39·824	11·85	87	60	14	41·8	22·9	33·1	0·15
ABERDEEN, . .	6,795	174,579	25·692	14·75	121	53	14	42·5	23·8	33·4	0·33
PAISLEY, . . .	3,538	88,710	25·073	14·93	47	28	7	45·3	19·1	34·8	0·37
LEITH, ...	2,044	83,668	40·933	11·68	41	25	10	43·5	23·7	34·9	0·10
GREENOCK, . .	1,440	71,269	49·492	10·63	51	25	5	45·0	20·2	35·0	0·51
PERTH, ...	2,122	34,866	16·431	18·44	10	18	2	42·0	20·0	32·1	0·10
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	943	670	156	56·2	23·5	42·1	0·49

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1907. 74/741.

[TURN OVER

Week ending Saturday, JANUARY 26, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 26, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·1	2·0	662	112	175	0	3	7	4	16	25	16	2	134	27	187	32	1
GLASGOW, .	18·9	2·8	307	55	66	0	1	3	0	11	21*	10	1	64	15	89	12	1
EDINBURGH,	22·0	1·5	146	19	48	0	2	3	1	0	2†	2	0	24	4	46	12	0
DUNDEE, . .	18·9	0·9	60	10	21	0	0	0	2	0	0	1	0	10	2	18	1	0
ABERDEEN, .	15·8	1·8	53	13	17	0	0	0	1	4	0	1	0	15	2	14	2	0
PAISLEY, . .	16·5	0·0	28	4	5	0	0	0	0	0	0	0	0	6	0	8	2	0
LEITH, . . .	15·6	2·5	25	5	4	0	0	1	0	0	1	2	0	4	1	5	2	0
GREENOCK, .	18·3	1·5	25	2	8	0	0	0	0	1	1‡	0	0	5	1	3	0	0
PERTH, . . .	26·9	0·0	18	4	6	0	0	0	0	0	0	0	1	6	2	4	1	0

* 2 Cerebro-spinal meningitis. † Cerebro-spinal meningitis. ‡ Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 27, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·6	2·0	670	144	172	0	31	2	12	7	4	13	0	110	31	200	28	2
GLASGOW, .	18·5	2·9	296	63	59	0	25	1	8	4	2	7	0	63	13	90	12	1
EDINBURGH,	20·3	0·8	133	16	47	0	1	0	2	1	0	1	0	11	7	49	7	0
DUNDEE, . .	29·7	3·2	94	29	23	0	3	0	2	2	1	2	0	18	7	27	1	0
ABERDEEN, .	14·6	0·3	48	9	20	0	0	0	0	0	0	1	0	3	0	11	2	0
PAISLEY, . .	19·8	2·4	33	6	9	0	2	0	0	0	1	1	0	4	1	8	1	1
LEITH, . . .	17·0	0·6	27	11	5	0	0	1	0	0	0	0	0	4	1	11	2	0
GREENOCK, .	18·4	0·7	25	6	4	0	0	0	0	0	0	1	0	5	1	1	3	0
PERTH, . . .	21·1	0·0	14	4	5	0	0	0	0	0	0	0	0	2	1	3	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 2, 1907.

During the week ending 2nd February 1907 there were registered in Eight of the Principal Towns the births of 837 living children, and the deaths of 712 persons. The equivalent annual birth-rate is 24·1, and the death-rate, 20·5.

The death-rates of the three preceding weeks were 19·1, 20·5, and 20·8. The death-rate of this week is thus 1·4 higher than that of the previous week, and 0·4 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Paisley, 24·7; and lowest in Greenock, 13·9. In Glasgow, it was 23·0; in Aberdeen, 19·7; in Dundee, 18·6; in Edinburgh, 17·5; in Perth, 16·5; and in Leith, 15·6.

Deaths from the principal epidemic diseases registered during the week numbered 86; these are 15 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·5 per thousand. These deaths include 1 from chicken-pox, 9 from measles, 1 from scarlet fever, 10 from diphtheria, 21 from hooping-cough, 5 from enteric fever, 22 from cerebro-spinal meningitis, and 17 from diarrhœas. Deaths from scarlet fever are 6 fewer than in the previous week; but those from diarrhœas are 1 more, from enteric fever 3 more, from hooping-cough 5 more, from diphtheria 6 more, and from measles 6 more. Deaths from cerebro-spinal meningitis are of the same number as in last week; of them 16 were registered in Glasgow, 3 in Edinburgh, 2 in Paisley, and 1 in Leith. The death-rate of the week from these causes ranged from 3·6 in Glasgow, and 3·5 in Paisley, to 0 in Greenock and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 125; these are 9 fewer than in the previous week, but 13 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 134; these are 22 more than in the previous week, and 35 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 205; these are 30 more than in the previous week, and 34 more than in the corresponding week of last year.

The mean temperature was 34°·0, being 0°·2 above that for the week immediately preceding, but 7°·2 below that for the corresponding week of 1906. The mean rainfall was 0·64 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 2, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Feb. 2, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	837	712	193	49·5	16·0	34·0	0·64
GLASGOW, . . .	12,789	847,584	66·274	9·18	422	374	90	49·4	17·0	34·4	0·89
EDINBURGH, . .	11,416	345,747	30·286	13·58	124	116	42	45·5	21·3	34·1	0·38
DUNDEE, . . .	4,162	165,748	39·824	11·85	80	59	22	45·5	21·7	33·1	0·29
ABERDEEN, . .	6,795	174,579	25·692	14·75	79	66	16	46·0	23·0	33·9	0·40
PAISLEY, . . .	3,538	88,710	25·073	14·93	38	42	7	49·5	20·9	34·9	0·96
LEITH, ...	2,044	83,668	40·933	11·68	45	25	4	47·7	24·3	35·7	0·23
GREENOCK, . .	1,440	71,269	49·492	10·63	37	19	3	47·5	23·0	34·0	1·45
PERTH, ...	2,122	34,866	16·431	18·44	12	11	9	45·0	16·0	31·6	0·56
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	929	564	174	53·0	30·0	41·2	0·84

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1907. 74/741.

[TURN OVER

Week ending Saturday, FEBRUARY 2, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 2, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·5	2·5	712	134	205	1	9	1	10	21	27	17	1	125	37	188	23	1
GLASGOW, .	23·0	3·6	374	64	83	*1	3	0	7	19	†20	9	1	72	24	113	13	1
EDINBURGH,	17·5	1·4	116	22	38	0	1	0	1	0	‡3	4	0	13	5	31	4	0
DUNDEE, . .	18·6	0·6	59	12	25	0	0	0	0	0	0	2	0	8	2	13	2	0
ABERDEEN, .	19·7	2·1	66	13	25	0	5	0	0	1	1	0	0	16	3	13	0	0
PAISLEY, . .	24·7	3·5	42	8	14	0	0	1	2	1	‡2	0	0	7	2	10	3	0
LEITH, . . .	15·6	1·9	25	8	8	0	0	0	0	0	‡1	2	0	5	1	5	0	0
GREENOCK, .	13·9	0·0	19	5	6	0	0	0	0	0	0	0	0	3	0	1	1	0
PERTH, . . .	16·5	0·0	11	2	6	0	0	0	0	0	0	0	0	1	0	2	0	0

* Chicken-pox. † 16 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 3, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·5	1·4	564	99	171	0	18	0	4	6	1	18	1	112	24	140	17	8
GLASGOW, .	15·9	1·6	254	51	64	0	12	0	0	4	0	10	1	49	11	67	6	3
EDINBURGH,	16·7	0·8	109	15	42	0	0	0	1	0	0	4	0	21	3	34	7	0
DUNDEE, . .	19·0	1·3	60	11	19	0	3	0	0	1	0	0	0	16	3	9	2	0
ABERDEEN, .	13·7	0·6	45	9	15	0	0	0	0	0	1	1	0	4	1	9	1	3
PAISLEY, . .	16·8	1·2	28	2	14	0	1	0	0	0	0	1	0	8	1	9	1	0
LEITH, . . .	18·3	1·3	29	4	9	0	0	0	1	1	0	0	0	8	2	5	0	0
GREENOCK, .	19·2	2·9	26	5	3	0	2	0	2	0	0	0	0	4	3	5	0	2
PERTH, . . .	19·6	3·0	13	2	5	0	0	0	0	0	0	2	0	2	0	2	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 9, 1907.

During the week ending 9th February 1907 there were registered in Eight of the Principal Towns the births of 875 living children, and the deaths of 800 persons. The equivalent annual birth-rate is 25·2 per thousand, and the death-rate, 23·0.

The death-rates of the three preceding weeks were 20·5, 19·1, and 20·5. The death-rate of this week is thus 2·5 higher than that of the previous week, and 3·0 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Leith, 28·1; and lowest in Aberdeen, 18·2. In Paisley it was 25·9; in Dundee, 24·9; in Glasgow, 24·4; in Greenock, 22·0; in Edinburgh, 19·9; and in Perth, 19·5.

Deaths from the principal epidemic diseases numbered 105; these are 19 more than in the preceding week, and equivalent to an annual death-rate from these causes of 3·0 per thousand. These deaths include 6 from measles, 2 from scarlet fever, 13 from diphtheria, 36 from hooping-cough, 2 from enteric fever, 31 from cerebro-spinal meningitis, and 15 from diarrhœas. Deaths from measles are 3 fewer than in the previous week, from enteric fever 3 fewer, and from diarrhœas 2 fewer; but those from scarlet fever are 1 more, from diphtheria 3 more, from cerebro-spinal meningitis 9 more, and from hooping-cough 15 more than in that week. Of the deaths from cerebro-spinal meningitis 24 were registered in Glasgow, 4 in Edinburgh, 1 in Dundee, 1 in Paisley, and 1 in Leith. The death-rate from these causes ranged from 0 in Perth, to 3·6 in Aberdeen, and 3·8 in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 178; these are 53 more than in the previous week, and 70 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 130; these are 4 fewer than in last week, but 19 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 247; these are 42 more than in the previous week, and 93 more than in the corresponding week of last year.

The mean temperature was 33°·7, being 0°·3 below that for the week immediately preceding, and 2°·3 below that for the corresponding week of 1906. The mean rainfall was 0·49 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 9, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Feb. 9, 1907.			Temperature.			Rainfall in Inches
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	875	800	217	44·2	11·0	33·7	0·49
GLASGOW, . . .	12,789	847,584	66·274	9·18	404	396	115	44·2	17·0	33·2	0·19
EDINBURGH, . .	11,416	345,747	30·286	13·58	135	132	37	41·6	26·8	34·1	0·13
DUNDEE, . . .	4,162	165,748	39·824	11·85	90	79	15	40·6	19·8	31·7	0·23
ABERDEEN, . .	6,795	174,579	25·692	14·75	92	61	20	41·4	22·5	34·2	0·28
PAISLEY, . . .	3,538	88,710	25·073	14·93	57	44	12	44·0	23·0	35·9	0·80
LEITH, ...	2,044	83,668	40·933	11·68	47	45	8	43·7	24·2	34·5	0·14
GREENOCK, . .	1,440	71,269	49·492	10·63	33	30	9	42·5	25·5	35·5	1·79
PERTH, ...	2,122	34,866	16·431	18·44	17	13	1	43·0	11·0	30·2	0·33
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	965	577	153	47·8	22·0	36·0	0·63

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1907. 74/741.

[TURN OVER

Week ending Saturday, FEBRUARY 9, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 9, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·0	3·0	800	130	247	0	6	2	13	36	33	15	0	178	21	208	23	5
GLASGOW, .	24·4	3·8	396	75	92	0	2	0	4	24	*24	7	0	93	11	110	12	3
EDINBURGH,	19·9	2·0	132	14	55	0	0	0	3	3	†5	2	0	24	2	42	8	0
DUNDEE, . .	24·9	2·2	79	10	32	0	0	1	2	0	*1	3	0	18	1	15	1	1
ABERDEEN, .	18·2	3·6	61	12	20	0	3	1	1	7	0	0	0	7	3	16	1	0
PAISLEY, . .	25·9	2·9	44	6	15	0	0	0	1	1	‡2	1	0	16	0	9	0	0
LEITH, . . .	28·1	2·5	45	6	17	0	1	0	1	0	*1	1	0	10	4	10	1	0
GREENOCK, .	22·0	2·2	30	6	10	0	0	0	1	1	0	1	0	5	0	3	0	1
PERTH, . . .	19·5	0·0	13	1	6	0	0	0	0	0	0	0	0	5	0	3	0	0

* Cerebro-spinal meningitis. † Four Cerebro-spinal meningitis. ‡ One Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 10, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·8	1·4	577	111	154	0	18	3	3	4	4	15	0	108	16	123	23	0
GLASGOW, .	16·5	1·9	265	45	66	0	14	3	2	3	2	6	0	49	9	65	11	0
EDINBURGH,	16·2	0·6	106	17	31	0	1	0	0	0	0	3	0	15	4	25	11	0
DUNDEE, . .	20·6	2·5	65	15	13	0	2	0	1	0	0	5	0	16	2	16	0	0
ABERDEEN, .	15·9	0·0	52	15	17	0	0	0	0	0	0	0	0	11	0	8	1	0
PAISLEY, . .	15·0	1·8	25	5	7	0	1	0	0	0	2	0	0	4	0	4	0	0
LEITH, . . .	14·5	0·6	23	5	10	0	0	0	0	1	0	0	0	4	0	1	0	0
GREENOCK, .	19·9	0·7	27	7	6	0	0	0	0	0	0	1	0	5	1	1	0	0
PERTH, . . .	21·1	0·0	14	2	4	0	0	0	0	0	0	0	0	4	0	3	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 16, 1907.

During the week ending 16th February 1907 there were registered in Eight of the Principal Towns the births of 903 living children, and the deaths of 764 persons. The equivalent annual birth-rate is 26·0 per thousand, and the death-rate, 22·0.

The death-rates of the three preceding weeks were 23·0, 20·5, and 19·1. The death-rate of this week is thus 1·0 lower than that of the previous week, but 1·1 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Leith, 23·1; and lowest in Greenock, 19·0. In Glasgow it was 22·5; in Aberdeen, 22·4; in Paisley, 22·4; in Edinburgh, 22·0; in Dundee, 19·8; and in Perth, 19·5.

Deaths from the principal epidemic diseases numbered 85; these are 20 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·4 per thousand. These deaths include 4 from measles, 5 from diphtheria, 20 from hooping-cough, 3 from enteric fever, 46 from cerebro-spinal meningitis, 6 from diarrhœas, and 1 from chicken-pox. Deaths from hooping-cough are 16 fewer than in the previous week, those from diarrhœas are 9 fewer, from diphtheria 8 fewer, and from measles 2 fewer; while those from enteric fever are 1 more, and from cerebro-spinal meningitis 13 more. The death-rate from these causes ranged from 3·7 in Glasgow, to 0 in Greenock and Perth.

Of the 46 deaths from cerebro-spinal meningitis 36 were registered in Glasgow, 3 in Edinburgh, 1 in Dundee, 3 in Paisley, and 3 in Leith.

Deaths ascribed to pneumonia, bronchitis, and pleurisy numbered 168; these are 10 fewer than in the previous week, but 34 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 144; these are 14 more than in the previous week, and 51 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 235; these are 12 fewer than in the previous week, but 51 more than in the corresponding week of last year.

The mean temperature was 37°·7, being 4°·0 above that for the week immediately preceding, and 1°·4 above that for the corresponding week of 1906. The mean rainfall was 0·92 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 16, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Feb. 16, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	903	764	207	52·8	23·5	37·7	0·92
GLASGOW, . . .	12,789	847,584	66·274	9·18	458	366	107	52·8	23·5	37·9	1·26
EDINBURGH, . .	11,416	345,747	30 286	13·58	122	146	46	51·7	30·3	38·2	0·36
DUNDEE, . . .	4,162	165,748	39·824	11·85	88	63	13	49·8	27·3	36·6	0·30
ABERDEEN, . .	6,795	174,579	25·692	14·75	94	75	23	51·2	28·4	37·9	0·95
PAISLEY, . . .	3,538	88,710	25·073	14·93	37	38	7	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	41	37	5	52·8	29·7	39·4	0·43
GREENOCK, . .	1,440	71,269	49·492	10·63	50	26	5	51·0	27·0	37·3	2·69
PERTH, ...	2,122	34,866	16·431	18·44	13	13	1	52·0	25·0	36·7	0·43
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	946	618	175	48·9	25·7	36·3	0·46

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240 - 2/1907. 74/741.

[TURN OVER

Week ending Saturday, FEBRUARY 16, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 16, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·0	2·4	764	144	235	1	4	0	5	20	49	6	1	168	29	192	18	2
GLASGOW, .	22·5	3·7	366	74	87	*1	0	0	3	13	†39	4	0	80	15	103	8	2
EDINBURGH,	22·0	1·1	146	22	46	0	4	0	0	0	‡3	0	0	28	5	37	6	0
DUNDEE, . .	19·8	0·6	63	8	28	0	0	0	1	0	‡1	0	0	15	1	18	2	0
ABERDEEN, .	22·4	2·4	75	19	26	0	0	0	0	6	0	2	1	15	1	16	0	0
PAISLEY, . .	22·4	2·9	38	10	13	0	0	0	1	1	‡3	0	0	14	2	6	1	0
LEITH, . . .	23·1	1·9	37	7	12	0	0	0	0	0	‡3	0	0	8	3	7	1	0
GREENOCK, .	19·0	0·0	26	3	16	0	0	0	0	0	0	0	0	7	0	0	0	0
PERTH, . . .	19·5	0·0	13	1	7	0	0	0	0	0	0	0	0	1	2	5	0	0

* Chicken-pox. † Thirty-six Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 17, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·0	1·9	618	93	184	0	34	4	9	5	*2	10	0	134	11	162	18	1
GLASGOW, .	18·0	2·4	288	44	84	0	25	0	5	2	*2	4	0	65	5	76	8	1
EDINBURGH,	17·3	1·2	113	11	31	0	5	1	1	0	0	1	0	21	0	32	6	0
DUNDEE, . .	22·1	2·2	70	8	23	0	2	0	2	2	0	1	0	14	1	17	0	0
ABERDEEN, .	13·4	1·5	44	11	13	0	0	0	0	1	0	4	0	13	3	14	0	0
PAISLEY, . .	18·0	1·8	30	9	5	0	2	1	0	0	2	0	0	8	1	8	3	0
LEITH, . . .	18·9	1·3	30	3	12	0	0	1	1	0	0	0	0	7	0	8	0	0
GREENOCK, .	25·1	0·7	34	5	11	0	0	1	0	0	0	0	0	5	1	5	1	0
PERTH, . . .	13·6	0·0	9	2	5	0	0	0	0	0	0	0	0	1	0	2	0	0

* One Typhus.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 23, 1907.

During the week ending 23rd February 1907 there were registered in Eight of the Principal Towns the births of 941 living children, and the deaths of 654 persons. The equivalent annual birth-rate is 27·1 per thousand, and the death-rate, 18·8.

The death-rates of the three preceding weeks were 22·0, 23·0, and 20·5. The death-rate of this week is thus 3·2 less than that of the previous week, and 3·0 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Dundee, 20·8; and lowest in Aberdeen, 14·6. In Glasgow it was 20·3; in Perth, 19·5; in Leith, 18·1; in Edinburgh, 18·0; in Greenock, 16·1; and in Paisley, 15·9.

Deaths from the principal epidemic diseases numbered 71; these are 14 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 2·0 per thousand. These deaths include 2 from measles, 1 from scarlet fever, 6 from diphtheria, 27 from hooping-cough, 2 from enteric fever, 23 from cerebro-spinal meningitis, and 10 from diarrhœas. Deaths from cerebro-spinal meningitis are 23 fewer than in the previous week, from measles 2 fewer; and from enteric fever 1 fewer; but those from hooping-cough are 7 more, from diarrhœas 4 more, from scarlet fever 1 more, and from diphtheria 1 more. The death-rates from these causes ranged from 2·9 in Glasgow and Greenock, to 0·9 in Dundee and Aberdeen. Of the 23 deaths from cerebro-spinal meningitis 19 were registered in Glasgow, 2 in Edinburgh, and 2 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 161; these are 7 fewer than in the previous week, but 39 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 126; these are 18 fewer than in the previous week, and 8 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 182; these are 53 fewer than in the previous week, and 8 fewer than in the corresponding week of last year.

The mean temperature was 37°·3, being 0°·4 below that for the week immediately preceding, but 1°·6 above that for the corresponding week of 1906. The mean rainfall was 0·81 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 23, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Feb. 23, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	941	654	166	51·0	24·0	37·3	0·81
GLASGOW, . . .	12,789	847,584	66·274	9·18	471	329	72	50·0	25·2	38·0	1·17
EDINBURGH, . .	11,416	345,747	30·286	13·58	151	119	35	49·1	24·3	36·8	0·52
DUNDEE, . . .	4,162	165,748	39·824	11·85	100	66	9	49·8	24·0	36·2	0·52
ABERDEEN, . .	6,795	174,579	25·692	14·75	77	49	29	49·5	26·5	35·6	0·75
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	27	5	49·5	25·0	38·5	1·20
LEITH, ...	2,044	83,668	40·933	11·68	40	29	7	50·7	28·1	38·5	0·40
GREENOCK, . .	1,440	71,269	49·492	10·63	43	22	6	50·0	24·0	38·1	1·23
PERTH, ...	2,122	34,866	16·431	18·44	10	13	3	51·0	25·0	37·1	0·70
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	941	671	204	48·8	21·0	35·7	0·56

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1907. 74/741.

[TURN OVER.

Week ending Saturday, FEBRUARY 23, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 23, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·8	2·0	654	126	182	0	2	1	6	27	25	10	1	161	24	203	22	1
GLASGOW, .	20·3	2·9	329	62	86	0	0	0	0	20	*21	6	0	79	12	107	9	1
EDINBURGH,	18·0	1·1	119	31	28	0	1	1	1	2	†2	0	0	21	8	39	7	0
DUNDEE, . .	20·8	0·9	66	8	28	0	0	0	1	0	0	2	0	20	2	23	1	0
ABERDEEN, .	14·6	0·9	49	9	17	0	0	0	1	2	0	0	0	13	2	11	1	0
PAISLEY, . .	15·9	2·4	27	5	7	0	0	0	2	0	†2	0	0	10	0	10	1	0
LEITH, . . .	18·1	1·2	29	7	5	0	1	0	0	0	0	1	1	9	0	6	2	0
GREENOCK, .	16·1	2·9	22	2	8	0	0	0	0	3	0	1	0	5	0	3	1	0
PERTH, . . .	19·5	1·5	13	2	3	0	0	0	1	0	0	0	0	4	0	4	0	0

* Nineteen Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 24, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·6	1·6	671	134	190	*1	28	3	2	10	6	5	3	122	24	181	14	3
GLASGOW, .	21·0	1·5	336	67	82	*1	16	0	1	2	3	1	1	75	7	89	11	3
EDINBURGH,	18·7	1·7	122	25	32	0	4	3	1	2	0	1	2	13	5	43	1	0
DUNDEE, . .	25·3	3·5	80	20	33	0	2	0	0	5	2	2	0	15	2	23	1	0
ABERDEEN, .	14·3	0·6	47	11	17	0	0	0	0	1	0	1	0	5	3	10	0	0
PAISLEY, . .	14·4	3·0	24	1	7	0	5	0	0	0	0	0	0	2	3	4	1	0
LEITH, . . .	15·8	0·6	25	3	7	0	1	0	0	0	0	0	0	5	2	6	0	0
GREENOCK, .	22·9	0·7	31	6	10	0	0	0	0	0	1	0	0	6	2	4	0	0
PERTH, . . .	9·1	0·0	6	1	2	0	0	0	0	0	0	0	0	1	0	2	0	0

* Chicken-pox.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 2, 1907.

During the week ending 2nd March 1907 there were registered in Eight of the Principal Towns the births of 960 living children, and the deaths of 706 persons. The equivalent annual birth-rate is 27·6 per thousand, and the death-rate, 20·3 per thousand.

The death-rates of the three preceding weeks were 18·8, 22·0, and 23·0. The death-rate of this week is thus 1·5 higher than that of the previous week, but 1·0 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 25·4; and lowest in Greenock, 13·2. In Glasgow it was 22·0; in Paisley, 21·8; in Leith, 21·2; in Dundee, 21·1; in Aberdeen, 18·2; and in Edinburgh, 17·4.

Deaths from the principal epidemic diseases numbered 98; these are 27 more than in the previous week, and equivalent to an annual death-rate from these causes of 2·8 per thousand. These deaths include 6 from measles, 4 from scarlet fever, 6 from diphtheria, 25 from hooping-cough, 5 from enteric fever, 10 from diarrhœas, and 42 from cerebro-spinal meningitis. Deaths from hooping-cough are 2 fewer than in the previous week, from diphtheria and diarrhœas of the same number as in that week, while deaths from scarlet fever and enteric fever are both 3 more, from measles 4 more, and from cerebro-spinal meningitis 19 more than in that week. The death-rate from these causes ranged from 4·4 in Glasgow, to 0 in Greenock and Perth.

Of the 42 deaths from cerebro-spinal meningitis 37 were in Glasgow, 3 in Edinburgh, 1 in Paisley, and 1 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 124; these are 37 fewer than in the previous week, and 29 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 130; these are 4 more than in the previous week, but the same number as in the corresponding week of last year. Deaths of persons of over sixty numbered 186; these are 4 more than in the previous week, but 18 fewer than in the corresponding week of last year.

The mean temperature was 43°·2, being 5°·9 above that for the week immediately preceding, and 6°·0 above that for the corresponding week of 1906. The mean rainfall was 0·21 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 2, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Mar. 2, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	960	706	224	58·0	25·0	43·2	0·21
GLASGOW, . . .	12,789	847,584	66·274	9·18	503	357	114	51·5	29·5	43·3	0·26
EDINBURGH, . .	11,416	345,747	30 286	13·58	136	115	39	52·1	27·8	43·0	0·00
DUNDEE, . . .	4,162	165,748	39·824	11·85	86	67	11	54·3	30·3	43·1	0·14
ABERDEEN, . .	6,795	174,579	25·692	14·75	91	61	18	57·0	32·2	43·5	0·03
PAISLEY, . . .	3,538	88,710	25·073	14·93	42	37	13	55·9	25·0	43·7	0·48
LEITH, ...	2,044	83,668	40·933	11·68	42	34	13	53·6	31·1	43·7	0·09
GREENOCK, . .	1,440	71,269	49·492	10·63	45	18	8	50·8	25·0	41·3	0·49
PERTH, ...	2,122	34,866	16·431	18·44	15	17	8	58·0	26·0	43·7	0·19
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	928	661	303	49·0	21·9	37·2	0·37

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—840—3/1907. 74/741.

[TURN OVER.

Week ending Saturday, MARCH 2, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 2, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·3	2·8	706	130	186	0	6	4	6	25	47	10	2	124	26	211	25	3
GLASGOW, .	22·0	4·4	357	75	66	0	1	1	2	20	*41	7	0	66	12	108	15	3
EDINBURGH,	17·4	1·8	115	10	36	0	2	3	2	2	†3	0	1	15	7	46	6	0
DUNDEE, . .	21·1	0·6	67	11	25	0	0	0	0	1	0	1	0	8	3	23	0	0
ABERDEEN, .	18·2	0·9	61	12	25	0	1	0	0	1	0	1	0	13	1	15	1	0
PAISLEY, . .	21·8	2·9	37	8	7	0	0	0	1	1	‡2	1	0	2	1	7	2	0
LEITH, . . .	21·2	2·5	34	7	12	0	2	0	1	0	†1	0	0	7	1	5	0	0
GREENOCK, .	13·2	0·0	18	6	6	0	0	0	0	0	0	0	0	7	1	2	1	0
PERTH, . . .	25·4	0·0	17	1	9	0	0	0	0	0	0	0	1	6	0	5	0	0

* 37 Cerebro-spinal meningitis. † Cerebro-spinal meningitis. ‡ 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 3, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·3	1·8	661	130	204	0	26	2	6	10	3	14	0	153	27	169	19	2
GLASGOW, .	20·0	2·1	320	62	91	0	16	1	4	6	1	6	0	79	15	80	12	1
EDINBURGH,	17·9	0·9	117	17	43	0	2	0	1	1	1	1	0	20	7	38	3	0
DUNDEE, . .	27·5	3·8	87	23	26	0	3	0	1	2	1	5	0	22	1	24	0	0
ABERDEEN, .	14·9	0·0	49	12	21	0	0	0	0	0	0	0	0	14	1	7	0	0
PAISLEY, . .	19·8	3·0	33	7	6	0	4	0	0	0	0	1	0	6	2	7	3	1
LEITH, . . .	10·7	2·5	17	2	5	0	1	1	0	1	0	1	0	1	1	6	0	0
GREENOCK, .	21·4	0·0	29	6	10	0	0	0	0	0	0	0	0	10	0	4	1	0
PERTH, . . .	13·6	0·0	9	1	2	0	0	0	0	0	0	0	0	1	0	3	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 9, 1907.

During the week ending 9th March 1907 there were registered in Eight of the Principal Towns the births of 947 living children, and the deaths of 716 persons. The equivalent annual birth-rate is 27·3 per thousand, and the death-rate, 20·6.

The death-rates of the three preceding weeks were 20·3, 18·8, and 22·0. The death-rate of this week is thus 0·3 higher than that of the previous week, and 0·2 higher than that of the the mean of the three preceding weeks.

The death-rate of the week was highest in Leith, 22·5; and lowest in Greenock, 13·2. In Aberdeen it was 22·4; in Dundee, 21·7; in Glasgow, 21·1; in Edinburgh, 20·1; in Paisley, 18·8; and in Perth, 16·5.

Deaths from the principal epidemic diseases numbered 112; these are 14 more than in the previous week, and are equal to an annual death-rate from these causes of 3·2 per thousand. These deaths include 6 from measles, 15 from diphtheria, 26 from hooping-cough, 6 from enteric fever, 13 from diarrhœas, and 46 from cerebro-spinal meningitis. There were no deaths from scarlet fever. The deaths from measles are of the same number as in the previous week, but those from hooping-cough are 1 more, from enteric fever 1 more, from diarrhœas 3 more, from cerebro-spinal meningitis 4 more, and from diphtheria 9 more. The death-rate from these causes ranged from 6·9 in Leith, to 0 in Perth.

Of the 46 deaths from cerebro-spinal meningitis 28 were registered in Glasgow, 10 in Leith, 7 in Edinburgh, and 1 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 149; these are 25 more than in the previous week, and 24 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 126; these are 4 fewer than in the previous week, but 15 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 190; these are 4 more than in the previous week, and 29 more than in the corresponding week of last year.

The mean temperature was 40°·9, being 2°·3 below that for the week immediately preceding, and 1°·5 below that for the corresponding week of 1906. The mean rainfall was 0·99 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 9, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Mar. 9, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	947	716	217	54·0	27·0	40·9	0·99
GLASGOW, . . .	12,789	847,584	66·274	9·18	503	342	108	51·6	28·8	41·0	1·61
EDINBURGH, . .	11,416	345,747	30·286	13·58	156	133	55	51·7	28·6	41·2	0·33
DUNDEE, . . .	4,162	165,748	39·824	11·85	69	69	9	52·9	28·3	40·2	0·45
ABERDEEN, . .	6,795	174,579	25·692	14·75	79	75	16	52·0	27·0	39·3	0·60
PAISLEY, . . .	3,538	88,710	25·073	14·93	42	32	11	53·3	30·0	42·2	1·69
LEITH, ...	2,044	83,668	40·933	11·68	49	36	10	53·6	29·9	41·4	0·43
GREENOCK, . .	1,440	71,269	49·492	10·63	38	18	2	51·0	27·5	40·9	2·35
PERTH, ...	2,122	34,866	16·431	18·44	11	11	6	54·0	27·0	41·4	0·43
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	961	622	176	55·0	21·8	42·4	0·79

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240 - 3/1907. 74/741.

[TURN OVER.

Week ending Saturday, MARCH 9, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 9, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·6	3·2	716	126	190	0	6	0	15	26	52	13	1	149	26	214	21	1
GLASGOW, .	21·1	4·2	342	67	70	0	2	0	7	21	*32	6	1	59	14	115	11	1
EDINBURGH,	20·1	2·1	133	18	47	0	0	0	1	1	†9	3	0	27	7	48	6	0
DUNDEE, . .	21·7	1·6	69	11	27	0	0	0	3	0	‡1	1	0	16	1	21	0	0
ABERDEEN, .	22·4	1·5	75	19	23	0	3	0	0	0	0	2	0	24	2	10	2	0
PAISLEY, . .	18·8	4·1	32	4	6	0	0	0	3	3	0	1	0	10	0	4	2	0
LEITH, . . .	22·5	6·9	36	3	9	0	1	0	0	0	‡10	0	0	8	2	11	0	0
GREENOCK, .	13·2	1·5	18	4	4	0	0	0	1	1	0	0	0	4	0	3	0	0
PERTH, . . .	16·5	0·0	11	0	4	0	0	0	0	0	0	0	0	1	0	2	0	0

* 28 Cerebro-spinal meningitis. † 7 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 10, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·2	1·7	622	111	161	0	23	2	11	10	4	7	0	125	20	180	17	1
GLASGOW, .	19·0	1·9	304	61	66	0	10	0	7	7	2	4	0	67	10	92	3	0
EDINBURGH,	16·4	1·4	107	15	27	0	6	1	1	0	1	0	0	22	1	40	10	1
DUNDEE, . .	22·8	2·5	72	14	19	0	2	1	1	2	0	2	0	11	5	24	0	0
ABERDEEN, .	14·9	0·3	49	7	17	0	0	0	1	0	0	0	0	9	1	8	1	0
PAISLEY, . .	13·8	2·4	23	4	7	0	4	0	0	0	0	0	0	5	1	7	1	0
LEITH, . . .	17·7	1·3	28	6	5	0	1	0	0	1	0	0	0	5	0	4	0	0
GREENOCK, .	17·7	1·5	24	3	10	0	0	0	1	0	1	0	0	5	0	1	1	0
PERTH, . . .	22·7	1·5	15	1	10	0	0	0	0	0	0	1	0	1	2	4	1	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 16, 1907.

During the week ending 16th March 1907 there were registered in Eight of the Principal Towns the births of 901 living children, and the deaths of 712 persons. The equivalent annual birth-rate is 25·9 per thousand, and the death-rate, 20·5.

The death-rates for the three preceding weeks were 20·6, 20·3, and 18·8. The death-rate for this week is thus 0·1 lower than that of the previous week, but 0·6 higher than the mean of the three preceding weeks.

The death-rate for the week was highest in Glasgow, 23·5; and lowest in Dundee, 13·2. In Perth it was 21·0; in Leith, 20·6; in Greenock, 20·5; in Edinburgh, 18·6; in Paisley, 18·2; and in Aberdeen, 17·9.

Deaths from the principal epidemic diseases numbered 100; these are 12 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 2·9 per thousand. These deaths include 6 from measles, 1 from scarlet fever, 4 from diphtheria, 33 from hooping-cough, 3 from enteric fever, 40 from cerebro-spinal meningitis, and 13 from diarrhœal diseases. Deaths from hooping-cough are 7 more than in the previous week, from scarlet fever 1 more, from diphtheria 11 fewer, from enteric fever 3 fewer, and from cerebro-spinal meningitis 6 fewer, while deaths from measles and from diarrhœal diseases number the same as in the previous week. The death-rate from these causes ranged from 4·4 in Glasgow and in Greenock, to 0 in Perth. Of the 40 deaths from cerebro-spinal meningitis 33 were registered in Glasgow, 2 each in Edinburgh, Leith, and Greenock, and 1 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 155; these are 6 more than in the previous week, and 32 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 137; these are 11 more than in the previous week, but 5 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 190; these are the same number as in the previous week, but 35 more than in the corresponding week of last year.

The mean temperature was 39°·3, being 1°·6 below that for the week immediately preceding, but 3°·2 above that for the corresponding week of last year. The mean rainfall was 1·14 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 16, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Mar. 16, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	901	712	179	56·0	20·0	39·3	1·14
GLASGOW, . . .	12,789	847,584	66·274	9·18	447	381	84	52·4	28·5	40·0	1·37
EDINBURGH, . .	11,416	345,747	30·286	13·58	143	123	48	50·9	27·7	40·0	0·82
DUNDEE, . . .	4,162	165,748	39·824	11·85	77	42	11	52·1	23·7	37·8	1·03
ABERDEEN, . .	6,795	174,579	25·692	14·75	90	60	17	56·0	20·0	37·8	0·92
PAISLEY, . . .	3,538	88,710	25·073	14·93	42	31	5	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	36	33	9	52·7	31·7	42·0	0·81
GREENOCK, . .	1,440	71,269	49·492	10·63	45	28	2	50·8	27·0	38·4	2·08
PERTH, ...	2,122	34,866	16·431	18·44	21	14	3	53·0	26·0	39·4	0·93
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	963	661	178	57·0	12·0	36·1	1·72

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—640—3/1907. 74/741.

[TURN OVER.

Week ending Saturday, MARCH 16, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 16, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·5	2·9	712	137	190	0	6	1	4	33	43	13	1	155	24	204	24	5
GLASGOW, .	23·5	4·4	381	77	81	0	1	1	3	22	*35	9	0	88	15	121	15	4
EDINBURGH,	18·6	1·8	123	11	49	0	4	0	1	3	†2	2	0	25	4	46	7	0
DUNDEE, . .	13·2	0·3	42	6	13	0	0	0	0	0	0	1	1	10	0	7	0	0
ABERDEEN, .	17·9	1·5	60	17	15	0	0	0	0	4	1	0	0	9	2	11	0	0
PAISLEY, . .	18·2	0·6	31	7	7	0	0	0	0	0	†1	0	0	7	1	6	0	0
LEITH, . . .	20·6	2·5	33	9	8	0	1	0	0	0	†2	1	0	7	1	4	0	0
GREENOCK, .	20·5	4·4	28	7	9	0	0	0	0	4	†2	0	0	7	0	4	1	0
PERTH, . . .	21·0	0·0	14	3	8	0	0	0	0	0	0	0	0	2	1	5	1	1

* 33 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 17, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·3	2·4	661	142	155	0	37	7	8	6	3	20	2	123	22	166	20	3
GLASGOW, .	20·9	2·7	335	72	77	0	18	1	5	5	3	12	2	68	14	82	14	2
EDINBURGH,	15·6	0·8	102	19	26	0	3	0	0	0	0	2	0	18	4	26	4	0
DUNDEE, . .	24·7	4·4	78	23	12	0	8	2	2	1	0	1	0	13	4	25	0	0
ABERDEEN, .	15·3	1·2	50	8	16	0	0	1	0	0	0	3	0	7	0	12	0	0
PAISLEY, . .	21·6	4·8	36	9	7	0	8	0	0	0	0	0	0	13	0	4	1	1
LEITH, . . .	13·9	2·5	22	3	6	0	0	2	1	0	0	1	0	2	0	8	0	0
GREENOCK, .	20·6	1·5	28	6	5	0	0	1	0	0	0	1	0	2	0	7	0	0
PERTH, . . .	15·1	0·0	10	2	6	0	0	0	0	0	0	0	0	0	0	2	1	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 23, 1907.

During the week ending 23rd March 1907 there were registered in Eight of the Principal Towns the births of 962 living children, and the deaths of 715 persons. The equivalent annual birth-rate is 27·7, and the death-rate, 20·6.

The death-rates of the three preceding weeks were 20·5, 20·6, and 20·3. The death-rate of this week is thus 0·1 higher than that of the previous week, and 0·1 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Glasgow, 24·1; and lowest in Aberdeen, 14·9. In Dundee it was 20·1; in Paisley, 19·4; in Greenock, 19·0; in Edinburgh, 17·1; in Leith, 16·8; and in Perth, 16·5.

Deaths from the principal epidemic diseases numbered 102; these are 2 more than in the previous week, and are equal to an annual death-rate from these causes of 2·9 per thousand. These deaths include 4 from measles, 6 from diphtheria, 33 from hooping-cough, 6 from enteric fever, 11 from diarrhœas, and 42 from cerebro-spinal meningitis. There were no deaths from scarlet fever. Deaths from measles and diarrhœas are both 2 fewer than those registered in the previous week, those from hooping-cough are of the same number, while those from diphtheria and from cerebro-spinal meningitis are both 2 more, and those from enteric fever 3 more. The death-rate from these causes ranged from 4·7 in Glasgow and 3·1 in Leith, to 0 in Perth. Of the deaths from cerebro-spinal meningitis 33 were registered in Glasgow, 4 in Edinburgh, 3 in Leith, and 2 in Paisley.

Deaths ascribed to bronchitis, pneumonia, and pleurisy numbered 147; these are 8 fewer than in the previous week, but 23 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 132; these are 5 fewer than in the previous week, but 17 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 177; these are 13 fewer than in the previous week, but 7 more than in the corresponding week of last year.

The mean temperature was 42°·7, being 3°·4 above that for the week immediately preceding, and 1°·9 above that for the corresponding week of 1906. The mean rainfall was 0·69 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 23, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Mar. 23, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	962	715	156	56·0	30·8	42·7	0·69
GLASGOW, . . .	12,789	847,584	66·274	9·18	480	391	86	53·5	33·2	44·3	0·91
EDINBURGH, . .	11,416	345,747	30 286	13·58	156	113	23	52·1	31·3	41·5	0·68
DUNDEE, . . .	4,162	165,748	39·824	11·85	90	64	13	53·0	31·3	42·2	0·23
ABERDEEN, . .	6,795	174,579	25·692	14·75	81	50	14	56·0	30·8	42·3	0·30
PAISLEY, . . .	3,538	88,710	25·073	14·93	45	33	6	54·0	32·9	44·1	1·06
LEITH, ...	2,044	83,668	40·933	11·68	48	27	4	53·5	33·1	43·7	0·57
GREENOCK, . .	1,440	71,269	49·492	10·63	47	26	7	50·5	31·0	41·5	1·36
PERTH, ...	2,122	34,866	16·431	18·44	15	11	3	53·0	31·0	41·9	0·38
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	990	617	151	58·4	28·8	40·8	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1907. 74/741.

[TURN OVER

Week ending Saturday, MARCH 23, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 23, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·6	2·9	715	132	177	0	4	0	6	33	48	11	0	147	17	206	17	1
GLASGOW, .	24·1	4·7	391	75	75	0	2	0	4	30	*38	2	0	81	7	116	7	1
EDINBURGH,	17·1	1·8	113	18	39	0	2	0	0	2	†5	3	0	19	5	37	4	0
DUNDEE, . .	20·1	0·6	64	8	24	0	0	0	1	0	0	1	0	15	0	15	0	0
ABERDEEN, .	14·9	0·6	50	11	18	0	0	0	0	0	0	2	0	13	1	11	2	0
PAISLEY, . .	19·4	2·4	33	11	10	0	0	0	1	1	‡2	0	0	8	0	10	4	0
LEITH, . . .	16·8	3·1	27	4	8	0	0	0	0	0	‡3	2	0	3	2	4	0	0
GREENOCK, .	19·0	0·7	26	4	2	0	0	0	0	0	0	1	0	5	2	7	0	0
PERTH, . . .	16·5	0·0	11	1	1	0	0	0	0	0	0	0	0	3	0	6	0	0

* 33 Cerebro-spinal meningitis. † 4 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 24, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·0	1·7	617	115	170	*1	20	0	3	16	1	17	4	124	12	183	16	1
GLASGOW, .	18·3	2·1	293	60	52	*1	14	0	1	9	1	8	2	68	5	89	8	0
EDINBURGH,	17·0	1·1	111	14	43	0	3	0	0	2	0	2	0	18	2	35	4	0
DUNDEE, . .	22·8	2·8	72	15	25	0	2	0	1	3	0	3	0	13	1	18	0	0
ABERDEEN, .	15·6	0·6	51	9	21	0	0	0	0	0	0	2	1	11	0	21	2	1
PAISLEY, . .	19·2	0·6	32	6	10	0	0	0	0	0	0	1	0	5	1	8	2	0
LEITH, . . .	12·6	1·3	20	2	5	0	1	0	1	0	0	0	0	4	1	5	0	0
GREENOCK, .	20·6	2·2	28	6	11	0	0	0	0	2	0	1	1	3	2	3	0	0
PERTH, . . .	15·1	0·0	10	3	3	0	0	0	0	0	0	0	0	2	0	4	0	0

* Chicken-pox.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, MARCH 30, 1907.

During the week ending 30th March 1907 there were registered in Eight of the Principal Towns the births of 927 living children, and the deaths of 706 persons. The equivalent annual birth-rate is 26·7 per thousand, and the death-rate, 20·3.

The death-rates of the three preceding weeks were 20·6, 20·5, and 20·6. The death-rate of this week is thus 0·3 lower than that of the previous week, and the same lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Glasgow, 22·1; and lowest in Leith, 15·6. In Paisley it was 21·2; in Greenock, 21·2; in Perth, 21·0; in Edinburgh, 19·3; in Dundee, 19·2; and in Aberdeen, 16·1.

Deaths from the principal epidemic diseases numbered 107; these are 5 more than in the previous week, and are equivalent to an annual death-rate from these causes of 3·1 per thousand. These deaths include 7 from measles, 2 from scarlet fever, 6 from diphtheria, 34 from hooping-cough, 1 from enteric fever, 19 from diarrhœas, and 38 from cerebro-spinal meningitis. Deaths from enteric fever are 5 fewer than in the previous week, and from cerebro-spinal meningitis 4 fewer; while those from diphtheria were of the same number as in that week, from hooping-cough 1 more, from scarlet fever 2 more, from measles 3 more, and from diarrhœas 8 more. The death-rate from these causes ranged from 4·6 in Glasgow and 4·1 in Paisley, to 0·9 in Dundee. Of the 38 deaths from cerebro-spinal meningitis, 31 were registered in Glasgow, 4 in Edinburgh, 2 in Paisley, and 1 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 123; these are 24 fewer than in the previous week, but 20 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 137; these are 5 more than in the previous week, and 24 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 179; these are 2 more than in the previous week, and 33 more than in the corresponding week of last year.

The mean temperature was 49°·1, being 6°·4 above that for the week immediately preceding, and 8°·7 above that for the corresponding week of 1906. The mean rainfall was 0·01 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 30, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Mar. 30, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	927	706	193	66·0	31·0	49·1	0·01
GLASGOW, . . .	12,789	847,584	66·274	9·18	430	359	104	64·2	36·6	49·9	0·00
EDINBURGH, . .	11,416	345,747	30·286	13·58	152	128	31	64·0	37·7	50·6	0·00
DUNDEE, . . .	4,162	165,748	39·824	11·85	100	61	7	60·0	34·0	47·7	0·01
ABERDEEN, . .	6,795	174,579	25·692	14·75	103	54	23	66·0	34·6	49·5	0·03
PAISLEY, . . .	3,538	88,710	25·073	14·93	50	36	7	65·2	35·5	49·1	0·00
LEITH, ...	2,044	83,668	40·933	11·68	35	25	5	65·5	37·7	50·9	0·00
GREENOCK, . .	1,440	71,269	49·492	10·63	41	29	9	63·2	37·0	48·0	0·01
PERTH, ...	2,122	34,866	16·431	18·44	16	14	7	65·0	31·0	47·4	0·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	974	647	193	56·2	22·0	40·4	0·05

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1907. 74/741.

[TURN OVER

Week ending Saturday, MARCH 30, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 30, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·3	3·1	706	137	179	0	7	2	6	34	39	19	1	123	23	176	18	3
GLASGOW, .	22·1	4·6	359	65	66	0	4	1	3	26	*31	9	1	62	13	99	11	1
EDINBURGH,	19·3	1·8	128	24	46	0	2	0	0	3	*4	3	0	17	6	39	1	2
DUNDEE, . .	19·2	0·9	61	15	19	0	0	0	1	1	0	1	0	16	2	11	2	0
ABERDEEN, .	16·1	1·5	54	8	20	0	0	0	0	2	0	3	0	6	0	8	0	0
PAISLEY, . .	21·2	4·1	36	7	12	0	0	0	1	1	†3	2	0	6	1	6	2	0
LEITH, . . .	15·6	1·9	25	8	6	0	1	1	0	0	*1	0	0	8	1	7	1	0
GREENOCK, .	21·2	1·5	29	7	5	0	0	0	1	1	0	0	0	6	0	3	1	0
PERTH, . . .	21·0	1·5	14	3	5	0	0	0	0	0	0	1	0	2	0	3	0	0

* Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 31, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·9	1·8	647	113	146	0	27	6	4	11	2	12	1	103	29	157	23	2
GLASGOW, .	19·1	2·0	306	49	51	0	14	2	3	7	1	5	1	52	13	82	8	2
EDINBURGH,	16·5	2·0	108	20	23	0	7	2	1	1	0	2	0	19	3	33	9	0
DUNDEE, . .	21·8	2·5	69	18	18	0	2	1	0	2	*1	2	0	10	3	11	0	0
ABERDEEN, .	16·8	0·6	55	11	18	0	0	0	0	1	0	1	0	9	5	6	0	0
PAISLEY, . .	25·7	1·8	43	4	18	0	2	1	0	0	0	0	0	4	1	12	3	0
LEITH, . . .	15·8	0·6	25	2	8	0	1	0	0	0	0	0	0	5	0	5	0	0
GREENOCK, .	21·4	2·2	29	8	6	0	1	0	0	0	0	2	0	3	4	6	3	0
PERTH, . . .	18·1	0·0	12	1	4	0	0	0	0	0	0	0	0	1	0	2	0	0

* Typhus.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 6, 1907.

During the week ending 6th April 1907 there were registered in Eight of the Principal Towns the births of 1043 living children, and the deaths of 673 persons. The equivalent annual birth-rate is 30·0, and the death-rate, 19·4.

The death-rates of the three preceding weeks were 20·3, 20·6, and 20·5. The death-rate of this week is thus 0·9 lower than that of the previous week, and 1·1 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 24·0; and lowest in Paisley, 12·9. In Glasgow it was 21·9; in Edinburgh, 18·4; in Leith, 18·1; in Dundee, 16·7; in Aberdeen, 16·1; and in Greenock, 16·1.

Deaths from the principal epidemic diseases numbered 114; these are 7 more than in the preceding week, and equivalent to an annual death-rate from these causes of 3·3 per thousand. These deaths include 3 from measles, 4 from scarlet fever, 5 from diphtheria, 40 from hooping-cough, 6 from enteric fever, 14 from diarrhœas, and 42 from cerebro-spinal meningitis. Deaths from diarrhœas are 5 fewer than in the previous week, from measles 4 fewer, and from diphtheria 1 fewer; but those from hooping-cough are 6 more, from enteric fever 5 more, from scarlet fever 2 more, and from cerebro-spinal meningitis 4 more. The death-rate from these causes ranged from 4·8 in Glasgow, and 3·7 in Leith, to 0 in Greenock and in Perth. Of the deaths from cerebro-spinal meningitis, 29 were registered in Glasgow, 6 in Edinburgh, 5 in Leith, and 2 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 109; they are 14 fewer than in the previous week, but 33 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 126; they are 11 fewer than in the previous week, and 3 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 177; they are 2 fewer than in the previous week, and 19 fewer than in the corresponding week of last year.

The mean temperature was 46°·3, being 2°·8 below that for the week immediately preceding, but 0°·6 above that for the corresponding week of 1906. The mean rainfall was 0·93 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 6, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Apr. 6, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1043	673	450	65·5	28·0	46·3	0·93
GLASGOW, . . .	12,789	847,584	66·274	9·18	539	355	275	65·5	33·3	47·9	1·02
EDINBURGH, . .	11,416	345,747	30 286	13·58	142	122	54	61·8	38·6	47·8	0·44
DUNDEE, . . .	4,162	165,748	39·824	11·85	95	53	47	57·4	31·9	43·9	0·88
ABERDEEN, . .	6,795	174,579	25·692	14·75	97	54	28	60·0	28·5	44·5	0·30
PAISLEY, . . .	3,538	88,710	25·073	14·93	54	22	20	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	54	29	13	64·8	40·0	49·1	0·61
GREENOCK, . .	1,440	71,269	49·492	10·63	46	22	9	64·5	34·2	46·8	2·13
PERTH, ...	2,122	34,866	16·431	18·44	16	16	4	58·0	28·0	44·0	1·14
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1033	665	295	63·6	27·5	45·7	0·02

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1907. 74/741.

[TURN OVER

Week ending Saturday, APRIL 6, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 6, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·4	3·3	673	126	177	0	3	4	5	40	48	14	0	109	20	214	25	0
GLASGOW, .	21·9	4·8	355	69	73	0	1	2	4	31	*32	8	0	61	15	119	8	0
EDINBURGH,	18·4	2·4	122	19	39	0	2	2	0	3	†7	2	0	14	1	40	5	0
DUNDEE, . .	16·7	2·8	53	10	16	0	0	0	1	3	††2	3	0	12	0	20	1	0
ABERDEEN, .	16·1	1·2	54	14	19	0	0	0	0	2	1	1	0	5	3	13	6	0
PAISLEY, . .	12·9	0·6	22	5	6	0	0	0	0	1	0	0	0	4	1	5	4	0
LEITH, . . .	18·1	3·7	29	5	9	0	0	0	0	0	‡6	0	0	8	0	9	0	0
GREENOCK, .	16·1	0·0	22	2	7	0	0	0	0	0	0	0	0	2	0	4	1	0
PERTH, . . .	24·0	0·0	16	2	8	0	0	0	0	0	0	0	0	3	0	4	0	0

* 29 Cerebro-spinal meningitis. † 6 Cerebro-spinal meningitis.
‡ 5 Cerebro-spinal meningitis. †† Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 7, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·4	1·5	665	129	196	0	20	1	1	12	2	15	0	142	23	166	20	0
GLASGOW, .	17·9	1·4	287	49	63	0	8	0	1	8	0	5	0	67	15	75	9	0
EDINBURGH,	20·2	1·1	132	22	52	0	4	1	0	0	0	2	0	23	4	41	6	0
DUNDEE, . .	23·4	2·2	74	19	23	0	3	0	0	1	1	2	0	16	0	14	1	0
ABERDEEN, .	18·0	0·6	59	13	20	0	0	0	0	2	0	0	0	12	0	15	1	0
PAISLEY, . .	22·2	4·2	37	6	15	0	5	0	0	0	0	2	0	11	3	5	2	0
LEITH, . . .	21·5	0·6	34	7	13	0	0	0	0	0	0	1	0	5	1	10	0	0
GREENOCK, .	22·1	1·5	30	9	7	0	0	0	0	0	1	1	0	8	0	3	1	0
PERTH, . . .	18·1	4·5	12	4	3	0	0	0	0	1	0	2	0	0	0	3	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 13, 1907.

During the week ending 13th April 1907 there were registered in Eight of the Principal Towns the births of 1037 living children, and the deaths of 700 persons. The equivalent annual birth-rate is 29·9 per thousand, and the death-rate, 20·2.

The death-rates for the three preceding weeks were 19·4, 20·3, and 20·6. The rate for this week is thus 0·8 above that for the previous week, and 0·1 above the mean of the rates of the three preceding weeks.

The death-rate was highest in Glasgow, 23·6; and lowest in Paisley, 14·1. In Dundee, it was 21·4; in Perth, 21·0; in Leith, 20·6; in Greenock, 18·3; in Edinburgh, 15·4; and in Aberdeen, 15·2.

Deaths from the principal epidemic diseases numbered 124, and were 10 more than in the previous week. The equivalent annual death-rate is 3·6 per thousand. These deaths include 8 from measles, 2 from scarlet fever, 5 from diphtheria, 55 from hooping-cough, 4 from enteric fever, 1 from typhus fever, 5 from diarrhœal diseases, and 44 from cerebro-spinal meningitis. Deaths from hooping-cough were 15 more than in the previous week, from measles 5 more, and from cerebro-spinal meningitis 2 more, while those from scarlet fever and from enteric fever are each 2 fewer, and those from diarrhœal diseases 9 fewer. The deaths from diphtheria numbered the same as in the previous week. The death-rate from these causes ranged from 5·3 in Glasgow to 0 in Perth. Of the deaths from cerebro-spinal meningitis, 30 were registered in Glasgow, 8 in Edinburgh, 3 in Leith, 2 in Dundee, and 1 in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 118; these are 9 more than in the previous week, but 52 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 118; these are 8 fewer than in the previous week, and 4 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 154; these are 23 fewer than in the previous week, and 15 fewer than in the corresponding week of last year.

The mean temperature was 42°·9, being 3°·4 below that for the week immediately preceding, and 4°·7 below that for the corresponding week of 1906. The mean rainfall was 0·47 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 13, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Apr. 13, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1037	700	354	54·8	31·0	42·9	0·47
GLASGOW, . . .	12,789	847,584	66·274	9·18	551	383	142	54·8	35·5	43·6	0·53
EDINBURGH, . .	11,416	345,747	30·286	13·58	147	102	57	48·1	35·9	41·8	0·33
DUNDEE, ...	4,162	165,748	39·824	11·85	104	68	79	50·7	35·3	42·9	0·73
ABERDEEN, . .	6,795	174,579	25·692	14·75	91	51	25	50·6	36·0	42·9	0·33
PAISLEY, . . .	3,538	88,710	25·073	14·93	33	24	22	54·3	31·1	43·7	0·52
LEITH, ...	2,044	83,668	40·933	11·68	51	33	9	49·5	34·8	42·9	0·49
GREENOCK, . .	1,440	71,269	49·492	10·63	44	25	15	53·0	31·0	42·5	0·36
PERTH, ...	2,122	34,866	16·431	18·44	16	14	5	52·0	33·0	43·2	0·49
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	920	655	277	69·2	27·0	47·6	0·02

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1907. 89/1420.

[TURN OVER.

Week ending Saturday, APRIL 13, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 13, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·2	3·6	700	118	154	0	8	2	5	55	49	5	2	118	19	197	15	2
GLASGOW, .	23·6	5·3	383	61	77	0	4	1	4	45	*31	1	2	77	10	116	8	2
EDINBURGH,	15·4	2·7	102	12	32	0	3	1	0	5	†8	1	0	11	4	32	3	0
DUNDEE, . .	21·4	1·6	68	13	17	0	0	0	0	1	‡3	1	0	11	1	15	1	0
ABERDEEN, .	15·2	1·2	51	17	11	0	0	0	1	3	0	0	0	9	0	10	0	0
PAISLEY, . .	14·1	0·6	24	4	5	0	0	0	0	1	0	0	0	4	0	4	3	0
LEITH, . . .	20·6	3·1	33	6	5	0	1	0	0	0	†3	1	0	3	2	8	0	0
GREENOCK, .	18·3	3·7	25	2	3	0	0	0	0	0	††4	1	0	2	2	10	0	0
PERTH, . . .	21·0	0·0	14	3	4	0	0	0	0	0	0	0	0	1	0	2	0	0

* 30 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.
‡ 2 Cerebro-spinal meningitis. †† 1 Typhus. 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 14, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·1	1·6	655	122	169	0	23	0	7	12	1	11	1	170	22	178	25	2
GLASGOW, .	20·9	1·9	335	63	66	0	12	0	5	6	1	7	1	93	9	96	10	1
EDINBURGH,	19·9	1·7	130	23	49	0	6	0	2	2	0	1	0	31	3	38	9	0
DUNDEE, . .	16·8	1·9	53	12	18	0	3	0	0	1	0	2	0	8	3	15	1	0
ABERDEEN, .	11·6	0·0	38	9	9	0	0	0	0	0	0	0	0	5	0	8	1	0
PAISLEY, . .	14·4	0·0	24	4	6	0	0	0	0	0	0	0	0	5	1	5	1	0
LEITH, . . .	20·2	3·8	32	7	8	0	2	0	0	3	0	1	0	11	3	3	1	0
GREENOCK, .	24·3	0·0	33	4	9	0	0	0	0	0	0	0	0	14	3	11	2	1
PERTH, . . .	15·1	0·0	10	0	4	0	0	0	0	0	0	0	0	3	0	2	0	0

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 20, 1907.

During the week ending 20th April 1907 there were registered in Eight of the Principal Towns the births of 1038 living children, and the deaths of 695 persons. The equivalent annual birth-rate is 29·9 per thousand, and the death-rate, 20·0 per thousand.

The death-rates of the three preceding weeks were 20·2, 19·4, and 20·3. The death-rate of this week is thus 0·2 lower than that of the previous week, but is the same as the mean of the rates of the three previous weeks.

The death-rate of the week ranged from 25·6 in Leith, to 10·6 in Paisley. In Glasgow it was 22·2; in Dundee, 20·8; in Greenock, 18·3; in Edinburgh, 18·0; in Perth, 18·0; and in Aberdeen, 15·8.

Deaths from the principal epidemic diseases numbered 133; these are 9 more than in the previous week, and equivalent to an annual death-rate from these causes of 3·8 per thousand. These deaths include 17 from measles, 1 from scarlet fever, 2 from diphtheria, 54 from hooping-cough, 4 from enteric fever, 1 from typhus fever, 17 from diarrhœas, and 37 from cerebro-spinal meningitis. Deaths from cerebro-spinal meningitis are 7 fewer than in the previous week, from diphtheria 3 fewer, and from scarlet fever and hooping-cough each 1 fewer; while those from enteric and from typhus fever are of the same number, from measles 9 more, and from diarrhœas 12 more. The death-rate from these causes ranged from 6·9 in Leith, and 5·2 in Glasgow, to 0 in Paisley, and 0·9 in Aberdeen. Of the deaths from cerebro-spinal meningitis, 18 were registered in Glasgow, 10 in Edinburgh, 6 in Leith, 2 in Greenock, and 1 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 103; these are 15 fewer than in the previous week, and 37 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 143; they are 25 more than in the previous week, and 44 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 160; they are 6 more than in the previous week, but 3 fewer than in the corresponding week of last year.

The mean temperature was 42°·3, being 0°·6 below that for the previous week, and 1°·2 below that for the corresponding week of 1906. The mean rainfall was 0·24 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 20, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Apr. 20, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1038	695	222	57·0	25·0	42·3	0·24
GLASGOW, . . .	12,789	847,584	66·274	9·18	534	361	98	54·8	31·6	42·9	0·12
EDINBURGH, . .	11,416	345,747	30·286	13·58	137	119	55	51·9	28·4	41·3	0·07
DUNDEE, . . .	4,162	165,748	39·824	11·85	111	66	13	53·6	28·3	41·4	0·09
ABERDEEN, . .	6,795	174,579	25·692	14·75	96	53	19	53·0	28·0	41·5	0·32
PAISLEY, . . .	3,538	88,710	25·073	14·93	38	18	12	55·7	31·2	44·1	0·39
LEITH, ...	2,044	83,668	40·933	11·68	52	41	15	53·0	31·9	43·8	0·09
GREENOCK, . .	1,440	71,269	49·492	10·63	50	25	6	55·2	30·0	42·2	0·79
PERTH, ...	2,122	34,866	16·431	18·44	20	12	4	57·0	25·0	41·2	0·03
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1104	604	370	62·0	23·0	43·5	0·84

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1907. 89/1420.

[TURN OVER.

Week ending Saturday, APRIL 20, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 20, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·0	3·8	695	143	160	0	17	1	2	54	42	17	1	103	27	210	27	3
GLASGOW, .	22·2	5·2	361	72	68	0	8	1	1	41	*21	12	0	61	17	101	10	2
EDINBURGH,	18·0	3·5	119	18	35	0	4	0	0	6	†10	3	0	14	2	48	9	1
DUNDEE, . .	20·8	1·6	66	18	20	0	0	0	0	2	†1	2	1	8	2	15	4	0
ABERDEEN, .	15·8	0·9	53	12	17	0	0	0	0	3	0	0	0	8	0	16	0	0
PAISLEY, . .	10·6	0·0	18	1	6	0	0	0	0	0	0	0	0	4	3	10	1	0
LEITH, . . .	25·6	6·9	41	14	4	0	5	0	0	0	†6	0	0	4	1	12	1	0
GREENOCK, .	18·3	4·4	25	6	6	0	0	0	0	2	‡4	0	0	3	0	5	2	0
PERTH, . . .	18·0	1·5	12	2	4	0	0	0	1	0	0	0	0	1	2	3	0	0

* 18 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.
‡ 2 Cerebro-spinal meningitis. 1 Typhus.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 21, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·6	1·5	604	99	163	0	15	1	7	14	4	12	2	140	21	166	13	2
GLASGOW, .	18·5	1·9	296	51	66	0	8	0	4	10	*3	5	2	62	13	83	7	2
EDINBURGH,	17·9	1·4	117	12	39	0	3	1	1	1	0	3	0	30	5	38	3	0
DUNDEE, . .	19·6	1·3	62	13	21	0	2	0	1	1	0	1	0	21	0	18	0	0
ABERDEEN, .	13·1	0·3	43	8	13	0	0	0	0	1	0	0	0	9	3	10	1	0
PAISLEY, . .	16·2	1·2	27	6	6	0	1	0	0	0	0	1	0	6	0	4	1	0
LEITH, . . .	15·2	3·2	24	3	5	0	1	0	1	1	1	1	0	5	0	9	0	0
GREENOCK, .	20·6	0·7	28	6	8	0	0	0	0	0	0	1	0	6	0	3	1	0
PERTH, . . .	10·6	0·0	7	0	5	0	0	0	0	0	0	0	0	1	0	1	0	0

* 2 Cerebro-spinal fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 27, 1907.

During the week ending 27th April 1907 there were registered in Eight of the Principal Towns the births of 943 living children, and the deaths of 714 persons. The equivalent annual birth-rate is 27·2 per thousand, and the death-rate, 20·6.

The death-rates of the three preceding weeks were 20·0, 20·2, and 19·4. The death-rate of this week is thus 0·6 higher than that of the previous week, and 0·7 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week ranged from 22·5 in Leith and Perth, to 17·0 in Aberdeen. In Glasgow it was 22·4; in Greenock, 22·0; in Paisley, 18·8; in Edinburgh, 18·7; and in Dundee, 17·6.

Deaths from the principal epidemic diseases numbered 121; these are 12 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 3·5 per thousand. These deaths include 11 from measles, 1 from scarlet fever, 6 from diphtheria, 52 from hooping-cough, of which 43 were in Glasgow, 2 from enteric fever, 12 from diarrhœas, and 37 from cerebro-spinal meningitis. Deaths from diarrhœas are 5 fewer than in the previous week, from measles 6 fewer, from enteric fever 2 fewer, and from hooping-cough 2 fewer; while those from scarlet fever and cerebro-spinal meningitis are of the same number as in that week, and those from diphtheria are 4 more. The death-rate from these causes ranged from 5·2 in Glasgow and 5·1 in Greenock, to 0·6 in Dundee. Of the deaths from cerebro-spinal meningitis, 26 were registered in Glasgow, 8 in Edinburgh, 2 in Leith, and 1 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 109; these are 6 more than in the previous week, but 26 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 141; these are 2 fewer than in the previous week, but 21 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 177; these are 17 more than in the previous week, but 7 fewer than in the corresponding week of last year.

The mean temperature was 47°·2, being 4°·9 above that for the week immediately preceding, and 5°·7 above that for the corresponding week of 1906. The mean rainfall was 0·19 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 27, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Apr. 27, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	943	714	303	62·2	28·0	47·2	0·19
GLASGOW, . . .	12,789	847,584	66·274	9·18	469	364	159	55·8	34·0	46·9	0·24
EDINBURGH, . .	11,416	345,747	30·286	13·58	173	124	65	58·7	34·8	47·2	0·10
DUNDEE, . . .	4,162	165,748	39·824	11·85	79	56	16	62·2	33·4	47·5	0·08
ABERDEEN, . .	6,795	174,579	25·692	14·75	93	57	31	...	...	...	...
PAISLEY, . . .	3,538	88,710	25·073	14·93	42	32	13	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	36	36	5	59·1	38·0	48·8	0·07
GREENOCK, . .	1,440	71,269	49·492	10·63	41	30	9	54·8	33·0	45·6	0·63
PERTH, ...	2,122	34,866	16·431	18·44	10	15	5	62·0	28·0	47·4	0·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1011	631	344	56·2	26·0	41·5	0·34

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1907. 89/1420.

[TURN OVER.

Week ending Saturday, APRIL 27, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 27, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·6	3·5	714	141	177	0	11	1	6	52	39	12	3	109	23	200	20	2
GLASGOW, .	22·4	5·2	364	71	65	0	5	0	3	43	*27	6	1	53	10	116	16	2
EDINBURGH,	18·7	2·4	124	17	41	0	4	0	0	2	†9	1	1	16	7	42	2	0
DUNDEE, . .	17·6	0·6	56	11	18	0	0	0	0	1	‡1	0	0	14	2	8	0	0
ABERDEEN, .	17·0	1·2	57	18	26	0	1	0	0	2	0	1	0	7	1	4	0	0
PAISLEY, . .	18·8	1·2	32	6	6	0	0	0	0	2	0	0	0	2	0	6	0	0
LEITH, . . .	22·5	1·9	36	5	9	0	0	0	0	0	‡2	1	1	10	1	14	0	0
GREENOCK, .	22·0	5·1	30	8	8	0	1	1	2	2	0	1	0	4	1	8	1	0
PERTH, . . .	22·5	4·5	15	5	4	0	0	0	1	0	0	2	0	3	1	2	1	0

* 26 Cerebro-spinal meningitis. † 8 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 28, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·4	1·8	631	120	184	*1	20	3	4	24	0	11	0	135	40	177	19	1
GLASGOW, .	18·9	2·1	303	61	79	*1	12	0	3	13	0	5	0	64	15	93	10	1
EDINBURGH,	18·8	1·7	123	19	44	0	4	3	0	2	0	2	0	27	12	45	5	0
DUNDEE, . .	19·0	1·6	60	11	13	0	1	0	0	4	0	0	0	15	3	12	0	0
ABERDEEN, .	14·0	0·3	46	13	18	0	0	0	0	1	0	0	0	9	3	7	1	0
PAISLEY, . .	23·4	1·8	39	4	9	0	1	0	1	1	0	0	0	8	2	8	1	0
LEITH, . . .	12·6	2·5	20	4	6	0	1	0	0	2	0	1	0	6	2	4	0	0
GREENOCK, .	21·4	2·9	29	7	10	0	0	0	0	1	0	3	0	3	3	4	2	0
PERTH, . . .	16·6	1·5	11	1	5	0	1	0	0	0	0	0	0	3	0	4	0	0

* Chicken-pox.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 4, 1907.

During the week ending 4th May 1907 there were registered in Eight of the Principal Towns the births of 984 living children, and the deaths of 690 persons. The equivalent annual birth-rate is 28·3 per thousand, and the death-rate, 19·9.

The death-rates of the three preceding weeks were 20·6, 20·0, and 20·2. The death-rate of this week is thus 0·7 lower than that of the previous week, and 0·4 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week ranged from 25·6 in Greenock, to 10·5 in Perth. In Glasgow it was 21·5; in Edinburgh, 20·8; in Dundee, 20·5; in Paisley, 17·1; in Leith, 16·2; and in Aberdeen, 12·0.

Deaths from the principal epidemic diseases numbered 106; these are 15 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 3·1 per thousand. These deaths include 6 from measles, 3 from scarlet fever, 1 from diphtheria, 44 from hooping-cough, 1 from enteric fever, 6 from diarrhœas, and 45 from cerebro-spinal meningitis. Deaths from hooping-cough are 8 fewer than those of the previous week; those from diarrhœas are 6 fewer, those from measles and diphtheria each 5 fewer, and those from enteric fever 1 fewer; but those from scarlet fever are 2 more, and from cerebro-spinal meningitis 8 more. The death-rate from these causes ranged from 4·7 in Glasgow to 0 in Aberdeen and Perth. Of the deaths from cerebro-spinal meningitis, 30 were registered in Glasgow, 7 in Edinburgh, 4 in Leith, 3 in Dundee, and 1 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy, numbered 127; these are 18 more than in the previous week, but 10 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 112; these are 29 fewer than in the previous week, and 7 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 172; these are 5 fewer than in the previous week, but 27 more than in the corresponding week of last year.

The mean temperature was 44°·9, being 2°·3 below that for the week immediately preceding, but 1°·9 above that for the corresponding week of 1906. The mean rainfall was 1·07 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 4, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending May 4, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	984	690	450	59·0	30·0	44·9	1·07
GLASGOW, . . .	12,789	847,584	66·274	9·18	493	350	253	55·2	34·0	45·0	1·55
EDINBURGH, . .	11,416	345,747	30·286	13·58	151	138	79	52·9	32·9	42·8	0·92
DUNDEE, . . .	4,162	165,748	39·824	11·85	93	65	25	56·8	35·8	45·8	0·33
ABERDEEN, . .	6,795	174,579	25·692	14·75	89	40	31	59·0	30·0	44·9	0·72
PAISLEY, . . .	3,538	88,710	25·073	14·93	43	29	24	58·9	39·0	45·4	1·92
LEITH, ...	2,044	83,668	40·933	11·68	58	26	15	56·5	38·6	46·3	0·73
GREENOCK, . .	1,440	71,269	49·492	10·63	43	35	15	54·0	33·2	43·2	2·03
PERTH, ...	2,122	34,866	16·431	18·44	14	7	8	58·5	35·0	46·0	0·33
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1084	618	372	59·0	24·0	43·0	0·58

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue. and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1907. 89/1420.

[TURN OVER.

Week ending Saturday, MAY 4, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 4, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·9	3·1	690	112	172	0	6	3	1	44	46	6	0	127	25	192	18	4
GLASGOW, .	21·5	4·7	350	66	69	0	4	1	1	36	*31	3	0	69	11	101	6	4
EDINBURGH,	20·8	1·8	138	18	40	0	0	2	0	3	†7	0	0	27	4	44	6	0
DUNDEE, . .	20·5	1·6	65	13	16	0	0	0	0	1	†3	1	0	11	4	18	1	0
ABERDEEN, .	12·0	0·0	40	2	17	0	0	0	0	0	0	0	0	6	0	10	0	0
PAISLEY, . .	17·1	2·4	29	4	7	0	0	0	0	3	†1	0	0	6	2	4	2	0
LEITH, . . .	16·2	3·7	26	5	6	0	2	0	0	0	†4	0	0	3	1	7	1	0
GREENOCK, .	25·6	2·2	35	4	14	0	0	0	0	1	0	2	0	4	2	5	2	0
PERTH, . . .	10·5	0·0	7	0	3	0	0	0	0	0	0	0	0	1	1	3	0	0

* 30 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 5, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·0	2·0	618	119	145	0	22	3	8	21	3	13	1	137	25	177	25	6
GLASGOW, .	19·4	2·1	311	60	61	0	12	0	6	10	2	4	1	70	15	98	11	4
EDINBURGH,	16·4	2·3	107	20	30	0	5	2	1	4	1	2	0	27	1	32	9	0
DUNDEE, . .	20·6	3·2	65	10	15	0	3	0	0	2	0	5	0	17	3	20	2	0
ABERDEEN, .	15·6	1·2	51	13	16	0	0	0	1	3	0	0	0	7	3	17	0	1
PAISLEY, . .	10·8	0·0	18	1	3	0	0	0	0	0	0	0	0	7	1	3	1	0
LEITH, . . .	16·4	3·2	26	7	7	0	2	1	0	1	0	1	0	5	2	4	0	0
GREENOCK, .	21·4	0·7	29	5	9	0	0	0	0	0	0	1	0	4	0	2	2	0
PERTH, . . .	16·6	1·5	11	3	4	0	0	0	0	1	0	0	0	0	0	1	0	1

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 11, 1907.

During the week ending 11th May 1907 there were registered in Eight of the Principal Towns the births of 1026 living children, and the deaths of 671 persons. The equivalent annual birth-rate is 29·5 per thousand, and the death-rate, 19·3.

The death-rates of the three preceding weeks were 19·9, 20·6, and 20·0. The death-rate of this week is thus 0·6 lower than that of the previous week, and 0·9 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 24·0, and lowest in Aberdeen, 12·9. In Leith it was 21·8; in Dundee, 21·4; in Greenock, 20·5; in Glasgow, 20·4; in Paisley, 19·4; and in Edinburgh, 17·5.

Deaths from the principal epidemic diseases numbered 111; these are 5 more than those registered in the previous week, and are equivalent to an annual death-rate from these causes of 3·2 per thousand. These deaths include 12 from measles, 3 from scarlet fever, 4 from diphtheria, 40 from hooping-cough, 5 from enteric fever, 15 from diarrhœas, 1 from chicken-pox, and 31 from cerebro-spinal meningitis. Deaths from cerebro-spinal meningitis are 14 fewer than in the previous week, and those from hooping-cough 4 fewer; but those from scarlet fever are of the same number as in that week, while those from diarrhœas are 9 more, from measles 6 more, from enteric fever 4 more, and from diphtheria 3 more. The death-rate from these causes ranged from 5·0 in Leith to 0 in Greenock and Perth. Of the 31 deaths from cerebro-spinal meningitis, 18 were registered in Glasgow, 6 in Edinburgh, 4 in Leith, 2 in Paisley, and 1 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 107; these are 20 fewer than in the previous week, and 2 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 126; these are 14 more than in the previous week, and 4 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 154; these are 18 fewer than in the previous week, and 9 fewer than in the corresponding week of last year.

The mean temperature was 51°·0, being 6°·1 above that for the week immediately preceding, and 1°·8 above that for the corresponding week of 1906. The mean rainfall was 0·57 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 11, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending May 11, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1026	671	84	64·7	34·0	51·0	0·57
GLASGOW, . . .	12,789	847,584	66·274	9·18	519	332	39	61·2	43·4	51·9	0·73
EDINBURGH, . .	11,416	345,747	30·286	13·58	151	116	12	60·8	40·8	49·8	0·18
DUNDEE, . . .	4,162	165,748	39·824	11·85	98	68	5	64·7	35·9	50·5	0·59
ABERDEEN, . . .	6,795	174,579	25·692	14·75	90	43	15	63·0	34·0	49·8	0·44
PAISLEY, . . .	3,538	88,710	25·073	14·93	51	33	6	60·1	43·2	51·8	0·61
LEITH, ...	2,044	83,668	40·933	11·68	55	35	4	64·4	43·9	52·9	0·20
GREENOCK, . .	1,440	71,269	49·492	10·63	47	28	2	59·0	38·9	49·8	1·54
PERTH, ...	2,122	34,866	16·431	18·44	15	16	1	64·5	34·0	51·2	0·30
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	998	645	80	66·0	30·4	49·2	0·86

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1907. 89/1420.

[TURN OVER.

Week ending Saturday, MAY 11, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 11, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·3	3·2	671	126	154	*1	12	3	4	40	36	15	1	107	15	209	24	2
GLASGOW, .	20·4	4·2	332	64	67	*1	7	2	2	27	†22	8	0	58	8	106	9	2
EDINBURGH,	17·5	2·3	116	21	26	0	2	1	0	4	‡6	2	0	16	2	39	9	0
DUNDEE, . .	21·4	2·2	68	19	20	0	0	0	0	3	‡1	3	0	8	3	16	1	0
ABERDEEN, .	12·9	3·0	43	9	12	0	0	0	2	6	0	2	0	5	1	12	0	0
PAISLEY, . .	19·4	1·2	33	4	10	0	0	0	0	0	‡2	0	1	10	0	9	2	0
LEITH, . . .	21·8	5·0	35	4	2	0	3	0	0	0	††5	0	0	6	1	18	0	0
GREENOCK, .	20·5	0·0	28	3	10	0	0	0	0	0	0	0	0	4	0	4	2	0
PERTH, . . .	24·0	0·0	16	2	7	0	0	0	0	0	0	0	0	0	0	5	1	0

* Chicken-pox. † 18 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis. †† 4 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 12, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·8	2·0	645	122	163	*1	26	2	7	16	1	15	0	109	20	158	19	1
GLASGOW, .	19·9	2·1	318	67	70	0	9	0	3	12	1	9	0	69	8	84	10	1
EDINBURGH,	18·1	2·4	118	18	39	*1	8	2	2	2	0	1	0	16	1	37	4	0
DUNDEE, . .	20·2	1·6	64	13	13	0	3	0	1	0	0	1	0	8	2	10	0	0
ABERDEEN, .	16·5	0·9	54	7	19	0	0	0	1	1	0	1	0	5	5	8	3	0
PAISLEY, . .	13·2	1·2	22	4	6	0	0	0	0	0	0	2	0	3	2	8	1	0
LEITH, . . .	17·0	4·4	27	8	4	0	6	0	0	1	0	0	0	4	0	5	0	0
GREENOCK, .	19·9	0·0	27	4	5	0	0	0	0	0	0	0	0	3	1	4	1	0
PERTH, . . .	22·7	1·5	15	1	7	0	0	0	0	0	0	1	0	1	1	2	0	0

* Chicken-pox.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 18, 1907.

During the week ending 18th May 1907 there were registered in Eight of the Principal Towns the births of 1060 living children, and the deaths of 685 persons. The equivalent annual birth-rate is 30·5 per thousand, and the death-rate, 19·7.

The death-rates of the three preceding weeks were 19·3, 19·9, and 20·6. The death-rate of this week is thus 0·4 higher than that of the previous week, but 0·2 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Glasgow, 21·8, and lowest in Perth, 12·0. In Leith it was 21·2; in Dundee, 20·1; in Paisley, 20·0; in Greenock, 18·3; in Aberdeen, 17·3; and in Edinburgh, 16·3.

Deaths from the principal epidemic diseases numbered 112; these are 1 more than in the previous week, and are equivalent to an annual death-rate from these causes of 3·2 per thousand. These deaths include 8 from measles, 3 from scarlet fever, 1 from diphtheria, 52 from hooping-cough, of which 40 were in Glasgow, 2 from enteric fever, 7 from diarrhœas, and 39 from cerebro-spinal meningitis. The deaths from diarrhœas are 8 fewer than in the previous week, from measles 4 fewer, from diphtheria 3 fewer, and from enteric fever 3 fewer; while those from scarlet fever are of the same number, from cerebro-spinal meningitis 8 more, and from hooping-cough 12 more than in that week. Of the deaths from cerebro-spinal meningitis, 23 were in Glasgow, 7 in Leith, 5 in Edinburgh, 2 in Dundee, and 2 in Paisley. The death-rate from these causes ranged from 6·2 in Leith and 4·2 in Glasgow to 0 in Perth, and 0·9 in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 107; these are of the same number as in the previous week, but 24 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 116; these are 10 fewer than in the previous week, and 5 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 191; these are 37 more than in the previous week, and 39 more than in the corresponding week of last year.

The mean temperature was 49°·9, being 1°·1 below that for the week immediately preceding, but 3°·0 above that for the corresponding week of 1906. The mean rainfall was 0·13 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 18, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending May 18, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1060	685	88	68·6	35·0	49·9	0·13
GLASGOW, . . .	12,789	847,584	66·274	9·18	504	354	50	65·5	36·2	50·2	0·24
EDINBURGH, . .	11,416	345,747	30·286	13·58	161	108	18	64·5	36·7	48·4	0·00
DUNDEE, . . .	4,162	165,748	39·824	11·85	103	64	2	67·9	38·2	50·7	0·01
ABERDEEN, . .	6,795	174,579	25·692	14·75	102	58	7	67·2	39·0	50·3	0·06
PAISLEY, . . .	3,538	88,710	25·073	14·93	53	34	6	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	60	34	2	68·6	39·7	50·2	0·03
GREENOCK, . .	1,440	71,269	49·492	10·63	56	25	2	62·7	38·7	49·6	0·55
PERTH, ...	2,122	34,866	16·431	18·44	21	8	1	67·5	35·0	50·2	0·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1010	603	80	65·2	34·4	46·9	1·35

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1907. 89/1420

[TURN OVER

Week ending Saturday, MAY 18, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 18, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·7	3·2	685	116	191	0	8	3	1	52	41	7	3	107	25	226	21	0
GLASGOW, .	21·8	4·2	354	70	72	0	2	0	0	40	*25	2	3	60	14	120	13	0
EDINBURGH,	16·3	2·4	108	19	31	0	3	1	0	5	†5	2	0	13	1	47	5	0
DUNDEE, . .	20·1	2·5	64	8	22	0	0	1	0	3	†2	2	0	7	3	16	0	0
ABERDEEN, .	17·3	0·9	58	7	29	0	0	0	0	2	0	1	0	8	2	14	2	0
PAISLEY, . .	20·0	2·4	34	6	14	0	0	0	0	2	†2	0	0	11	1	10	1	0
LEITH, . . .	21·2	6·2	34	4	10	0	3	0	0	0	†7	0	0	2	1	12	0	0
GREENOCK, .	18·3	1·5	25	2	12	0	0	1	1	0	0	0	0	5	2	5	0	0
PERTH, . . .	12·0	0·0	8	0	1	0	0	0	0	0	0	0	0	1	1	2	0	0

* 23 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 19, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·6	1·7	603	121	152	0	16	1	3	15	2	22	0	131	23	152	21	2
GLASGOW, .	19·0	2·1	305	67	58	0	8	0	2	10	*1	12	0	68	15	82	9	1
EDINBURGH,	17·9	1·4	117	12	41	0	5	1	0	2	0	1	0	24	2	38	6	0
DUNDEE, . .	17·1	1·9	54	19	14	0	0	0	0	1	0	5	0	7	1	10	1	0
ABERDEEN, .	11·9	1·2	39	8	15	0	0	0	1	1	1	1	0	6	3	8	2	0
PAISLEY, . .	21·0	1·2	35	6	11	0	1	0	0	0	0	1	0	8	1	5	2	0
LEITH, . . .	12·6	1·3	20	3	7	0	2	0	0	0	0	0	0	9	1	4	0	0
GREENOCK, .	15·5	1·5	21	5	3	0	0	0	0	1	0	1	0	7	0	2	1	0
PERTH, . . .	18·1	1·5	12	1	3	0	0	0	0	0	0	1	0	2	0	3	0	1

* Cerebro-spinal Fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 25, 1907.

During the week ending 25th May 1907 there were registered in Eight of the Principal Towns the births of 950 living children, and the deaths of 607 persons. The equivalent annual birth-rate is 27·4, and the death-rate, 17·5.

The death-rates of the three preceding weeks were 19·7, 19·3, and 19·9. The death-rate of this week is thus 2·2 lower than that of the previous week, and 2·1 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 21·0, and lowest in Paisley, 12·9. In Greenock it was 19·8; in Dundee, 19·2; in Glasgow, 18·7; in Edinburgh, 16·5; in Leith, 15·6; and in Aberdeen, 13·4.

Deaths from the principal epidemic diseases numbered 92; these are 20 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 2·6 per thousand. These deaths include 9 from measles, 3 from scarlet fever, 4 from diphtheria, 39 from hooping-cough, 9 from diarrhœas, and 28 from cerebro-spinal meningitis. Deaths from hooping-cough are 13 fewer than in the previous week, from cerebro-spinal meningitis 11 fewer, while those from scarlet fever are of the same number, from measles 1 more, from diarrhœas 2 more, and from diphtheria 3 more than in that week. Of the deaths from cerebro-spinal meningitis, 19 were registered in Glasgow, 5 in Leith, 2 in Dundee, 1 in Edinburgh, and 1 in Greenock. The deaths from cerebro-spinal meningitis this week are fewer than in any week since that ending 23rd February. The death-rate from these causes ranged from 4·4 in Leith to 0 in Aberdeen and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 83; these are 24 fewer than in the previous week, and 13 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 122; these are 6 more than in the previous week, and 13 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 137; these are 54 fewer than in the previous week, and 21 fewer than in the corresponding week of last year.

The mean temperature was 45°·5, being 4°·4 below that for the week immediately preceding, and 0°·8 below that for the corresponding week of 1906. The mean rainfall was 1·18 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 25, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending May 25, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	950	607	88	59·1	31·0	45·5	1·18
GLASGOW, . . .	12,789	847,584	66·274	9·18	489	304	35	57·8	38·8	47·0	0·94
EDINBURGH, . .	11,416	345,747	30·286	13·58	133	109	25	49·1	36·1	43·2	1·14
DUNDEE, . . .	4,162	165,748	39·824	11·85	93	61	9	58·8	36·1	45·1	1·57
ABERDEEN, . .	6,795	174,579	25·692	14·75	91	45	11	59·0	38·0	45·9	1·66
PAISLEY, . . .	3,538	88,710	25·073	14·93	48	22	1	59·1	36·5	47·2	0·78
LEITH, ...	2,044	83,668	40·933	11·68	51	25	5	51·9	38·2	45·6	1·22
GREENOCK, . .	1,440	71,269	49·492	10·63	28	27	1	54·0	35·5	45·2	0·85
PERTH, ...	2,122	34,866	16·431	18·44	17	14	1	58·0	31·0	44·8	1·28
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	885	592	90	66·5	28·5	46·3	1·30

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1907. 89/1420.

[TURN OVER

Week ending Saturday, MAY 25, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·5	2·6	607	122	137	0	9	3	4	39	*28	9	0	83	23	204	14	1
GLASGOW, .	18·7	3·8	304	67	51	0	4	2	0	33	19	3	0	57	14	115	7	1
EDINBURGH,	16·5	1·8	109	16	39	0	4	1	4	2	1	0	0	10	3	43	4	0
DUNDEE, . .	19·2	2·8	61	12	14	0	0	0	0	2	2	5	0	6	2	17	1	0
ABERDEEN, .	13·4	0·0	45	8	11	0	0	0	0	0	0	0	0	4	1	7	2	0
PAISLEY, . .	12·9	1·2	22	7	4	0	0	0	0	2	0	0	0	1	0	4	0	0
LEITH, . . .	15·6	4·4	25	4	5	0	1	0	0	0	5	1	0	1	0	9	0	0
GREENOCK, .	19·8	0·7	27	4	8	0	0	0	0	0	1	0	0	4	1	7	0	0
PERTH, . . .	21·0	0·0	14	4	5	0	0	0	0	0	0	0	0	0	2	2	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 26, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·3	1·3	592	109	158	0	12	4	1	13	2	13	0	96	33	151	24	1
GLASGOW, .	19·0	1·7	304	53	72	0	9	0	1	8	*2	7	0	57	19	75	11	1
EDINBURGH,	17·0	1·7	111	17	40	0	2	4	0	2	0	3	0	11	4	32	8	0
DUNDEE, . .	16·8	0·9	53	13	11	0	0	0	0	1	0	2	0	7	3	16	1	0
ABERDEEN, .	12·8	0·6	42	9	14	0	0	0	0	1	0	1	0	9	1	11	0	0
PAISLEY, . .	17·4	0·0	29	6	8	0	0	0	0	0	0	0	0	6	1	8	0	0
LEITH, . . .	13·9	1·3	22	8	3	0	1	0	0	1	0	0	0	2	0	5	0	0
GREENOCK, .	17·0	0·0	23	3	7	0	0	0	0	0	0	0	0	4	5	3	4	0
PERTH, . . .	12·1	0·0	8	0	3	0	0	0	0	0	0	0	0	0	0	1	0	0

* Cerebro-spinal Fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, JUNE 1, 1907.

During the week ending 1st June 1907 there were registered in Eight of the Principal Towns the births of 912 living children, and the deaths of 580 persons. The equivalent annual birth-rate is 26·3 per thousand, and the death-rate, 16·7.

The death-rates of the three preceding weeks were 17·5, 19·7, and 19·3. The death-rate of this week is thus 0·8 lower than that of the previous week, and 2·1 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Greenock, 20·5, and lowest in Aberdeen, 9·3. In Glasgow, it was 18·6; in Edinburgh, 17·8; in Paisley, 16·5; in Leith, 15·6; in Perth, 15·0; and in Dundee, 12·0.

Deaths registered as due to the principal epidemic diseases numbered 92; these number the same as in the previous week, and are equal to an annual death-rate from these causes of 2·6 per thousand. These deaths include 1 from chicken-pox, 7 from measles, 2 from scarlet fever, 6 from diphtheria, 38 from hooping-cough, 5 from enteric fever, 14 from diarrhœas, and 19 from cerebro-spinal meningitis. Deaths from cerebro-spinal meningitis are 9 fewer than in the previous week, from measles 2 fewer, and from scarlet fever and hooping-cough each 1 fewer; while those from diphtheria are 2 more, from enteric fever 5 more, and from diarrhœas 5 more. Of the 19 deaths from cerebro-spinal meningitis, 17 were registered in Glasgow, 1 in Edinburgh, and 1 in Leith. The death-rate from these causes ranged from 3·7 in Glasgow to 0 in Perth.

Deaths from pneumonia, pleurisy, and bronchitis numbered 82; these are 1 fewer than in the previous week, and 13 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 96; these are 26 fewer than in the previous week, and 14 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 136; these are 1 less than in the previous week, and 10 fewer than in the corresponding week of last year.

The mean temperature was 47°·0, being 1°·5 above that for the week immediately preceding, but 6°·9 below that for the corresponding week of 1906. The mean rainfall was 1·54 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 1, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending June 1, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	912	580	140	70·0	32·0	47·0	1·54
GLASGOW, . . .	12,789	847,584	66·274	9·18	433	302	76	70·0	37·8	50·0	1·14
EDINBURGH, . .	11,416	345,747	30·286	13·58	155	118	25	56·3	36·4	45·5	1·09
DUNDEE, . . .	4,162	165,748	39·824	11·85	88	38	10	62·4	35·3	45·9	2·26
ABERDEEN, . .	6,795	174,579	25·692	14·75	88	31	22	67·0	36·0	46·3	1·53
PAISLEY, . . .	3,538	88,710	25·073	14·93	58	28	2	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	38	25	4	56·4	37·9	47·4	1·49
GREENOCK, . .	1,440	71.269	49·492	10·63	36	28	1	68·2	37·0	48·9	1·75
PERTH, ...	2,122	34,866	16·431	18·44	16	10	0	64·0	32·0	45·1	1·55
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1026	600	195	71·0	41·2	53·9	1·01

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1907. 89/1420.

[TURN OVER

Week ending Saturday, JUNE 1, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 1, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·7	2·6	580	96	136	1	7	2	6	38	24	14	1	82	25	177	22	1
GLASGOW, .	18·6	3·7	302	56	51	0	2	2	3	26	†20	7	1	41	16	104	11	1
EDINBURGH,	17·8	2·6	118	18	35	*1	4	0	2	7	‡1	2	0	12	5	40	8	0
DUNDEE, . .	12·0	1·3	38	4	12	0	0	0	1	1	0	2	0	7	1	10	0	0
ABERDEEN, .	9·3	0·6	31	2	11	0	0	0	0	0	1	1	0	5	2	5	0	0
PAISLEY, . .	16·5	1·2	28	7	4	0	0	0	0	2	0	0	0	6	0	5	3	0
LEITH, . . .	15·6	2·5	25	4	8	0	1	0	0	0	‡2	1	0	3	0	7	0	0
GREENOCK, .	20·5	2·2	28	4	10	0	0	0	0	2	0	1	0	7	1	3	0	0
PERTH, . . .	15·0	0·0	10	1	5	0	0	0	0	0	0	0	0	1	0	3	0	0

* Chicken-pox.

† 17 Cerebro-spinal meningitis. ‡ 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 2, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·5	1·8	600	110	146	0	13	4	6	22	5	13	0	95	21	166	27	4
GLASGOW, .	18·2	2·2	292	47	64	0	6	1	4	13	*3	8	0	52	10	85	14	2
EDINBURGH,	17·6	1·2	115	18	31	0	4	0	0	0	1	3	0	12	6	45	7	0
DUNDEE, . .	15·2	1·9	48	15	10	0	1	2	0	3	0	0	0	10	2	15	2	1
ABERDEEN, .	15·6	0·9	51	9	16	0	0	0	0	3	0	0	0	8	1	7	2	0
PAISLEY, . .	15·6	1·2	26	3	7	0	0	1	0	0	1	0	0	2	0	6	1	0
LEITH, . . .	15·8	2·5	25	4	7	0	1	0	1	1	0	1	0	2	0	5	1	1
GREENOCK, .	24·3	2·2	33	13	8	0	0	0	0	2	0	1	0	8	2	1	0	0
PERTH, . . .	15·1	3·0	10	1	3	0	1	0	1	0	0	0	0	1	0	2	0	0

* Cerebro-spinal Fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 8, 1907.

During the week ending 8th June 1907 there were registered in Eight of the Principal Towns the births of 1032 living children, and the deaths of 660 persons. The equivalent annual birth-rate is 29·7 per thousand, and the equivalent annual death-rate, 19·0.

The death-rates of the three preceding weeks were 16·7, 17·5, and 19·7. The death-rate of this week is thus 2·3 higher than that of the preceding week, and 1·0 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 29·9, and lowest in Edinburgh, 17·2. In Dundee it was 21·1; in Leith, 20·6; in Greenock, 20·5; in Aberdeen, 19·7; in Paisley, 19·4; and in Glasgow, 18·4.

Deaths from the principal epidemic diseases numbered 109; these are 17 more than in the previous week, and are equal to an annual death-rate from these causes of 3·1 per thousand. These deaths include 7 from measles, 2 from scarlet fever, 4 from diphtheria, 57 from hooping-cough, of which 37 were in Glasgow, 2 from enteric fever, 13 from diarrhœas, and 24 from cerebro-spinal meningitis. Compared to the deaths of the previous week, deaths from measles and scarlet fever are of the same number, but those from enteric fever are 3 fewer, from diphtheria 2 fewer, and from diarrhœas 1 fewer; while those from hooping-cough are 19 more, and from cerebro-spinal meningitis 5 more. The death-rate from these causes ranged from 4·2 in Glasgow to 1·2 in Aberdeen. Of the 24 deaths from cerebro-spinal meningitis, 15 were registered in Glasgow, 5 in Edinburgh, 3 in Leith, and 1 in Paisley.

Deaths from pneumonia, pleurisy, and bronchitis numbered 106; these are 24 more than in the previous week, and 11 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 141; these are 45 more than in the previous week, and 42 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 143; these are 7 more than in the previous week, and the same number more than in the corresponding week of last year.

The mean temperature was 50°·0, being 3°·0 above that for the week immediately preceding, but 6°·5 below that for the corresponding week of 1906. The mean rainfall was 0·91 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 8, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending June 8, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1032	660	447	64·8	33·5	50·0	0·91
GLASGOW, . . .	12,789	847,584	66·274	9·18	471	299	212	60·6	43·0	50·5	1·17
EDINBURGH, . .	11,416	345,747	30 286	13·58	149	114	106	60·4	39·7	49·4	0·51
DUNDEE, . . .	4,162	165,748	39·824	11·85	113	67	23	64·8	35·3	50·1	0·86
ABERDEEN, . .	6,795	174,579	25·692	14·75	119	66	44	63·0	38·0	49·8	0·99
PAISLEY, . . .	3,538	88,710	25·073	14·93	59	33	18	61·9	42·0	51·3	0·95
LEITH, ...	2,044	83,668	40·933	11·68	56	33	15	62·5	41·1	51·7	0·59
GREENOCK, . .	1,440	71,269	49·492	10·63	52	28	21	58·0	40·2	48·4	1·19
PERTH, ...	2,122	34,866	16·431	18·44	13	20	8	63·0	33·5	49·2	1·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1037	535	638	76·0	37·3	56·5	0·01

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1907. 89/1420.

[TURN OVER

Week ending Saturday, JUNE 8, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 8, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·0	3·1	660	141	143	0	7	2	4	57	26	13	0	106	12	195	26	2
GLASGOW, .	18·4	4·2	299	67	50	0	5	0	2	37	*16	8	0	54	4	102	10	1
EDINBURGH,	17·2	1·5	114	23	28	0	0	0	1	4	†5	0	0	15	4	38	9	0
DUNDEE, . .	21·1	3·1	67	21	17	0	0	0	0	7	0	3	0	9	0	14	2	1
ABERDEEN, .	19·7	1·2	66	14	22	0	0	0	0	2	0	2	0	8	3	10	3	0
PAISLEY, . .	19·4	3·5	33	8	7	0	0	0	0	4	‡2	0	0	8	0	5	2	0
LEITH, . . .	20·6	3·7	33	4	7	0	2	1	0	0	†3	0	0	6	0	9	0	0
GREENOCK, .	20·5	2·9	28	3	6	0	0	1	1	2	0	0	0	5	0	10	0	0
PERTH, . . .	29·9	1·5	20	1	6	0	0	0	0	1	0	0	0	1	1	7	0	0

* 15 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis. ‡ 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 9, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy	Violence.			
In Eight Towns,	15·6	2·0	535	99	136	0	14	1	8	17	5	22	0	95	27	140	18	2
GLASGOW, .	17·5	2·5	281	59	55	0	10	0	4	12	*2	12	0	55	19	80	11	2
EDINBURGH,	13·9	1·4	91	11	34	0	4	1	1	1	0	2	0	11	3	31	3	0
DUNDEE, . .	15·5	3·5	49	7	11	0	0	0	2	3	2	4	0	6	2	11	0	0
ABERDEEN, .	13·7	1·5	45	7	18	0	0	0	0	0	†1	4	0	7	0	7	2	0
PAISLEY, . .	11·4	0·0	19	4	6	0	0	0	0	0	0	0	0	7	1	2	1	0
LEITH, . . .	13·9	1·3	22	5	4	0	0	0	1	1	0	0	0	5	0	4	0	0
GREENOCK, .	16·2	0·0	22	6	5	0	0	0	0	0	0	0	0	3	2	4	1	0
PERTH, . . .	9·1	0·0	6	0	3	0	0	0	0	0	0	0	0	1	0	1	0	0

* 1 Cerebro-spinal Fever. † Cerebro-spinal Fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 15, 1907.

During the week ending 15th June 1907 there were registered in Eight of the Principal Towns the births of 984 living children, and the deaths of 599 persons. The equivalent annual birth-rate is 28·3 per thousand, and the death-rate, 17·2.

The death-rates of the three preceding weeks were 19·0, 16·7, and 17·5. The death-rate of this week is thus 1·8 lower than that of the previous week, and 0·5 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Dundee 22·0, and lowest in Greenock, 11·0. In Glasgow, it was 18·5; in Perth, 18·0; in Leith, 16·8; in Edinburgh, 16·5; in Paisley, 14·1; and in Aberdeen, 12·6.

Deaths from the principal epidemic diseases numbered 83; these are 26 fewer than in the previous week, and equal to an annual death-rate from these causes of 2·4 per thousand. These deaths include 5 from measles, 3 from diphtheria, 43 from hooping-cough, 8 from diarrhœas, 1 from enteric fever, and 23 from cerebro-spinal meningitis. There were no deaths from scarlet fever. Deaths from hooping-cough are 14 fewer than in the previous week, from diarrhœas 5 fewer, from measles 2 fewer, and from diphtheria, enteric fever, and cerebro-spinal meningitis each 1 fewer. Of the 23 deaths from cerebro-spinal meningitis, 14 were registered in Glasgow, 7 in Edinburgh, and 2 in Leith. The death-rate from these causes ranged from 3·0 in Glasgow and Edinburgh, to 0 in Perth.

Deaths from bronchitis, pneumonia, and pleurisy numbered 91; they are 15 fewer than in the previous week, but 11 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 111; they are 30 fewer than in the previous week, but 8 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 147; they are 4 more than in the previous week, and 18 more than in the corresponding week of last year.

The mean temperature was 55°·7, being 5°·7 above that for the week immediately preceding, but 3°·1 below that for the corresponding week of 1906. The mean rainfall was 1·43 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 15, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending June 15, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	984	599	588	72·8	42·0	55·7	1·43
GLASGOW, . . .	12,789	847,584	66·274	9·18	501	300	276	72·8	46·0	56·4	1·60
EDINBURGH, . .	11,416	345,747	30·286	13·58	165	109	115	67·0	46·7	55·7	0·96
DUNDEE, . . .	4,162	165,748	39·824	11·85	92	70	51	68·8	45·3	56·0	1·53
ABERDEEN, . .	6,795	174,579	25·692	14·75	97	42	58	...	...	...	...
PAISLEY, . . .	3,538	88,710	25·073	14·93	40	24	28	68·7	45·5	55·9	1·10
LEITH, ...	2,044	83,668	40·933	11·68	35	27	25	70·6	47·9	56·8	1·22
GREENOCK, . .	1,440	71,269	49·492	10·63	34	15	21	64·5	43·0	54·0	1·85
PERTH, ...	2,122	34,866	16·431	18·44	20	12	14	69·0	42·0	55·3	1·78
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1005	542	508	85·2	36·5	58·8	0·18

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240 – 6/1907. 89/1420

[TURN OVER

Week ending Saturday, JUNE 15, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 15, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Hooping-cough.	Fever	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	2·4	599	111	147	0	5	0	3	43	24	8	1	91	27	185	20	0
GLASGOW, .	18·5	3·0	300	47	67	0	0	0	1	30	*14	4	1	43	11	100	11	0
EDINBURGH,	16·5	3·0	109	25	21	0	4	0	1	7	*7	1	0	13	8	41	5	0
DUNDEE, . .	22·0	1·6	70	19	16	0	0	0	0	3	0	2	0	16	4	18	0	0
ABERDEEN, .	12·6	0·9	42	7	15	0	0	0	0	2	1	0	0	9	2	11	2	0
PAISLEY, . .	14·1	1·2	24	5	7	0	0	0	1	1	0	0	0	2	0	5	1	0
LEITH, . . .	16·8	1·9	27	5	8	0	1	0	0	0	*2	0	0	4	0	5	0	0
GREENOCK, .	11·0	0·7	15	1	5	0	0	0	0	0	0	1	0	2	1	4	1	0
PERTH, . . .	18·0	0·0	12	2	8	0	0	0	0	0	0	0	0	2	1	1	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 16, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·8	1·7	542	103	129	0	19	2	5	8	5	19	1	80	30	137	24	8
GLASGOW, .	16·9	2·1	271	45	51	0	14	0	4	4	*3	9	1	42	18	71	17	8
EDINBURGH,	14·6	1·7	95	17	33	0	5	1	1	0	0	4	0	17	4	26	4	0
DUNDEE, . .	17·4	1·3	55	12	16	0	0	1	0	1	0	2	0	10	4	18	1	0
ABERDEEN, .	14·3	1·5	47	16	10	0	0	0	0	3	0	2	0	1	4	9	1	0
PAISLEY, . .	14·4	1·2	24	6	4	0	0	0	0	0	1	1	0	3	0	5	1	0
LEITH, . . .	12·0	1·3	19	3	10	0	0	0	0	0	1	1	0	2	0	4	0	0
GREENOCK, .	14·7	0·0	20	2	2	0	0	0	0	0	0	0	0	3	0	3	0	0
PERTH, . . .	16·6	0·0	11	2	3	0	0	0	0	0	0	0	0	2	0	1	0	0

* 2 Cerebro-spinal Fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 22, 1907.

During the week ending 22nd June 1907 there were registered in Eight of the Principal Towns the births of 1024 living children, and the deaths of 600 persons. The equivalent annual birth-rate is 29·5 per thousand, and the death-rate, 17·3 per thousand.

The death-rates of the three preceding weeks were 17·2, 19·0, and 16·7. The death-rate of this week is thus 0·1 higher than that of the previous week, but 0·3 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Dundee, 21·7, and lowest in Perth, 10·5. In Leith, it was 18·1; in Glasgow, 17·8; in Paisley, 17·1; in Aberdeen, 16·7; in Edinburgh, 15·5; and in Greenock, 13·2.

Deaths from the principal epidemic diseases numbered 84; they are 1 more than in the previous week, and equal to an annual death-rate from these causes of 2·4 per thousand. These deaths include 8 from measles, 2 from diphtheria, 37 from hooping-cough, 2 from enteric fever, 23 from diarrhœas, and 12 from cerebro-spinal meningitis. This is the second consecutive week with no deaths in these towns from scarlet fever. Deaths from cerebro-spinal meningitis are 11 fewer than in the previous week, from hooping-cough 6 fewer, and from diphtheria 1 fewer; but those from measles are 3 more, from enteric fever 1 more, and from diarrhœas 15 more. The deaths from cerebro-spinal meningitis are fewer than those recorded in any week since the week ending 5th January. For some weeks past the death returns have indicated that the epidemic of that disease is diminishing. The death-rate from these causes ranged from 3·1 in Leith, to 0 in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 86; they are 5 fewer than in the previous week, but 17 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 113; they are 2 more than in the previous week, and 12 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 159; they are 12 more than in the previous week, and 29 more than in the corresponding week of last year.

The mean temperature was 53°·3, being 2°·4 below that for the week immediately preceding, and 6°·4 below that for the corresponding week of 1906. The mean rainfall was 0·61 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 22, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending June 22, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	1024	600	492	70·6	42·0	53·3	0·61
GLASGOW, . . .	12,789	847,584	66·274	9·18	509	289	247	63·2	43·2	52·7	0·66
EDINBURGH, . .	11,410	345,747	30·286	13·58	161	103	108	...	...	...	...
DUNDEE, . . .	4,162	165,748	39·824	11·85	100	69	29	70·6	43·0	53·4	0·50
ABERDEEN, . .	6,795	174,579	25·692	14·75	98	56	38	64·5	46·2	55·4	0·84
PAISLEY, . . .	3,538	88,710	25·073	14·93	51	29	15	64·9	43·9	52·8	0·65
LEITH, ...	2,044	83,668	40·933	11·68	51	29	23	67·8	42·9	53·9	0·47
GREENOCK, . .	1,440	71,269	49·492	10·63	36	18	11	62·7	42·0	51·3	0·78
PERTH, ...	2,122	34,866	16·431	18·44	18	7	21	70·5	42·0	53·3	0·39
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1020	547	433	76·6	44·5	59·7	0·63

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 22, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 22, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·3	2·4	600	113	159	0	8	0	2	37	14	23	0	86	14	174	23	1
GLASGOW, .	17·8	2·6	289	50	68	0	4	0	1	19	*7	12	0	47	10	86	10	1
EDINBURGH,	15·5	2·3	103	12	33	0	2	0	1	4	†5	3	0	13	3	43	4	0
DUNDEE, . .	21·7	2·8	69	18	18	0	0	0	0	4	0	5	0	9	0	20	1	0
ABERDEEN, .	16·7	2·1	56	15	15	0	1	0	0	5	0	1	0	9	0	10	1	0
PAISLEY, . .	17·1	2·4	29	9	7	0	0	0	0	3	†1	0	0	3	1	5	4	0
LEITH, . . .	18·1	3·1	29	5	8	0	1	0	0	1	†1	2	0	3	0	6	0	0
GREENOCK, .	13·2	0·0	18	3	8	0	0	0	0	0	0	0	0	2	0	4	3	0
PERTH, . . .	10·5	1·5	7	1	2	0	0	0	0	1	0	0	0	0	0	0	0	0

* Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 23, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·0	2·0	547	101	130	0	14	1	2	15	12	25	0	69	24	169	18	0
GLASGOW, .	17·1	2·7	274	47	54	0	9	1	1	10	*11	12	0	35	15	86	8	0
EDINBURGH,	15·6	1·8	102	15	27	0	5	0	1	1	1	4	0	7	5	47	8	0
DUNDEE, . .	19·6	0·9	62	10	18	0	0	0	0	0	0	3	0	13	1	15	0	0
ABERDEEN, .	13·1	1·2	43	12	12	0	0	0	0	2	0	2	0	6	0	7	0	0
PAISLEY, . .	10·2	0·6	17	5	4	0	0	0	0	1	0	0	0	3	0	0	1	0
LEITH, . . .	9·5	1·3	15	5	5	0	0	0	0	0	0	2	0	2	0	4	0	0
GREENOCK, .	15·5	2·2	21	4	5	0	0	0	0	1	0	2	0	3	2	5	1	0
PERTH, . . .	19·6	0·0	13	3	5	0	0	0	0	0	0	0	0	0	1	5	0	0

* 8 Cerebro-spinal Fever.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 26. WEEK ENDING SATURDAY, JUNE 29, 1907.

During the week ending 29th June 1907 there were registered in Eight of the Principal Towns the births of 954 living children, and the deaths of 522 persons. The equivalent annual birth-rate is 27·5 per thousand, and the death-rate, 15·0 per thousand.

The death-rates of the three preceding weeks were 17·3, 17·2, and 19·0. The death-rate of this week is thus 2·3 lower than that of the previous week, and 2·8 lower than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Greenock, 22·0, and lowest in Paisley, 10·0. In Dundee, it was 17·0; in Perth, 16·5; in Glasgow, 15·9; in Edinburgh, 14·3; in Aberdeen, 11·7; and in Leith, 10·6.

Deaths from the principal epidemic diseases numbered 76; they are 8 fewer than in the previous week, and equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 4 from measles, 1 from scarlet fever, 3 from diphtheria, 34 from hooping-cough, 1 from enteric fever, 13 from diarrhœas, and 20 from cerebro-spinal meningitis. Deaths from diarrhoeas are 10 fewer than in the previous week, from measles 4 fewer, from hooping-cough 3 fewer, and from enteric fever, 1 fewer; but those from scarlet fever and diphtheria are each 1 more, and those from cerebro-spinal meningitis 8 more than in that week. Of the 20 deaths from cerebro-spinal meningitis, 16 were in Glasgow, 3 in Edinburgh, and 1 in Dundee. The death-rate from these causes ranged from 3·0 in Perth, and 2·9 in Greenock, to 0·6 in Paisley and Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 72; they are 14 fewer than in the previous week, but 8 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 106; they are 7 fewer than in the previous week, but 17 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 122; they are 37 fewer than in the previous week, but 8 more than in the corresponding week of last year.

The mean temperature was 51°·8, being 1°·5 below that for the week immediately preceding, and 3°·6 below that for the corresponding week of 1906. The mean rainfall was 0·78 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 29, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending June 29, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	954	522	439	67·8	36·0	51·8	0·78
GLASGOW, . . .	12,789	847,584	66·274	9·18	468	259	216	65·0	40·8	52·2	0·51
EDINBURGH, . .	11,416	345,747	30·286	13·58	158	95	89	...	...	...	...
DUNDEE, . . .	4,162	165,748	39·824	11·85	103	54	31	67·8	40·1	53·0	0·64
ABERDEEN, . .	6,795	174,579	25·692	14·75	68	39	43	62·0	37·0	50·5	0·78
PAISLEY, . . .	3,538	88,710	25·073	14·93	60	17	15	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	39	17	18	62·2	42·4	53·5	0·44
GREENOCK, . .	1,440	71,269	49·492	10·63	37	30	19	59·9	39·0	50·5	1·25
PERTH, ...	2,122	34,866	16·431	18·44	21	11	8	64·5	36·0	51·1	1·08
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	1022	497	442	71·7	36·5	55·4	0·[illegible]3

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1907. 89/1420.

[TURN OVER.

Week ending Saturday, JUNE 29, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 29, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·0	2·2	522	106	122	0	4	1	3	34	21	13	2	72	28	154	17	1
GLASGOW, .	15·9	2·8	259	43	58	0	2	0	2	20	*17	5	1	37	20	89	2	0
EDINBURGH,	14·3	1·5	95	19	29	0	2	0	0	3	†3	2	0	12	4	29	11	0
DUNDEE, . .	17·0	2·2	54	16	7	0	0	0	0	6	†1	0	0	12	0	10	0	0
ABERDEEN, .	11·7	1·5	39	12	8	0	0	0	0	2	0	3	0	1	2	9	1	1
PAISLEY, . .	10·0	0·6	17	4	6	0	0	0	0	1	0	0	1	2	0	1	1	0
LEITH, . . .	10·6	0·6	17	3	3	0	0	0	0	1	0	0	0	1	1	4	0	0
GREENOCK, .	22·0	2·9	30	6	9	0	0	1	0	1	0	2	0	7	0	8	2	0
PERTH, . . .	16·5	3·0	11	3	2	0	0	0	1	0	0	1	0	0	1	4	0	0

* 16 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 30, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·5	1·7	497	89	114	0	11	3	6	9	10	20	0	64	20	156	19	1
GLASGOW, .	14·9	2·2	238	42	41	0	7	2	4	4	*9	9	0	36	15	72	9	1
EDINBURGH,	14·8	2·3	97	17	27	0	3	1	2	1	1	7	0	9	3	44	3	0
DUNDEE, . .	15·2	0·0	48	6	17	0	0	0	0	0	0	0	0	3	0	14	1	0
ABERDEEN, .	11·9	1·8	39	10	12	0	0	0	0	3	0	3	0	4	0	11	1	0
PAISLEY, . .	13·2	0·6	22	5	3	0	0	0	0	0	0	1	0	5	0	6	2	0
LEITH, . . .	12·0	0·6	19	3	5	0	1	0	0	0	0	0	0	4	0	2	0	0
GREENOCK, .	14·7	0·7	20	5	4	0	0	0	0	1	0	0	0	3	1	2	3	0
PERTH, . . .	21·1	0·0	14	1	5	0	0	0	0	0	0	0	0	0	1	5	0	0

8 Cerebro-spinal Meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 6, 1907.

During the week ending 6th July 1907 there were registered in Eight of the Principal Towns the births of 902 living children, and the deaths of 504 persons. The equivalent annual birth-rate is 26·0 per thousand, and the death-rate, 14·5 per thousand.

The death-rates of the three preceding weeks were 15·0, 17·3, and 17·2. The death-rate of this week is thus 0·5 lower than that of the previous week, and 2·0 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Leith, 19·3; and lowest in Greenock, 10·2. In Glasgow, it was 15·3; in Perth, 15·0; in Dundee, 14·5; in Paisley, 14·1; in Edinburgh, 13·7; and in Aberdeen, 11·7.

Deaths from the principal epidemic diseases numbered 59; they are 17 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 5 from measles, 2 from scarlet fever, 6 from diphtheria, 18 from hooping-cough, 2 from enteric fever, 10 from diarrhœas, and 16 from cerebro-spinal meningitis. Deaths from hooping-cough are 16 fewer than in the previous week, from cerebro-spinal meningitis 4 fewer, and from diarrhoeas 3 fewer; while those from measles, scarlet fever, and enteric fever are each 1 more, and from diphtheria 3 more. The death-rate from these causes ranged from 3·1 in Leith, to 0 in Greenock and Perth. Of the 16 deaths from cerebro-spinal meningitis, 10 occurred in Glasgow, 3 in Edinburgh, and 3 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 80. They are 8 more than in the previous week, and 28 more than in the corresponding week of 1906.

Deaths of children of less than one year old numbered 95; they are 11 fewer than in the previous week, but 12 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 128; they are 6 more than in the previous week, but 16 fewer than in the corresponding week of last year.

The mean temperature was 52°·4, being 0°·6 above that for the previous week, but 4°·0 below that for the corresponding week of 1906. The mean rainfall was 0·89 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 6, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending July 6, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	902	504	553	65·2	43·0	52·4	0·89
GLASGOW, . . .	12,789	847,584	66·274	9·18	465	249	281	62·2	45·0	52·5	1·11
EDINBURGH, . .	11,416	345,747	30·286	13·58	141	91	107	58·4	43·1	50·5	1·17
DUNDEE, . . .	4,162	165,748	39·824	11·85	95	46	28	64·9	43·5	52·1	1·08
ABERDEEN, . .	6,795	174,579	25·692	14·75	76	39	48	60·4	46·0	53·4	0·56
PAISLEY, . . .	3,538	88,710	25·073	14·93	31	24	26	65·2	44·5	53·8	0·74
LEITH, ...	2,044	83,668	40·933	11·68	35	31	17	60·3	44·9	52·5	1·17
GREENOCK, . .	1,440	71,269	49·492	10·63	48	14	39	62·0	43·0	51·9	0·54
PERTH, ...	2,122	34,866	16·431	18·44	11	10	7	63·0	43·0	52·6	0·76
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	915	524	503	76·8	41·5	56·4	0·27

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1907. 89/1420.

[TURN OVER.

Week ending Saturday, JULY 6, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 6, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·5	1·7	504	95	128	0	5	2	6	18	18	10	0	80	25	179	21	3
GLASGOW, .	15·3	2·3	249	46	58	0	5	1	4	10	*12	6	0	33	9	90	13	3
EDINBURGH,	13·7	0·9	91	21	26	0	0	0	0	3	†3	0	0	16	3	38	5	0
DUNDEE, . .	14·5	1·9	46	7	9	0	0	1	1	3	0	1	0	12	2	15	1	0
ABERDEEN, .	11·7	0·9	39	10	14	0	0	0	0	2	0	1	0	7	1	7	0	0
PAISLEY, . .	14·1	0·6	24	1	4	0	0	0	1	0	0	0	0	3	5	11	2	0
LEITH, . . .	19·3	3·1	31	7	10	0	0	0	0	0	†3	2	0	5	3	11	0	0
GREENOCK, .	10·2	0·0	14	2	3	0	0	0	0	0	0	0	0	4	1	4	0	0
PERTH, . . .	15·0	0·0	10	1	4	0	0	0	0	0	0	0	0	0	1	3	0	0

* 10 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 7, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·3	1·5	524	83	144	0	10	1	4	8	9	18	2	52	28	182	18	1
GLASGOW, .	16·7	1·9	268	49	58	0	5	0	4	4	*9	8	0	25	19	98	10	1
EDINBURGH,	13·8	0·5	90	14	29	0	2	0	0	0	0	1	1	12	3	37	7	0
DUNDEE, . .	18·0	1·9	57	8	23	0	1	0	0	1	0	4	0	5	1	16	0	0
ABERDEEN, .	11·0	1·2	36	4	12	0	1	0	0	2	0	1	0	5	1	11	1	0
PAISLEY, . .	13·2	1·2	22	2	9	0	0	0	0	0	0	2	1	1	1	6	0	0
LEITH, . . .	15·2	1·9	24	4	7	0	1	0	0	1	0	1	0	2	0	5	0	0
GREENOCK, .	14·7	1·5	20	1	5	0	0	1	0	0	0	1	0	2	3	6	0	0
PERTH, . . .	10·6	0·0	7	1	1	0	0	0	0	0	0	0	0	0	0	3	0	0

* 6 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 13, 1907.

During the week ending 13th July 1907 there were registered in Eight of the Principal Towns the births of 923 living children, and the deaths of 475 persons. The equivalent annual birth-rate is 26·6 per thousand, and the death-rate 13·7 per thousand.

The death-rates of the three preceding weeks were 14·5, 15·0, and 17·3. The death-rate of this week is thus 0·8 lower than that of the previous week, and 1·9 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 22·5; and lowest in Aberdeen, 9·0. In Dundee it was 17·3; in Glasgow, 14·2; in Edinburgh, 13·7; in Greenock, 12·4; in Leith, 11·9; and in Paisley, 10·6.

Deaths from the principal epidemic diseases numbered 60; they are 1 more than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 8 from measles, 2 from scarlet fever, 2 from diphtheria, 22 from hooping-cough, 12 from diarrhœas, and 14 from cerebro-spinal meningitis. Deaths from diphtheria are 4 fewer than in the previous week, and from cerebro-spinal meningitis 2 fewer; while those from diarrhœas are 2 more, from measles 3 more, and from hooping-cough 4 more. Deaths from scarlet fever are of the same number as in the previous week. The death-rate from these causes ranged from 3·5 in Paisley to 0 in Aberdeen and in Greenock. Of the 14 deaths from cerebro-spinal meningitis, 6 occurred in Glasgow, 4 in Edinburgh, 2 in Leith, and 1 in Dundee and in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 88. They are 8 more than in the previous week, and 30 more than in the corresponding week of 1906.

Deaths of children of less than one year old numbered 80; they are 15 fewer than in the previous week, and 18 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 103; they are 25 fewer than in the previous week, and 12 fewer than in the corresponding week of last year.

The mean temperature was 53°·8, being 1°·4 above that for the previous week, but 3°·4 below that for the corresponding week of 1906. The mean rainfall was 1·16 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 13, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending July 13, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	923	475	481	66·3	40·3	53·8	1·16
GLASGOW, . . .	12,789	847,584	66·274	9·18	457	230	270	61·6	42·5	54·2	1·33
EDINBURGH, . .	11,416	345,747	30·286	13·58	126	91	77	60·3	42·8	52·5	0·70
DUNDEE, . . .	4,162	165,748	39·824	11·85	92	55	25	66·3	40·3	54·8	1·31
ABERDEEN, . .	6,795	174,579	25·692	14·75	82	30	36	66·0	42·0	52·8	0·85
PAISLEY, . . .	3,538	88,710	25·073	14·93	46	18	25	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	45	19	13	65·8	46·8	55·9	1·21
GREENOCK, . .	1,440	71,269	49·492	10·63	48	17	20	63·5	41·0	52·6	1·21
PERTH, ...	2,122	34,866	16·431	18·44	27	15	15	66·0	37·0	53·6	1·53
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	949	491	467	72·5	40·0	57·2	0·50

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue.
and sold by OLIVER & BOYD, Edinburgh.

N.—240 7/1907. 89/1420

[TURN OVER.

Week ending Saturday, JULY 13, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 13, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·7	1·7	475	80	103	0	8	2	2	22	*14	12	0	88	15	157	17	5
GLASGOW, .	14·2	1·8	230	40	50	0	7	1	0	12	*6	3	0	49	4	76	9	5
EDINBURGH,	13·7	2·1	91	20	16	0	1	0	1	5	*4	3	0	16	2	32	7	0
DUNDEE, . .	17·3	2·2	55	7	11	0	0	1	0	3	*1	2	0	7	5	18	0	0
ABERDEEN, .	9·0	0·0	30	7	10	0	0	0	0	0	0	0	0	4	1	7	0	0
PAISLEY, . .	10·6	3·5	18	4	5	0	0	0	1	2	*1	2	0	3	0	6	1	0
LEITH, . . .	11·9	1·9	19	0	4	0	0	0	0	0	*2	1	0	2	0	8	0	0
GREENOCK, .	12·4	0·0	17	1	4	0	0	0	0	0	0	0	0	6	2	5	0	0
PERTH, . . .	22·5	1·5	15	1	3	0	0	0	0	0	0	1	0	1	1	5	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 14, 1906

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from*										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·3	1·8	491	98	115	0	12	2	3	17	7	22	1	58	17	143	28	10
GLASGOW, .	15·5	2·3	248	57	44	0	5	0	2	9	*7	14	1	32	10	71	13	7
EDINBURGH,	13·2	1·4	86	8	33	0	7	1	0	0	0	1	0	8	1	37	10	0
DUNDEE, . .	15·5	1·3	49	9	13	0	0	0	0	0	0	4	0	6	2	8	0	0
ABERDEEN, .	13·1	2·4	43	13	14	0	0	0	0	5	0	3	0	4	1	10	1	0
PAISLEY, . .	10·2	0·6	17	1	4	0	0	0	1	0	0	0	0	0	1	5	2	1
LEITH, . . .	10·7	1·3	17	7	0	0	0	0	0	2	0	0	0	2	1	4	0	0
GREENOCK, .	17·0	1·5	23	3	3	0	0	1	0	1	0	0	0	4	0	6	2	2
PERTH, . . .	12·1	0·0	8	0	4	0	0	0	0	0	0	0	0	2	1	2	0	0

* 4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 20, 1907.

During the week ending 20th July 1907 there were registered in Eight of the Principal Towns the births of 990 living children, and the deaths of 518 persons. The equivalent annual birth-rate is 28·5 per thousand, and the equivalent annual death-rate is 14·9 per thousand.

The death-rates of the three preceding weeks were 13·7, 14·5, and 15·0. The death-rate of this week is thus 1·2 higher than that of the previous week, and 0·5 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 18·0; and lowest in Aberdeen, 9·6. In Dundee it was 17·6; in Glasgow, 16·1; in Edinburgh, 14·8; in Greenock, 14·6; in Paisley, 12·4; and in Leith, 11·2.

Deaths from the principal epidemic diseases numbered 63; they are 3 more than in the previous week, and are equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 7 from measles, 23 from hooping-cough, 3 from enteric fever, 19 from diarrhœas, and 11 from cerebro-spinal meningitis. There were no deaths from either scarlet fever or from diphtheria. The deaths in these towns from measles were 1 fewer than in the previous week, from scarlet fever and diphtheria each 2 fewer, and from cerebro-spinal meningitis 3 fewer; but those from hooping-cough were 1 more, from enteric fever 3 more, and from diarrhœas 7 more than in that week. The death-rate from these causes ranged from 2·5 in Leith and 2·4 in Paisley, to 0 in Aberdeen. Of the 11 deaths from cerebro-spinal meningitis, 7 occurred in Glasgow, 3 in Edinburgh, and 1 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 72; they are 16 fewer than in the previous week, but are 8 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 95; they are 15 more than in the previous week, and 11 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 136; they are 33 more than in the previous week, and 20 more than in the corresponding week of last year.

The mean temperature was 62°·3, being 8°·5 above that for the week immediately preceding, and 6°·1 above that for the corresponding week of 1906. The mean rainfall was *nil*.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 20, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending July 20, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	990	518	679	84·2	48·6	62·3	0·00
GLASGOW, . . .	12,789	847,584	66·274	9·18	466	261	403	84·2	50·8	65·7	0·00
EDINBURGH, . .	11,416	345,747	30·286	13·58	190	98	105	77·1	50·0	60·0	0·00
DUNDEE, . . .	4,162	165,748	39·824	11·85	109	56	60	81·8	49·3	61·0	0·01
ABERDEEN, . .	6,795	174,579	25·692	14·75	87	32	52	77·0	48·6	59·9	0·00
PAISLEY, ...	3,538	88,710	25·073	14·93	45	21	29	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	41	18	18	81·8	51·1	60·8	0·00
GREENOCK, . .	1,440	71,269	49·492	10·63	43	20	5	83·0	51·2	65·4	0·00
PERTH, ...	2,122	34,866	16·431	18·44	9	12	7	83·0	51·0	63·0	0·00
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	930	470	634	71·0	43·7	56·2	0·55

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue.
and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1907. 89/1420.

[TURN OVER.

Week ending Saturday, JULY 20, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 20, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·9	1·8	518	95	136	0	7	0	0	23	14	19	0	72	30	147	23	1
GLASGOW, .	16·1	1·9	261	47	60	0	6	0	0	9	*9	7	0	41	16	82	19	1
EDINBURGH,	14·8	2·1	98	17	25	0	1	0	0	5	†4	4	0	11	4	37	2	0
DUNDEE, . .	17·6	1·9	56	15	19	0	0	0	0	2	0	4	0	8	8	11	0	0
ABERDEEN, .	9·6	0·0	32	6	11	0	0	0	0	0	0	0	0	3	1	6	0	0
PAISLEY, . .	12·4	2·4	21	2	7	0	0	0	0	2	0	2	0	3	0	2	1	0
LEITH, . . .	11·2	2·5	18	5	4	0	0	0	0	3	‡1	0	0	2	1	4	0	0
GREENOCK, .	14·6	2·2	20	2	8	0	0	0	0	1	0	2	0	3	0	4	1	0
PERTH, . . .	18·0	1·5	12	1	2	0	0	0	0	1	0	0	0	1	0	1	0	0

* 7 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 21, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·7	1·2	470	84	116	0	7	0	5	12	5	11	2	64	20	129	16	2
GLASGOW, .	15·3	1·5	245	48	49	0	3	0	3	8	*4	6	0	42	7	67	9	1
EDINBURGH,	10·7	0·5	70	12	20	0	2	0	1	0	0	0	1	10	3	29	3	0
DUNDEE, . .	14·2	1·6	45	6	9	0	1	0	1	0	0	3	1	4	1	9	1	1
ABERDEEN, .	13·4	1·2	44	7	17	0	1	0	0	3	0	0	0	4	3	7	1	0
PAISLEY, . .	10·2	1·2	17	5	5	0	0	0	0	1	0	1	0	1	1	2	1	0
LEITH, . . .	11·4	0·6	18	2	5	0	0	0	0	0	0	1	0	2	2	6	1	0
GREENOCK, .	11·1	0·7	15	2	7	0	0	0	0	0	1	0	0	1	2	3	0	0
PERTH, . . .	24·2	0·0	16	2	4	0	0	0	0	0	0	0	0	0	1	6	0	0

* 4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 27, 1907.

During the week ending Saturday 27th July 1907 there were registered in Eight of the Principal Towns of Scotland the births of 926 living children, and the deaths of 474 persons. The equivalent annual birth-rate is 26·7 per thousand, and the death-rate 13·6 per thousand.

The death-rates of the three preceding weeks were 14·9, 13·7, and 14·5 per thousand. The death-rate for this week is thus 1·3 below that for the previous week, and 0·8 below the mean of the rates of the three preceding weeks.

The death-rate for the week was highest in Edinburgh, 15·8, and lowest in Perth, 9·0. In Paisley it was 15·3; in Glasgow 14·5; in Dundee 12·3; in Greenock 11·0; in Leith 10·6; and in Aberdeen 9·3.

Deaths from the principal epidemic diseases numbered 66; they are 3 more than in the previous week, and are equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths include 5 from measles, 3 from scarlet fever, 3 from diphtheria, 30 from hooping-cough, 4 from enteric fever, 10 from diarrhœal diseases, and 11 from cerebro-spinal meningitis. Deaths from diarrhœal diseases are 9 fewer than in the previous week, and from measles 2 fewer, while those from cerebro-spinal meningitis number the same as in the previous week, those from enteric fever are 1 more, from scarlet fever and diphtheria each 3 more, and from hooping-cough 7 more. The death-rate from these causes ranged from 2·5 in Leith to 0 in Perth. Of the deaths from cerebro-spinal meningitis, 7 occurred in Glasgow, 3 in Edinburgh, and 1 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 63; they are 9 fewer than in the previous week, but 11 more than in the corresponding week of 1906.

Deaths of children of less than one year old numbered 97; they are 2 more than in the previous week, and 6 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 108; they are 28 fewer than in the previous week, and 21 fewer than in the corresponding week of last year.

The mean temperature was 56°·1, being 6°·2 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of last year. The mean rainfall was 0·14 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 27, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending July 27, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	926	474	445	70·1	41·0	56·1	0·14
GLASGOW, . . .	12,789	847,584	66·274	9·18	462	235	89	68·2	47·2	57·4	0·16
EDINBURGH, . .	11,416	345,747	30·286	13·58	157	105	142	68·1	46·5	54·2	0·10
DUNDEE, . . .	4,162	165,748	39·824	11·85	72	39	135	69·7	42·5	55·6	0·12
ABERDEEN, . .	6,795	174,579	25·692	14·75	92	31	39	69·5	41·0	54·0	0·22
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	26	8	70·1	47·2	58·2	0·05
LEITH, ...	2,044	83,668	40·933	11·68	46	17	24	68·5	48·9	56·2	0·20
GREENOCK, . .	1,440	71,269	49·492	10·63	33	15	5	69·0	47·2	56·8	0·19
PERTH, ...	2,122	34,866	16·431	18·44	15	6	3	68·5	44·0	56·4	0·09
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	946	489	441	78·0	41·0	58·8	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1907. 89/1420.

[TURN OVER.

Week ending Saturday, JULY 27, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 27, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·6	1·9	474	97	108	0	5	3	3	30	15	10	0	63	21	164	10	2
GLASGOW, .	14·5	2·0	235	35	44	0	4	2	2	13	*8	4	0	28	12	85	7	2
EDINBURGH,	15·8	2·3	105	24	28	0	1	0	0	8	†4	2	0	17	4	35	1	0
DUNDEE, . .	12·3	1·9	39	12	7	0	0	0	0	3	0	3	0	4	1	15	0	0
ABERDEEN, .	9·3	0·6	31	9	12	0	0	1	0	0	1	0	0	4	1	7	2	0
PAISLEY, . .	15·3	1·8	26	5	10	0	0	0	1	2	0	0	0	6	2	11	0	0
LEITH, . . .	10·6	2·5	17	5	4	0	0	0	0	2	‡2	0	0	3	0	5	0	0
GREENOCK, .	11·0	2·2	15	6	2	0	0	0	0	2	0	1	0	1	1	4	0	0
PERTH, . . .	9·0	0·0	6	1	1	0	0	0	0	0	0	0	0	0	0	2	0	0

* 7 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis. ‡ 1 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 28, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·3	1·6	489	91	129	0	6	2	4	11	9	23	0	52	30	164	19	2
GLASGOW, .	14·5	2·1	233	43	51	0	2	1	1	7	*9	13	0	29	11	87	7	2
EDINBURGH,	14·8	1·5	97	11	34	0	4	1	0	1	0	4	0	12	7	43	8	0
DUNDEE, . .	13·9	0·9	44	13	9	0	0	0	1	0	0	2	0	5	4	11	1	0
ABERDEEN, .	14·3	1·5	47	15	14	0	0	0	0	2	0	3	0	3	1	10	1	0
PAISLEY, . .	15·0	0·0	25	3	4	0	0	0	0	0	0	0	0	0	4	6	2	0
LEITH, . . .	12·0	0·0	19	1	9	0	0	0	0	0	0	0	0	2	2	4	0	0
GREENOCK, .	14·7	2·2	20	4	7	0	0	0	1	1	0	1	0	1	1	1	0	0
PERTH, . . .	6·0	1·5	4	1	1	0	0	0	1	0	0	0	0	0	0	2	0	0

7 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 3, 1907.

During the week ending Saturday 3rd August 1907 there were registered in Eight of the Principal Towns of Scotland the births of 918 living children, and the deaths of 445 persons. The equivalent annual birth-rate is 26·4 per thousand, and the death-rate 12·8.

The death-rates of the three preceding weeks were 13·6, 14·9, and 13·7 per thousand. The death-rate for this week is thus 0·8 below that for the previous week, and 1·3 below the mean of the rates of the three preceding weeks.

The death-rate for the week was highest in Dundee, 17·3 per thousand, and lowest in Leith, 10·0 per thousand. In Greenock it was 13·9; in Paisley 13·5; in Glasgow 12·8; in Aberdeen 12·6; in Perth 12·0; and in Edinburgh 11·2.

Deaths from the principal epidemic diseases numbered 60; they are 6 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·7 per thousand. These deaths include 6 from measles, 2 from scarlet fever, 4 from diphtheria, 12 from hooping-cough, 1 from enteric fever, 21 from diarrhœal diseases, and 14 from cerebro-spinal meningitis. Deaths from hooping-cough are 18 fewer than in the previous week, from enteric fever 3 fewer, and from scarlet fever 1 fewer, while those from measles and diphtheria are each 1 more, from cerebro-spinal meningitis 3 more, and from diarrhœal diseases 11 more. The death-rate from these causes ranged from 2·5 in Dundee and in Leith, to 0·6 in Aberdeen. Of the deaths from cerebro-spinal meningitis, 9 occurred in Glasgow, 2 in Leith, and 1 each in Edinburgh, Dundee, and Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 68; they are 5 more than in the previous week, and 8 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 86; they are 11 fewer than in the previous week, but 4 more than in the corresponding week of 1906. Deaths of persons of over sixty numbered 119; they are 11 more than in the previous week, and 14 more than in the corresponding week of last year.

The mean temperature was 55°·3, being 0°·8 below that for the previous week, and 4°·4 below that for the corresponding week of last year. The mean rainfall was 0·69 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 3, 1907, in Eight Principal Towns of Scotland

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Aug. 3, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	918	445	247	72·4	39·0	55·3	0·69
GLASGOW, . . .	12,789	847,584	66·274	9·18	489	208	94	70·8	39·8	56·1	0·60
EDINBURGH, . .	11,416	345,747	30·286	13·58	149	74	71	66·9	42·6	54·3	0·70
DUNDEE, . . .	4,162	165,748	39·824	11·85	74	55	9	72·4	44·9	56·6	0·33
ABERDEEN, . .	6,795	174,579	25·692	14·75	74	42	28	64·0	45·6	53·6	0·56
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	23	10	72·2	40·3	56·3	1·02
LEITH, ...	2,044	83,668	40·933	11·68	38	16	23	69·9	45·9	56·0	0·54
GREENOCK, . .	1,440	71,269	49·492	10·63	36	19	5	68·0	40·5	54·4	1·46
PERTH, ...	2,122	34,866	16·431	18·44	9	8	7	70·5	39·0	55·1	0·29
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	870	405	245	72·8	43·8	59·7	1·56

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1907. 89/1420.

[TURN OVER.

Week ending Saturday, AUGUST 3, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, August 3, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·8	1·7	445	86	119	0	6	2	4	12	15	21	0	68	20	141	9	0
GLASGOW, .	12·8	1·9	208	40	45	0	4	1	1	8	*10	7	0	33	13	81	3	0
EDINBURGH,	11·2	1·5	74	15	19	0	2	1	1	2	†1	3	0	10	2	29	3	0
DUNDEE, . .	17·3	2·5	55	18	18	0	0	0	1	1	†1	5	0	6	0	9	1	0
ABERDEEN, .	12·6	0·6	42	4	14	0	0	0	1	0	0	1	0	7	1	10	1	0
PAISLEY, . .	13·5	1·8	23	2	8	0	0	0	0	1	†1	1	0	5	0	2	1	0
LEITH, . . .	10·0	2·5	16	5	5	0	0	0	0	0	†2	2	0	3	2	5	0	0
GREENOCK, .	13·9	0·7	19	1	6	0	0	0	0	0	0	1	0	4	2	4	0	0
PERTH, . . .	12·0	1·5	8	1	4	0	0	0	0	0	0	1	0	0	0	1	0	0

* 9 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, August 4, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	11·8	1·5	405	82	105	0	8	1	1	11	4	25	1	60	13	120	7	1
GLASGOW, .	12·2	1·9	196	49	49	0	3	0	0	7	*3	18	1	31	10	56	6	0
EDINBURGH,	11·2	1·8	73	12	14	0	5	0	1	1	1	4	0	9	3	28	1	0
DUNDEE, . .	15·5	0·9	49	8	12	0	0	0	0	1	0	2	0	6	0	18	0	0
ABERDEEN, .	11·9	0·9	39	7	17	0	0	1	0	2	0	0	0	6	0	9	0	1
PAISLEY, . .	7·2	0·0	12	3	2	0	0	0	0	0	0	0	0	3	0	4	0	0
LEITH, . . .	8·2	0·6	13	2	4	0	0	0	0	0	0	1	0	3	0	2	0	0
GREENOCK, .	9·6	0·0	13	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0
PERTH, . . .	15·1	0·0	10	1	5	0	0	0	0	0	0	0	0	2	0	2	0	0

* 2 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 10, 1907.

During the week ending Saturday 10th August 1907 there were registered in Eight of the Principal Towns of Scotland the births of 868 living children, and the deaths of 479 persons. The equivalent annual birth-rate is 25·0 per thousand, and the death-rate 13·8.

The death-rates for the three preceding weeks were 12·8, 13·6, and 14·9 per thousand. The death-rate for this week is thus 1·0 above that for the previous week, and the same as the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Greenock, 16·1 per thousand, and lowest in Paisley, 8·8 per thousand. In Dundee it was 15·4; in Glasgow 14·4; in Edinburgh 13·9; in Aberdeen 12·6; in Perth 12·0; and in Leith 10·6.

Deaths from the principal epidemic diseases numbered 76; they are 16 more than in the previous week, and are equivalent to an annual death-rate from these causes of 2·2 per thousand. These deaths include 1 from chicken-pox, 6 from measles, 2 from scarlet fever, 2 from diphtheria, 30 from hooping-cough, 3 from enteric fever, 22 from diarrhœal diseases, and 10 from cerebro-spinal meningitis. The last-named are 4 fewer than in the previous week, those from diphtheria are 2 fewer, those from measles and scarlet fever number the same as in the previous week, while those from diarrhœal diseases are 1 more, from enteric fever 2 more, and from hooping-cough 18 more. The death-rate from these causes ranged from 4·4 per thousand in Leith, to 0·6 in Paisley. Of the 10 deaths from cerebro-spinal meningitis, 4 occurred in Glasgow, 2 in Edinburgh, 2 in Leith, and 1 each in Greenock and in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 55; they are 13 fewer than in the previous week, and also 13 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 95; they are 9 more than in the previous week, but 13 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 133; they are 14 more than in the previous week, and 3 more than in the corresponding week of last year.

The mean temperature was 58°·0, being 2°·7 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1906. The mean rainfall was 0·80 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 10, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Aug. 10, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	868	479	248	70·4	43·0	58·0	0·80
GLASGOW, . . .	12,789	847,584	66·274	9·18	426	234	103	66·8	52·0	58·0	0·97
EDINBURGH, . .	11,416	345,747	30·286	13·58	151	92	59	66·1	50·7	57·5	0·12
DUNDEE, . . .	4,162	165,748	39·824	11·85	77	49	12	68·0	48·3	58·3	0·79
ABERDEEN, . .	6,795	174,579	25·692	14·75	75	42	29	70·4	47·9	58·8	0·29
PAISLEY, . . .	3,538	88,710	25·073	14·93	33	15	29	65·5	51·9	58·3	1·27
LEITH, ...	2,044	83,668	40·933	11·68	59	17	5	69·8	52·8	59·7	0·29
GREENOCK, . .	1,440	71,269	49·492	10·63	34	22	8	65·5	49·5	56·3	2·08
PERTH, ...	2,122	34,866	16·431	18·44	13	8	3	66·5	43·0	57·5	0·59
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	963	481	231	76·0	43·0	57·9	1·07

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

[TURN OVER

Week ending Saturday, AUGUST 10, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 10, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·8	2·2	479	95	133	‡1	6	2	2	30	13	22	0	55	24	139	5	0
GLASGOW, .	14·4	2·2	234	44	45	0	4	0	1	15	*6	10	0	27	14	73	3	0
EDINBURGH,	13·9	1·8	92	13	35	‡1	2	0	0	6	†2	1	0	8	4	31	2	0
DUNDEE, . .	15·4	3·8	49	17	17	0	0	1	0	4	0	7	0	9	2	13	0	0
ABERDEEN, .	12·6	0·9	42	9	14	0	0	0	1	0	1	1	0	5	2	8	0	0
PAISLEY, . .	8·8	0·6	15	3	7	0	0	0	0	1	0	0	0	2	0	3	0	0
LEITH, . . .	10·6	4·4	17	5	4	0	0	0	0	3	†2	2	0	3	0	5	0	0
GREENOCK, .	16·1	2·9	22	3	7	0	0	1	0	1	†1	1	0	1	2	4	0	0
PERTH, . . .	12·0	1·5	8	1	4	0	0	0	0	0	†1	0	0	0	0	2	0	0

‡ Chicken-pox. * 4 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 11, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·0	1·9	481	108	130	*1	11	1	3	8	6	34	1	68	22	126	23	4
GLASGOW, .	15·2	2·4	243	60	51	*1	5	1	2	6	†5	18	0	36	11	76	14	4
EDINBURGH,	13·2	1·4	86	13	29	0	5	0	0	0	1	3	0	15	4	26	5	0
DUNDEE, . .	15·2	1·6	48	13	13	0	0	0	0	1	0	4	0	6	2	10	1	0
ABERDEEN, .	11·6	1·2	38	10	16	0	1	0	0	1	0	2	1	4	2	5	1	0
PAISLEY, . .	10·2	1·2	17	1	6	0	0	0	1	0	0	1	0	1	1	1	2	0
LEITH, . . .	11·4	1·3	18	3	7	0	0	0	0	0	0	2	0	3	2	3	0	0
GREENOCK, .	14·0	2·2	19	4	5	0	0	0	0	0	0	3	0	1	0	4	0	0
PERTH, . . .	18·1	1·5	12	4	3	0	0	0	0	0	0	1	0	2	0	1	0	0

* Chicken-pox. † Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 17, 1907.

During the week ending Saturday 17th August 1907 there were registered in Eight of the Principal Towns of Scotland the births of 803 living children, and the deaths of 436 persons. The equivalent annual birth-rate is 23·1 per thousand, and the death-rate 12·6.

The death-rates for the three preceding weeks were 13·8, 12·8, and 13·6 per thousand. The death-rate for this week is thus 1·2 below that for the week immediately preceding, and 0·8 below the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 19·5 per thousand, and lowest in Leith, 8·7 per thousand. In Paisley it was 14·7; in Dundee 13·2; in Glasgow 12·8; in Aberdeen 12·3; in Greenock 11·7; and in Edinburgh 11·6.

Deaths from the principal epidemic diseases numbered 52; they are 24 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·5 per thousand. These deaths include 4 from measles, 1 from scarlet fever, 1 from diphtheria, 18 from hooping-cough, 3 from enteric fever, 15 from diarrhœal diseases, and 10 from cerebro-spinal meningitis. Deaths from hooping-cough are 12 fewer than in the previous week, from diarrhœal diseases 7 fewer, from measles 2 fewer, from scarlet fever and diphtheria each 1 fewer, while those from enteric fever and cerebro-spinal meningitis number the same as in the previous week. The death-rate from these causes ranged from 2·2 in Greenock, to 0·9 in Aberdeen. Of the 10 deaths from cerebro-spinal meningitis, 7 occurred in Glasgow, 2 in Edinburgh, and 1 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 48; they are 7 fewer than in the previous week, and 20 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 71; they are 24 fewer than in the previous week, and 51 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 121; they are 12 fewer than in the previous week, but 10 more than in the corresponding week of 1906.

The mean temperature was 55°·1, being 2°·9 below that for the previous week, and 1°·9 below that for the corresponding week of 1906. The mean rainfall was 2·14 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 17, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Aug. 17, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	803	436	229	69·0	39·0	55·1	2·14
GLASGOW, . . .	12,789	847,584	66·274	9·18	386	208	85	68·5	47·8	56·7	3·24
EDINBURGH, . .	11,416	345,747	30·286	13·58	129	77	36	65·6	45·8	54·7	2·60
DUNDEE, . . .	4,162	165,748	39·824	11·85	75	42	13	66·9	43·5	54·2	1·48
ABERDEEN, . .	6,795	174,579	25·692	14·75	69	41	22	65·8	39·0	53·2	0·62
PAISLEY, . . .	3,538	88,710	25·073	14·93	48	25	54	69·0	47·1	57·5	2·56
LEITH, ...	2,044	83,668	40·933	11·68	39	14	5	67·4	47·3	55·7	2·67
GREENOCK, . .	1,440	71,269	49·492	10·63	45	16	8	65·2	43·0	54·2	2·29
PERTH, ...	2,122	34,866	16·431	18·44	12	13	6	66·0	44·0	54·5	1·67
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	947	492	246	69·4	42·0	57·0	1·06

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1907. 89/1420

[TURN OVER.

Week ending Saturday, AUGUST 17, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 17, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·6	1·5	436	71	121	0	4	1	1	18	13	15	0	48	22	137	15	0
GLASGOW, .	12·8	1·8	208	37	49	0	2	0	0	10	*9	8	0	25	10	63	6	0
EDINBURGH,	11·6	1·2	77	9	25	0	1	0	1	4	†2	0	0	12	2	39	1	0
DUNDEE, . .	13·2	1·3	42	10	12	0	0	1	0	0	0	3	0	3	6	15	0	0
ABERDEEN, .	12·3	0·9	41	8	10	0	1	0	0	0	0	2	0	3	1	7	2	0
PAISLEY, . . .	14·7	1·2	25	2	9	0	0	0	0	1	†1	0	0	3	1	6	3	0
LEITH, . . .	8·7	1·2	14	3	4	0	0	0	0	2	0	0	0	0	1	3	2	0
GREENOCK, .	11·7	2·2	16	1	7	0	0	0	0	1	1	1	0	1	1	2	1	0
PERTH, . . .	19·5	1·5	13	1	5	0	0	0	0	0	0	1	0	1	0	2	0	0

* 7 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 18, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·4	1·8	492	122	111	0	4	1	4	11	4	37	0	68	22	156	11	2
GLASGOW, .	14·9	1·9	239	63	47	0	1	1	1	7	*3	18	0	41	16	75	4	2
EDINBURGH,	13·2	0·9	86	9	23	0	1	0	1	1	0	3	0	13	2	40	2	0
DUNDEE, . .	14·9	2·5	47	19	8	0	0	0	1	0	0	7	0	5	3	10	0	0
ABERDEEN, .	12·8	2·1	42	17	11	0	2	0	0	2	0	3	0	3	1	10	1	0
PAISLEY, . .	19·2	3·6	32	7	7	0	0	0	0	1	0	5	0	2	0	5	3	0
LEITH, . . .	10·7	0·0	17	3	7	0	0	0	0	0	0	0	0	3	0	6	1	0
GREENOCK, .	11·8	0·7	16	2	7	0	0	0	0	0	0	1	0	1	0	3	0	0
PERTH, . . .	19·6	3·0	13	2	1	0	0	0	1	0	1	0	0	0	0	7	0	0

* 2 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 24, 1907.

During the week ending Saturday 24th August 1907 there were registered in Eight of the Principal Towns of Scotland the births of 879 living children, and the deaths of 443 persons. The equivalent annual birth-rate is 25·3 per thousand, and the death-rate 12·8.

The death-rates for the three preceding weeks were 12·6, 13·8, and 12·8 per thousand. The death-rate for this week is thus 0·2 above that for the week immediately preceding, but 0·3 below the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 15·0 per thousand, and lowest in Leith, 8·7 per thousand. In Glasgow it was 14·0; in Dundee 13·5; in Greenock 13·2; in Aberdeen 12·6; in Paisley 12·4; and in Edinburgh 10·1.

Deaths from the principal epidemic diseases numbered 65; they are 13 more than in the previous week, and are equivalent to an annual death-rate from these causes of 1·9 per thousand. These deaths include 5 from measles, 2 from scarlet fever, 8 from diphtheria, 22 from hooping-cough, 3 from enteric fever, 21 from diarrhœal diseases, and 4 from cerebro-spinal meningitis. Deaths from cerebro-spinal meningitis are 6 fewer than in the previous week, those from enteric fever number the same, those from measles and scarlet fever are 1 more, from hooping-cough 4 more, from diarrhœal diseases 6 more, and from diphtheria 7 more. The death-rate from these causes ranged from 4·4 per thousand in Greenock, to 0·6 in Aberdeen. Of the 4 deaths from cerebro-spinal meningitis, 3 occurred in Glasgow, and 1 in Edinburgh. This is the smallest number registered in any week of this year.

Deaths from pneumonia, bronchitis, and pleurisy numbered 53; they are 5 more than in the previous week, and 1 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 93; they are 22 more than in the previous week, but 34 fewer than in the corresponding week of last year. Deaths of persons aged over sixty numbered 99; they are 22 fewer than in the previous week, and 17 fewer than in the corresponding week of last year.

The mean temperature was 54°·2, being 0°·9 below that for the previous week, and 2°·8 below that for the corresponding week of 1906. The mean rainfall was 0·45 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 24, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Aug. 24, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	879	443	185	67·3	39·0	54·2	0·45
GLASGOW, . . .	12,789	847,584	66·274	9·18	433	228	88	65·0	44·8	54·6	0·33
EDINBURGH, . .	11,416	345,747	30·286	13·58	140	67	48	63·3	42·8	53·2	0·28
DUNDEE, . . .	4,162	165,748	39·824	11·85	84	43	8	67·3	39·9	54·5	0·24
ABERDEEN, . .	6,795	174,579	25·692	14·75	70	42	18	66·0	41·2	53·8	0·90
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	21	2	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	42	14	6	67·0	45·0	55·6	0·49
GREENOCK, . .	1,440	71,269	49·492	10·63	47	18	10	63·2	41·5	53·6	0·80
PERTH, ...	2,122	34,866	16·431	18·44	14	10	5	67·0	39·0	53·8	0·10
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	884	472	188	72·2	40·0	57·0	1·59

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1907. 89/1420.

[TURN OVER.

Week ending Saturday, AUGUST 24, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 24, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	12·8	1·9	443	93	99	0	5	2	8	22	7	21	0	53	19	130	14	0
GLASGOW, .	14·0	2·2	228	48	35	0	3	0	4	11	*5	12	0	28	11	77	8	0
EDINBURGH,	10·1	1·2	67	12	19	0	2	0	0	4	†1	1	0	6	0	24	2	0
DUNDEE, . .	13·5	2·2	43	9	12	0	0	0	3	1	0	3	0	7	4	12	0	0
ABERDEEN, .	12·6	0·6	42	10	15	0	0	0	1	1	0	0	0	4	1	7	0	0
PAISLEY, . .	12·4	2·4	21	4	8	0	0	0	0	2	0	2	0	5	0	4	2	0
LEITH, . . .	8·7	1·2	14	5	5	0	0	1	0	0	0	1	0	1	1	3	0	0
GREENOCK, .	13·2	4·4	18	4	1	0	0	1	0	3	1	1	0	2	2	3	2	0
PERTH, . . .	15·0	1·5	10	1	4	0	0	0	0	0	0	1	0	0	0	0	0	0

* 3 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 25, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	13·8	2·3	472	127	116	0	3	1	4	11	*6	54	2	52	28	140	21	3
GLASGOW, .	14·4	3·1	231	74	49	0	2	0	3	9	*5	30	0	24	16	73	12	3
EDINBURGH,	12·2	1·2	80	14	26	0	1	1	0	0	0	6	1	9	4	25	2	0
DUNDEE, . .	12·3	1·3	39	8	10	0	0	0	0	0	1	3	1	4	3	12	2	0
ABERDEEN, .	16·5	2·1	54	13	13	0	0	0	0	1	0	6	0	6	2	11	4	0
PAISLEY, . .	12·6	1·2	21	5	8	0	0	0	0	0	0	2	0	4	0	7	0	0
LEITH, . . .	11·4	1·9	18	6	3	0	0	0	1	0	0	2	0	2	1	4	0	0
GREENOCK, .	16·2	4·4	22	7	4	0	0	0	0	1	0	5	0	1	1	4	1	0
PERTH, . . .	10·6	0·0	7	0	3	0	0	0	0	0	0	0	0	2	1	4	0	0

4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, AUGUST 31, 1907.

During the week ending Saturday 31st August 1907 there were registered in Eight of the Principal Towns of Scotland the births of 854 living children, and the deaths of 475 persons. The equivalent annual birth-rate is 24·6 per thousand, and the death-rate 13·7.

The death-rates for the three preceding weeks were 12·8, 12·6, and 13·8 per thousand. The death-rate for this week is thus 0·9 above that for the week immediately preceding, and 0·6 above the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 16·7 per thousand, and lowest in Aberdeen, 10·5 per thousand. In Greenock it was 16·1; in Edinburgh 15·4; in Leith 15·0; in Perth 13·5; in Paisley 12·9; and in Glasgow 12·8.

Deaths from the principal epidemic diseases numbered 62; they are 3 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·8 per thousand. These deaths include 1 from measles, 1 from scarlet fever, 7 from diphtheria, 19 from hooping-cough, 5 from enteric fever, 15 from diarrhœal diseases, and 14 from cerebro-spinal meningitis. Deaths from diarrhœal diseases are 6 fewer than in the previous week, those from measles 4 fewer, from hooping-cough 3 fewer, and from scarlet fever and diphtheria each 1 fewer, while those from enteric fever are 2 more, and those from cerebro-spinal meningitis 10 more. The death-rate from these causes ranged from 4·1 in Paisley to 0 in Perth. Of the 14 deaths from cerebro-spinal meningitis, 10 occurred in Glasgow, 2 in Dundee, and 1 each in Aberdeen and Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 51; they are 2 fewer than in the previous week, and 10 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 89; they are 4 fewer than in the previous week, and 43 fewer than in the corresponding week of last year. Deaths of persons aged over sixty numbered 117; they are 18 more than in the previous week, and 4 more than in the corresponding week of last year.

The mean temperature was 53°·3, being 0°·9 below that for the previous week, and 8°·5 below that for the corresponding week of last year. The mean rainfall was 0·78 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 31, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Aug. 31, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	854	475	211	65·6	36·0	53·3	0·78
GLASGOW, . . .	12,789	847,584	66·274	9·18	429	208	96	62·4	42·6	53·9	0·61
EDINBURGH, . .	11,416	345,747	30·286	13·58	120	102	41	61·1	43·7	53·5	0·34
DUNDEE, . . .	4,162	165,748	39·824	11·85	82	53	20	65·6	38·3	53·2	1·10
ABERDEEN, . .	6,795	174,579	25·692	14·75	82	35	29	64·0	37·0	52·0	0·58
PAISLEY, . . .	3,538	88,710	25·073	14·93	47	22	4	64·5	43·0	54·1	0·61
LEITH, ...	2,044	83,668	40·933	11·68	37	24	4	63·6	46·1	55·3	0·41
GREENOCK, . .	1,440	71,269	49·492	10·63	43	22	13	60·9	42·0	52·3	1·59
PERTH, ...	2,122	34,866	16·431	18·44	14	9	4	65·0	36·0	52·3	0·98
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	858	487	199	88·6	42·0	61·8	0·10

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1907. 89/1420

[TURN OVER.

Week ending Saturday, AUGUST 31, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 31, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·7	1·8	475	89	117	0	1	1	7	19	19	15	1	51	18	153	15	3
GLASGOW, .	12·8	2·0	208	45	45	0	1	0	5	7	*12	7	0	21	8	71	8	2
EDINBURGH,	15·4	0·9	102	14	36	0	0	1	0	5	0	0	0	8	2	41	3	0
DUNDEE, . .	16·7	1·9	53	9	9	0	0	0	0	0	†3	3	0	6	2	18	1	1
ABERDEEN, .	10·5	1·2	35	7	7	0	0	0	0	1	‡1	2	0	6	1	10	2	0
PAISLEY, . .	12·9	4·1	22	6	5	0	0	0	1	5	‡1	0	0	1	2	6	0	0
LEITH, . . .	15·0	3·7	24	5	3	0	0	0	1	1	1	3	0	5	2	3	0	0
GREENOCK, .	16·1	0·7	22	3	8	0	0	0	0	0	1	0	1	4	1	1	0	0
PERTH, . . .	13·5	0·0	9	0	4	0	0	0	0	0	0	0	0	0	0	3	1	0

* 10 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 1, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·2	2·3	487	132	113	1	3	2	5	11	10	48	0	61	14	119	17	4
GLASGOW, .	13·9	3·2	223	76	37	*1	2	1	2	8	‡9	28	0	27	7	68	10	3
EDINBURGH,	11·5	1·4	75	10	24	0	1	0	3	0	1	4	0	14	1	24	3	0
DUNDEE, . .	18·7	2·5	59	15	14	0	0	1	0	1	0	6	0	8	1	9	0	0
ABERDEEN, .	12·8	1·2	42	9	13	0	0	0	0	2	0	2	0	5	1	3	1	1
PAISLEY, . .	11·4	1·8	19	4	7	0	0	0	0	0	0	3	0	0	0	5	0	0
LEITH, . . .	15·8	1·3	25	10	4	0	0	0	0	0	0	2	0	1	1	5	2	0
GREENOCK, .	22·9	2·2	31	8	7	0	0	0	0	0	0	3	0	6	1	3	0	0
PERTH, . . .	19·6	0·0	13	0	7	0	0	0	0	0	0	0	0	0	2	2	1	0

* Chicken-pox. ‡ 4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 7, 1907.

During the week ending Saturday 7th September 1907 there were registered in Eight of the Principal Towns of Scotland the births of 881 living children, and the deaths of 471 persons. The equivalent annual birth-rate is 25·4 per thousand, and the death-rate 13·6.

The death-rates for the three preceding weeks were 13·7, 12·8, and 12·6 per thousand. The death-rate for this week is thus 0·1 below that for the week immediately preceding, but 0·6 above the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Glasgow, 14·8 per thousand, and lowest in Perth, 10·5 per thousand. In Dundee it was 14·2; in Edinburgh 13·0; in Aberdeen 12·3; in Paisley 11·8; in Greenock 11·0; and in Leith 10·6.

Deaths from the principal epidemic diseases numbered 58; they are 4 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·7 per thousand. These deaths include 1 from measles, 1 from scarlet fever, 1 from diphtheria, 22 from hooping-cough, 2 from enteric fever, 22 from diarrhœal diseases, and 9 from cerebro-spinal meningitis. Deaths from diphtheria are 6 fewer than in the previous week, those from cerebro-spinal meningitis 5 fewer, and those from enteric fever 3 fewer; those from measles and scarlet fever are of the same number, while those from hooping-cough are 3 more, and those from diarrhœal diseases 7 more. The death-rate from these causes ranged from 3·0 in Aberdeen to 0 in Paisley, Leith and Perth. Of the 9 deaths from cerebro-spinal meningitis, 8 occurred in Glasgow, and 1 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 57; they are 6 more than in the previous week, and 7 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 94; they are 5 more than in the previous week, but 37 fewer than in the corresponding week of last year. Deaths of persons aged over sixty numbered 117; they are of the same number as in the previous week, and as in the corresponding week of last year.

The mean temperature was 52°·0, being 1°·3 below that for the previous week, and 8°·6 below that for the corresponding week of last year. The mean rainfall was 1·02 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 7, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Sept. 7, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	881	471	359	68·1	30·0	52·0	1·02
GLASGOW, . . .	12,789	847,584	66·274	9·18	456	240	190	66·2	36·1	52·8	1·11
EDINBURGH, . .	11,416	345,747	30·286	13·58	127	86	77	64·6	36·7	51·9	1·05
DUNDEE, . . .	4,162	165,748	39·824	11·85	65	45	22	65·2	33·3	51·6	0·94
ABERDEEN, . .	6,795	174,579	25·692	14·75	77	41	28	65·8	33·0	50·8	0·93
PAISLEY, . . .	3,538	88,710	25·073	14·93	43	20	5	67·2	35·1	53·1	0·92
LEITH, ...	2,044	83,668	40·933	11·68	50	17	11	68·1	40·0	54·3	1·54
GREENOCK, . .	1,440	71,269	49·492	10·63	42	15	15	62·5	35·0	50·8	1·59
PERTH, ...	2,122	34,866	16·431	18·44	21	7	11	65·0	30·0	50·5	0·06
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	904	533	293	87·8	44·2	60·6	0·62

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240 - 9/1907. 89/1420.

[TURN OVER.

Week ending Saturday, SEPTEMBER 7, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 7, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·6	1·7	471	94	117	0	1	1	1	22	11	22	0	57	20	129	20	1
GLASGOW, .	14·8	2·2	240	50	54	0	0	0	0	10	*10	15	0	31	12	70	12	1
EDINBURGH,	13·0	1·1	86	16	21	0	1	0	0	5	†1	0	0	6	3	29	5	0
DUNDEE, . .	14·2	1·6	45	8	14	0	0	1	1	1	0	2	0	5	1	14	0	0
ABERDEEN, .	12·3	3·0	41	11	11	0	0	0	0	5	0	5	0	5	1	3	1	0
PAISLEY, . .	11·8	0·0	20	4	5	0	0	0	0	0	0	0	0	5	0	3	0	0
LEITH, . . .	10·6	0·0	17	3	5	0	0	0	0	0	0	0	0	2	1	6	0	0
GREENOCK, .	11·0	0·7	15	2	6	0	0	0	0	1	0	0	0	2	0	2	2	0
PERTH, . . .	10·5	0·0	7	0	1	0	0	0	0	0	0	0	0	1	2	2	0	0

* 8 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 8, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·6	2·5	533	131	117	0	2	4	2	7	8	62	1	50	20	125	11	3
GLASGOW, .	15·9	3·0	255	63	44	0	2	3	0	5	*7	31	1	27	8	62	7	2
EDINBURGH,	14·7	1·8	96	21	25	0	0	0	0	2	1	9	0	8	6	30	1	0
DUNDEE, . .	17·1	3·5	54	14	15	0	0	0	1	0	0	10	0	7	0	11	0	0
ABERDEEN, .	17·1	1·8	56	11	15	0	0	1	1	0	0	4	0	6	3	13	0	0
PAISLEY, . .	9·0	0·0	15	2	3	0	0	0	0	0	0	0	0	0	1	2	2	1
LEITH, . . .	12·6	1·3	20	5	5	0	0	0	0	0	0	2	0	1	0	3	1	0
GREENOCK, .	19·2	4·4	26	12	6	0	0	0	0	0	0	6	0	1	2	3	0	0
PERTH, . . .	16·6	0·0	11	3	4	0	0	0	0	0	0	0	0	0	0	1	0	0

* 3 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 14, 1907.

During the week ending Saturday 14th September 1907 there were registered in Eight of the Principal Towns of Scotland the births of 863 living children, and the deaths of 532 persons. The equivalent annual birth-rate is 24·8 per thousand, and the death-rate 15·3.

The death-rates for the three preceding weeks were 13·6, 13·7, and 12·8 per thousand. The death-rate for this week is thus 1·7 above that for the week immediately preceding, and 1·9 above the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Dundee, 16·7 per thousand, and lowest in Perth, 10·5 per thousand. In Glasgow it was 15·7; in Leith 15·6; in Paisley 15·3; and in Edinburgh, Aberdeen, and Greenock 14·6.

Deaths from the principal epidemic diseases numbered 70; they are 12 more than in the previous week, and are equivalent to an annual death-rate from these causes of 2·0 per thousand. These deaths include 1 from chicken-pox, 3 from measles, 6 from diphtheria, 18 from hooping-cough, 4 from enteric fever, 20 from diarrhœal diseases, and 18 from cerebro-spinal meningitis. There were no deaths from scarlet fever. Deaths from hooping-cough are 4 fewer than in the previous week, those from diarrhœal diseases 2 fewer, and those from scarlet fever 1 fewer, while those from measles and enteric fever are each 2 more, those from diphtheria 5 more, and those from cerebro-spinal meningitis 9 more. The death-rate from these causes ranged from 3·1 in Leith to 0 in Paisley, Greenock, and Perth. Of the 18 deaths from cerebro-spinal meningitis, 10 occurred in Glasgow, 6 in Edinburgh, and 2 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 61; they are 4 more than in the previous week, and 3 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 100; they are 6 more than in the previous week, but 62 fewer than in the corresponding week of last year. Deaths of persons aged over sixty numbered 152; they are 35 more than in the previous week, and 28 more than in the corresponding week of last year.

The mean temperature was 56°·0, being 4°·0 above that for the previous week, and 1°·6 above that for the corresponding week of last year. The mean rainfall was 0·21 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 14, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Sept. 14, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	863	532	249	77·2	36·5	56·0	0·21
GLASGOW, . . .	12,789	847,584	66·274	9·18	470	255	138	77·2	42·5	56·9	0·16
EDINBURGH, . .	11,416	345,747	30·286	13·58	125	97	52	76·3	45·1	56·0	0·15
DUNDEE, . . .	4,162	165,748	39·824	11·85	82	53	18	75·0	43·6	55·6	0·17
ABERDEEN, . .	6,795	174,579	25·692	14·75	72	49	25	75·3	41·0	55·9	0·06
PAISLEY, . . .	3,538	88,710	25·073	14·93	38	26	2	76·0	43·2	57·7	0·40
LEITH, ...	2,044	83,668	40·933	11·68	34	25	7	71·3	45·4	55·7	0·29
GREENOCK, . .	1,440	71,269	49·492	10·63	28	20	7	73·5	44·0	56·0	0·31
PERTH, ...	2,122	34,866	16·431	18·44	14	7	0	75·0	36·5	54·1	0·10
Corresponding Week of 1906 — Eight Towns.	44,198	1,787,788	40·351	11·77	895	576	240	69·2	37·0	54·4	0·85

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue.
and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1907. 89/1420.

[TURN OVER.

Week ending Saturday, SEPTEMBER 14, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 14, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·3	2·0	532	100	152	*1	3	0	6	18	22	20	0	61	23	178	15	5
GLASGOW, .	15·7	2·4	255	56	62	0	2	0	5	8	†11	13	0	28	11	89	9	5
EDINBURGH,	14·6	2·4	97	8	35	0	1	0	0	6	‡8	1	0	15	5	42	2	0
DUNDEE, . .	16·7	1·9	53	13	16	0	0	0	1	1	§2	2	0	4	1	17	0	0
ABERDEEN, .	14·6	1·2	49	12	15	0	0	0	0	1	0	3	0	3	1	11	0	0
PAISLEY, . .	15·3	0·0	26	5	5	0	0	0	0	0	0	0	0	4	1	5	3	0
LEITH, . . .	15·6	3·1	25	5	11	*1	0	0	0	2	1	1	0	5	2	6	0	0
GREENOCK, .	14·6	0·0	20	1	7	0	0	0	0	0	0	0	0	1	2	5	1	0
PERTH, . . .	10·5	0·0	7	0	1	0	0	0	0	0	0	0	0	1	0	3	0	0

* Chicken-pox. † 10 Cerebro-spinal meningitis.
‡ 6 Cerebro-spinal meningitis. § Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 15, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·8	4·0	576	162	124	1	3	5	3	12	8	104	0	58	21	133	25	0
GLASGOW, .	17·9	5·2	287	84	41	0	2	4	0	6	*5	67	0	32	11	75	12	0
EDINBURGH,	13·8	1·1	90	21	26	0	0	0	1	0	0	6	0	9	1	25	5	0
DUNDEE, . .	23·1	4·4	73	17	23	0	0	0	1	3	0	10	0	5	7	16	2	0
ABERDEEN, .	12·8	2·1	42	11	10	†1	1	1	1	1	0	2	0	2	1	6	3	0
PAISLEY, . .	15·0	6·0	25	6	9	0	0	0	0	0	‡2	8	0	2	1	3	2	0
LEITH, . . .	17·0	3·2	27	12	5	0	0	0	0	0	0	5	0	5	0	6	0	0
GREENOCK, .	16·2	5·2	22	10	7	0	0	0	0	2	0	5	0	1	0	1	1	0
PERTH, . . .	15·1	3·0	10	1	3	0	0	0	0	0	1	1	0	2	0	1	0	0

* 2 Cerebro-spinal meningitis. † Chicken-pox. ‡ 1 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 21, 1907.

During the week ending 21st September 1907 there were registered in Eight of the Principal Towns of Scotland the births of 835 living children, and the deaths of 462 persons. The equivalent annual birth-rate is 24·0 per thousand, and the death-rate 13·3 per thousand.

The death-rates of the three preceding weeks were 15·3, 13·6, and 13·7. The death-rate of this week is thus 2·0 less than that of the previous week, and 0·9 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Glasgow, 15·2, and lowest in Leith, 7·5. In Dundee it was 14·2; in Edinburgh 12·1; in Paisley 11·2; in Aberdeen 11·1; in Greenock 11·0; and in Perth 10·5.

Deaths from the principal epidemic diseases numbered 51; these are 19 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 4 from measles, 1 from scarlet fever, 3 from diphtheria, 10 from hooping-cough, 6 from cerebro-spinal meningitis, and 27 from diarrhœas. There were no deaths in these towns from enteric fever. Deaths from diarrhœas are 7 more than in the previous week, while those from measles and scarlet fever are both 1 more, but those from diphtheria are 3 fewer, from enteric fever 4 fewer, from hooping-cough 8 fewer, and from cerebro-spinal meningitis 12 fewer than in that week. The death-rate from these causes ranged from 2·8 in Dundee, to 0 in Leith, Greenock, and Perth. Of the 6 deaths from cerebro-spinal meningitis, 3 occurred in Glasgow, and 1 each in Dundee, Aberdeen, and Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 67; these are 6 more than those registered in the previous week, and 1 more than those registered in the corresponding week of last year.

Deaths of children of less than one year old numbered 101; they are 1 more than those registered in the previous week, but 45 fewer than those registered in the corresponding week of last year. Deaths of persons of over sixty numbered 114; they are 38 fewer than those registered in the previous week, and 13 fewer than those registered in the corresponding week of last year.

The mean temperature was 56°·3, being 0°·3 above that for the week immediately preceding, and 2°·9 above that for the corresponding week of 1906. The mean rainfall was 0·03 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 21, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Sept. 21, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	835	462	235	72·0	35·0	56·3	0·03
GLASGOW, . . .	12,789	847,584	66·274	9·18	443	247	111	69·0	40·8	56·3	0·00
EDINBURGH, .	11,416	345,747	30·286	13·58	122	80	51	69·7	42·9	56·3	0·03
DUNDEE, . . .	4,162	165,748	39·824	11·85	55	45	16	70·2	39·0	56·4	0·00
ABERDEEN, . .	6,795	174,579	25·692	14·75	81	37	32	72·0	38·0	56·5	0·05
PAISLEY, . . .	3,538	88,710	25·073	14·93	46	19	12	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	41	12	6	69·9	45·2	57·7	0·04
GREENOCK, . .	1,440	71,269	49·492	10·63	38	15	5	66·7	43·0	55·2	0·09
PERTH, ...	2,122	34,866	16·431	18·44	9	7	2	72·0	35·0	55·4	0·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	931	552	263	70·2	34·0	53·4	0·06

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1907. 89/1420.

[TURN OVER.

Week ending Saturday, SEPTEMBER 21, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 21, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·3	1·5	462	101	114	0	4	1	3	10	*6	27	1	67	19	128	12	2
GLASGOW, .	15·2	1·8	247	61	46	0	3	0	0	3	*3	21	0	34	8	75	4	2
EDINBURGH,	12·1	1·1	80	13	27	0	1	1	1	3	0	1	0	11	4	24	7	0
DUNDEE, . .	14·2	2·8	45	12	12	0	0	0	2	4	*1	2	0	8	3	13	0	0
ABERDEEN, .	11·1	0·6	37	4	16	0	0	0	0	0	*1	1	0	5	2	7	1	0
PAISLEY, . .	11·2	1·8	19	7	3	0	0	0	0	0	*1	2	1	0	0	3	0	0
LEITH, . . .	7·5	0·0	12	2	2	0	0	0	0	0	0	0	0	3	0	4	0	0
GREENOCK, .	11·0	0·0	15	2	4	0	0	0	0	0	0	0	0	5	1	1	0	0
PERTH, . . .	10·5	0·0	7	0	4	0	0	0	0	0	0	0	0	1	1	1	0	0

* Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 22, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·1	3·6	552	146	127	0	5	1	8	10	11	87	1	66	27	122	19	4
GLASGOW, .	17·3	4·5	277	75	52	0	3	1	3	7	*7	51	0	37	17	67	8	3
EDINBURGH,	13·8	2·6	90	27	24	0	1	0	2	1	†1	12	0	8	6	24	8	1
DUNDEE, . .	15·8	2·2	50	13	11	0	0	0	1	0	‡2	4	0	4	0	6	0	0
ABERDEEN, .	12·2	2·1	40	6	10	0	1	0	2	2	0	2	0	3	0	9	1	0
PAISLEY, . .	21·6	4·8	36	13	8	0	0	0	0	0	0	8	1	5	0	4	1	0
LEITH, . . .	18·3	4·4	29	8	9	0	0	0	0	0	1	6	0	3	1	7	1	0
GREENOCK, .	17·0	2·2	23	3	10	0	0	0	0	0	0	3	0	5	3	2	0	0
PERTH, . . .	10·6	1·5	7	1	3	0	0	0	0	0	0	1	0	1	0	3	0	0

* 4 Cerebro-spinal meningitis. † Cerebro-spinal meningitis. ‡ 1 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 28, 1907.

During the week ending 28th September 1907 there were registered in Eight of the Principal Towns of Scotland the births of 885 living children, and the deaths of 472 persons. The equivalent annual birth-rate is 25·5 per thousand, and the equivalent annual death-rate 13·6 per thousand.

The death-rates of the three preceding weeks were 13·3, 15·3, and 13·6. The death-rate of this week is thus 0·3 higher than that of the previous week, but 0·5 less than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Dundee, 15·7, and lowest in Aberdeen, 8·7. In Perth it was 15·0; in Glasgow 14·9; in Edinburgh 13·9; in Paisley 11·2; in Greenock 10·2; and in Leith 10·0.

Deaths from the principal epidemic diseases numbered 65; they are 14 more than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 1 from chicken-pox, 6 from measles, 2 from scarlet fever, 2 from diphtheria, 15 from hooping-cough, 2 from enteric fever, 31 from diarrhœas, and 6 from cerebro-spinal meningitis. Deaths from diphtheria are 1 fewer than in the previous week, but those from cerebro-spinal meningitis are of the same number, while those from scarlet fever are 1 more, from measles 2 more, from enteric fever 2 more, from diarrhœas 4 more, and from hooping-cough 5 more than in that week. The death-rate from these causes ranged from 2·5 in Leith, and 2·3 in Glasgow, to 0·3 in Aberdeen. Of the deaths from cerebro-spinal meningitis, 5 were registered in Glasgow, and 1 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 58; they are 9 fewer than in the previous week, and 8 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 115; they are 14 more than in the previous week, but 43 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 121; they are 7 more than in the previous week, and 3 fewer than in the corresponding week of last year.

The mean temperature was 55°·2, being 1°·1 below that for the week immediately preceding, but 3°·7 above that for the corresponding week of 1906. The mean rainfall was 0·03 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 28, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Sept. 28, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	885	472	281	66·8	39·0	55·2	0·03
GLASGOW, . . .	12,789	847,584	66·274	9·18	462	242	147	66·8	45·2	56·3	0·00
EDINBURGH, . .	11,416	345,747	30·286	13·58	129	92	61	61·9	43·4	53·9	0·06
DUNDEE, . . .	4,162	165,748	39·824	11·85	79	50	14	63·0	43·6	54·9	0·04
ABERDEEN, . .	6,795	174,579	25·692	14·75	91	29	29	66·2	39·0	54·0	0·00
PAISLEY, . . .	3,538	88,710	25·073	14·93	32	19	15	65·4	45·0	57·0	0·02
LEITH, ...	2,044	83,668	40·933	11·68	40	16	4	64·6	47·0	55·4	0·12
GREENOCK, . .	1,440	71,269	49·492	10·63	44	14	5	64·7	43·5	55·3	0·00
PERTH, ...	2,122	34,866	16·431	18·44	8	10	6	65·0	41·0	54·6	0·00
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	888	552	290	67·8	32·0	51·5	0·00

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240 - 9/1907. 89/1420.

[TURN OVER.

Week ending Saturday, SEPTEMBER 28, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 28, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·6	1·9	472	115	121	*1	6	2	2	15	8	31	0	58	21	131	14	1
GLASGOW, .	14·9	2·3	242	68	51	*1	4	0	1	7	†6	18	0	35	8	68	6	1
EDINBURGH,	13·9	2·0	92	16	34	0	1	0	1	5	0	6	0	4	7	28	3	0
DUNDEE, . .	15·7	0·9	50	8	13	0	1	0	0	1	0	1	0	9	4	17	1	0
ABERDEEN, .	8·7	0·3	29	9	6	0	0	0	0	0	0	1	0	4	0	5	1	0
PAISLEY, . .	11·2	1·8	19	2	9	0	0	1	0	1	1	0	0	3	1	7	2	0
LEITH, . . .	10·0	2·5	16	8	3	0	0	0	0	1	‡1	2	0	1	0	1	1	0
GREENOCK, .	10·2	2·2	14	3	4	0	0	1	0	0	0	2	0	2	0	2	0	0
PERTH, . . .	15·0	1·5	10	1	1	0	0	0	0	0	0	1	0	0	1	3	0	0

* Chicken-pox. † 5 Cerebro-spinal meningitis. ‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 29, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·1	3·0	552	158	124	1	1	1	4	9	6	82	0	66	20	148	19	4
GLASGOW, .	17·7	4·6	283	83	57	*1	0	0	2	8	†6	57	0	36	8	83	5	2
EDINBURGH,	14·5	1·2	95	23	20	0	0	0	1	0	0	7	0	7	6	30	10	0
DUNDEE, . .	16·1	3·2	51	13	15	0	0	1	0	0	0	9	0	5	1	9	1	1
ABERDEEN, .	11·0	1·2	36	15	7	0	1	0	0	1	0	2	0	4	1	10	2	0
PAISLEY, . .	15·6	0·6	26	5	10	0	0	0	1	0	0	0	0	8	0	4	0	0
LEITH, . . .	19·6	2·5	31	9	8	0	0	0	0	0	0	4	0	5	3	8	1	1
GREENOCK, .	15·5	2·2	21	9	5	0	0	0	0	0	0	3	0	1	0	4	0	0
PERTH, . . .	13·6	0·0	9	1	2	0	0	0	0	0	0	0	0	0	1	0	0	0

* Chicken-pox. † 2 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 5, 1907.

During the week ending 5th October 1907 there were registered in Eight of the Principal Towns of Scotland the births of 859 living children, and the deaths of 457 persons. The equivalent annual birth-rate is 24·7 per thousand, and the equivalent annual death-rate 13·2 per thousand.

The death-rates of the three preceding weeks were 13·6, 13·3, and 15·3. The death-rate of this week is thus 0·4 less than that of the previous week, and 0·9 less than the mean of the rates of the three preceding weeks.

The death-rate of the week ranged from 15·0 in Glasgow and Perth, to 8·5 in Dundee. In Greenock it was 13·9; in Edinburgh 13·0; in Paisley 12·4; in Aberdeen 10·8; and in Leith 8·7.

Deaths from the principal epidemic diseases numbered 57; they are 8 fewer than in the previous week, and equivalent to an annual death-rate from these causes of 1·6 per thousand. These deaths include 2 from measles, 2 from scarlet fever, 3 from diphtheria, 17 from hooping-cough, 2 from enteric fever, 23 from diarrhœas, and 8 from cerebro-spinal meningitis. Deaths from diarrhœas are 8 fewer, and those from measles are 4 fewer than in the previous week, but those from scarlet and enteric fevers are of the same number, while those from diphtheria are 1 more, from hooping-cough 2 more, and from cerebro-spinal meningitis 2 more than in that week. The death-rate from these causes ranged from 3·5 in Paisley, to 0 in Perth. Of the deaths from cerebro-spinal meningitis, 7 were registered in Glasgow, and 1 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 65; they are 7 more than in the previous week, but 7 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 88; they are 27 fewer than in the previous week, and 69 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 113; they are 8 fewer than in the previous week, and 67 fewer than in the corresponding week of last year.

The mean temperature was 52°·2, being 3°·0 below that for the week immediately preceding, and 1°·0 below that for the corresponding week of 1906. The mean rainfall was 0·25 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 5, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Oct. 5, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	859	457	347	65·0	36·6	52·2	0·25
GLASGOW, . . .	12,789	847,584	66·274	9·18	399	244	187	62·2	40·0	53·1	0·37
EDINBURGH, . .	11,416	345,747	30·286	13·58	145	86	64	61·2	42·5	51·0	0·04
DUNDEE, ...	4,162	165,748	39·824	11·85	89	27	21	59·0	43·3	51·4	0·13
ABERDEEN, . .	6,795	174,579	25·692	14·75	79	36	28	61·0	36·6	51·7	0·37
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	21	11	64·0	41·0	53·7	0·27
LEITH, ...	2,044	83,668	40·933	11·68	34	14	13	63·7	43·1	52·9	0·11
GREENOCK, . .	1,440	71,269	49·492	10·63	44	19	17	65·0	46·0	52·8	0·67
PERTH, ...	2,122	34,866	16·431	18·44	20	10	6	61·0	39·0	51·4	0·07
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	953	588	282	67·6	35·0	53·2	0·70

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1907. 89/1420.

[TURN OVER.

Week ending Saturday, OCTOBER 5, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 5, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·2	1·6	457	88	113	0	2	2	3	17	10	23	0	65	22	141	11	2
GLASGOW, .	15·0	2·1	244	46	53	0	0	2	1	8	*8	15	0	38	12	85	7	1
EDINBURGH,	13·0	0·9	86	12	29	0	1	0	0	3	†1	1	0	12	5	25	3	0
DUNDEE, . .	8·5	0·9	27	6	7	0	1	0	0	1	0	1	0	5	2	3	0	0
ABERDEEN, .	10·8	1·5	36	12	7	0	0	0	0	1	0	4	0	6	1	11	1	1
PAISLEY, . .	12·4	3·5	21	4	6	0	0	0	2	1	1	2	0	0	0	9	0	0
LEITH, . . .	8·7	1·2	14	1	3	0	0	0	0	2	0	0	0	1	0	2	0	0
GREENOCK, .	13·9	0·7	19	6	3	0	0	0	0	1	0	0	0	2	2	2	0	0
PERTH, . . .	15·0	0·0	10	1	5	0	0	0	0	0	0	0	0	1	0	4	0	0

* 7 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 6, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	2·2	588	157	180	0	0	4	4	9	11	49	0	72	27	135	20	2
GLASGOW, .	18·4	2·7	294	85	69	0	0	0	3	7	*8	26	0	37	16	70	7	1
EDINBURGH,	15·6	0·9	102	22	43	0	0	1	1	0	0	4	0	10	5	23	6	0
DUNDEE, . .	20·6	3·8	65	15	23	0	0	2	0	0	1	9	0	8	1	16	1	1
ABERDEEN, .	14·0	0·6	46	12	19	0	0	1	0	0	1	0	0	6	3	10	0	0
PAISLEY, . .	17·4	2·4	29	8	10	0	0	0	0	1	0	3	0	3	0	4	2	0
LEITH, . . .	13·9	3·2	22	7	7	0	0	0	0	1	0	4	0	3	1	7	2	0
GREENOCK, .	15·5	1·5	21	6	5	0	0	0	0	0	0	2	0	4	1	3	1	0
PERTH, . . .	13·6	3·0	9	2	4	0	0	0	0	0	1	1	0	1	0	2	1	0

* 4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 12, 1907.

During the week ending 12th October 1907 there were registered in Eight of the Principal Towns of Scotland the births of 955 living children, and the deaths of 479 persons. The equivalent annual birth-rate is 27·5 per thousand, and the equivalent annual death-rate 13·8 per thousand.

The death-rates of the three preceding weeks were 13·2, 13·6, and 13·3. The death-rate of this week is thus 0·6 higher than that of the previous week, and 0·4 more than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Paisley 18·8, and lowest in Perth 7·5. In Greenock it was 16·1, in Dundee 15·1, in Glasgow 14·0, in Edinburgh 13·3, in Leith 12·5, and in Aberdeen 11·1.

Deaths from the principal epidemic diseases numbered 81; they are 24 more than in the previous week, and equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 9 from measles, 2 from scarlet fever, 7 from diphtheria, 15 from hooping-cough, 3 from enteric fever, 2 from typhus fever, 37 from diarrhœas, and 6 from cerebro-spinal meningitis. Deaths from cerebro-spinal meningitis and hooping-cough are both 2 fewer than in the previous week, but those from scarlet fever are of the same number, and those from enteric fever are 1 more, from typhus fever 2 more, from diphtheria 4 more, from measles 7 more, and from diarrhœas 14 more than in that week. The death-rate from these causes ranged from 4·1 in Paisley and 3·1 in Glasgow, to 0·9 in Aberdeen. Of the deaths from cerebro-spinal meningitis, 4 were registered in Glasgow, and 1 each in Edinburgh and Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 51; they are 14 fewer than in the preceding week, and 29 fewer than those registered in the corresponding week of last year.

Deaths of children of less than one year old numbered 103; they are 15 more than in the previous week, but 41 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 131; they are 18 more than in the previous week, but 19 fewer than in the corresponding week of last year.

The mean temperature was 49°·4, being 2°·8 below that for the week immediately preceding, and 3°·3 below that for the corresponding week of 1906. The mean rainfall was 2·05 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 12, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Oct. 12, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	955	479	238	61·6	26·0	49·4	2·05
GLASGOW, . . .	12,789	847,584	66·274	9·18	485	227	117	59·8	35·4	50·0	1·93
EDINBURGH, . .	11,416	345,747	30·286	13·58	134	88	43	58·2	36·4	49·6	2·60
DUNDEE, . . .	4,162	165,748	39·824	11·85	88	48	26	59·2	31·2	49·2	2·07
ABERDEEN, . .	6,795	174,579	25·692	14·75	91	37	25	56·0	30·6	48·5	2·17
PAISLEY, . . .	3,538	88,710	25·073	14·93	34	32	7	61·1	36·3	50·4	1·94
LEITH, ...	2,044	83,668	40·933	11·68	59	20	12	61·6	35·4	50·7	2·58
GREENOCK, . .	1,440	71,269	49·492	10·63	45	22	5	58·5	36·8	48·5	2·02
PERTH, ...	2,122	34,866	16·431	18·44	19	5	3	60·0	26·0	48·7	1·08
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	891	609	291	65·8	32·0	52·7	1·32

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1907. 89/1420.

[TURN OVER.

Week ending Saturday, OCTOBER 12, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 12, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·8	2·3	479	103	131	0	9	2	7	15	11	37	1	51	18	147	11	1
GLASGOW, .	14·0	3·1	227	49	50	0	5	1	4	7	*9	24	1	24	9	75	7	1
EDINBURGH,	13·3	1·1	88	15	27	0	0	0	0	4	†1	2	0	9	3	32	3	0
DUNDEE, . .	15·1	2·5	48	9	17	0	3	0	0	2	0	3	0	3	1	15	0	0
ABERDEEN, .	11·1	0·9	37	11	15	0	0	0	0	0	0	3	0	5	0	5	0	0
PAISLEY, . .	18·8	4·1	32	7	9	0	1	1	3	1	†1	0	0	4	1	12	0	0
LEITH, . . .	12·5	1·2	20	8	4	0	0	0	0	0	0	2	0	2	3	5	1	0
GREENOCK, .	16·1	2·2	22	3	6	0	0	0	0	1	0	2	0	4	1	3	0	0
PERTH, . . .	7·5	1·5	5	1	3	0	0	0	0	0	0	1	0	0	0	0	0	0

* 2 Typhus; 4 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 13, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	2·8	609	144	150	0	3	4	6	17	10	56	1	80	27	158	25	2
GLASGOW, .	19·2	3·6	307	76	64	0	2	2	2	15	*5	32	1	48	18	85	13	2
EDINBURGH,	16·8	1·4	110	21	38	0	0	1	1	0	1	6	0	12	3	34	8	0
DUNDEE, . .	19·9	4·4	63	14	12	0	0	0	0	2	3	9	0	8	4	17	0	0
ABERDEEN, .	16·2	1·8	53	15	15	0	1	1	1	0	1	2	0	8	2	12	1	0
PAISLEY, . .	18·6	1·8	31	9	7	0	0	0	1	0	0	2	0	2	0	4	3	0
LEITH, . . .	12·6	1·9	20	4	9	0	0	0	1	0	0	2	0	1	0	4	0	0
GREENOCK, .	11·1	1·5	15	3	1	0	0	0	0	0	0	2	0	1	0	2	0	0
PERTH, . . .	15·1	1·5	10	2	4	0	0	0	0	0	0	1	0	0	0	0	0	0

* 3 Cerebro-spinal meningitis

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 19, 1907.

During the week ending 19th October 1907 there were registered in Eight of the Principal Towns of Scotland the births of 915 living children, and the deaths of 486 persons. The equivalent annual birth-rate is 26·3 per thousand of the estimated population of these towns, and the equivalent annual death-rate 14·0.

The death-rates for the three preceding weeks were 13·8, 13·2, and 13·6 per thousand. The death-rate for this week is thus 0·2 above that for the previous week, and 0·5 above the mean of the rates for the three preceding weeks.

The death-rate for the week was highest in Perth, 24·0 per thousand, and lowest in Aberdeen, 11·7 per thousand. In Dundee it was 19·8, in Greenock 17·6, in Paisley 14·7, in Glasgow and in Leith 13·1, and in Edinburgh 12·8.

Deaths from the principal epidemic diseases numbered 61; they are 20 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·8 per thousand. These deaths include 8 from measles, 3 from scarlet fever, 8 from diphtheria, 6 from hooping-cough, 3 from enteric fever, 26 from diarrhœal diseases, and 7 from cerebro-spinal meningitis. Deaths from diarrhœal diseases are 11 fewer, from hooping-cough 9 fewer, and from measles 1 fewer than in the previous week, while those from enteric fever number the same, and those from scarlet fever, from diphtheria, and from cerebro-spinal meningitis are each 1 more than in that week. The death-rate from these causes ranged from 3·5 in Dundee and in Paisley, to 0·3 in Aberdeen. Of the deaths from cerebro-spinal meningitis, 4 were registered in Glasgow, 1 in Edinburgh, and 2 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 71; they are 20 more than in the previous week, but 26 fewer than in the corresponding week of 1906.

Deaths of children of less than one year old numbered 101; they are 2 fewer than in the previous week, and 21 fewer than in the corresponding week of last year. Deaths of persons aged over sixty numbered 126; they are 5 fewer than in the previous week, and the same as in the corresponding week of last year.

The mean temperature was 45°·8, being 3°·6 below that for the week immediately preceding, but 1°·4 above that for the corresponding week of 1906. The mean rainfall was 2·94 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 19, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Oct. 19, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	915	486	261	59·5	28·0	45·8	2·94
GLASGOW, . . .	12,789	847,584	66·274	9·18	477	213	109	59·5	35·0	46·4	2·95
EDINBURGH, . .	11,416	345,747	30·286	13·58	140	85	41	55·1	34·8	45·2	4·27
DUNDEE, . . .	4,162	165,748	39·824	11·85	79	63	67	55·3	32·3	45·0	2·22
ABERDEEN, . .	6,795	174,579	25·692	14·75	90	39	22	56·0	33·5	47·1	2·26
PAISLEY, . . .	3,538	88,710	25·073	14·93	44	25	9	58·1	34·4	46·4	3·20
LEITH, ...	2,044	83,668	40·933	11·68	36	21	6	58·1	36·9	46·8	3·32
GREENOCK, . .	1,440	71,269	49·492	10·63	37	24	4	55·2	34·9	45·2	2·69
PERTH, ...	2,122	34,866	16·431	18·44	12	16	3	57·0	28·0	44·3	2·59
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	922	540	197	56·4	30·0	44·4	1·52

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—840—10/1907. 39/1420.

[TURN OVER.

Week ending Saturday, OCTOBER 19, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 19, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·0	1·8	486	101	126	0	8	3	8	6	10	26	2	71	10	123	13	3
GLASGOW, .	13·1	1·9	213	47	53	0	4	1	3	3	*6	14	1	33	3	58	7	3
EDINBURGH,	12·8	0·9	85	21	30	0	0	0	1	1	†1	3	1	17	2	19	4	0
DUNDEE, . .	19·8	3·5	63	15	14	0	4	1	1	1	0	4	0	7	2	17	0	0
ABERDEEN, .	11·7	0·3	39	5	9	0	0	0	1	0	0	0	0	3	1	10	0	0
PAISLEY, . .	14·7	3·5	25	5	5	0	0	1	2	0	1	2	0	2	0	6	1	0
LEITH, . . .	13·1	1·9	21	2	4	0	0	0	0	0	†2	1	0	1	0	8	1	0
GREENOCK, .	17·6	1·5	24	4	5	0	0	0	0	1	0	1	0	7	1	0	0	0
PERTH, . . .	24·0	1·5	16	2	6	0	0	0	0	0	0	1	0	1	1	5	0	0

* 4 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 20, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15·8	2·3	540	122	126	0	5	4	8	10	4	47	2	97	15	155	20	2
GLASGOW, .	17·1	2·2	274	62	57	0	0	2	0	8	*3	23	1	51	10	80	14	2
EDINBURGH,	12·9	2·1	84	18	22	0	0	2	2	0	0	10	1	11	1	30	3	0
DUNDEE, . .	16·4	2·8	52	14	13	0	0	0	4	0	0	5	0	7	3	13	0	0
ABERDEEN, .	14·0	2·4	46	12	9	0	5	0	1	2	0	0	0	7	1	9	2	0
PAISLEY, . .	16·2	2·4	27	4	10	0	0	0	1	0	1	2	0	6	0	10	0	0
LEITH, . . .	11·4	1·9	18	4	3	0	0	0	0	0	0	3	0	4	0	3	0	0
GREENOCK, .	22·1	2·9	30	8	9	0	0	0	0	0	0	4	0	8	0	4	1	0
PERTH, . . .	13·6	0·0	9	0	3	0	0	0	0	0	0	0	0	3	0	6	0	0

* 1 Cerebro-spinal meningitis

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 26, 1907.

During the week ending 26th October 1907 there were registered in Eight of the Principal Towns of Scotland the births of 904 living children, and the deaths of 499 persons. The equivalent annual birth-rate is 26·0 per thousand of the estimated population of these towns, and the equivalent annual death-rate 14·4 per thousand.

The death-rates for the three preceding weeks were 14·0, 13·8, and 13·2. The death-rate of this week is thus 0·4 higher than that of the previous week, and 0·7 higher than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Glasgow, 16·9, and lowest in Leith, 9·4. In Paisley it was 15·9, in Perth 15·0, in Dundee 13·2, in Greenock 12·4, in Edinburgh 12·1, and in Aberdeen 10·2.

Deaths from the principal epidemic diseases numbered 60; they are 1 fewer than in the previous week, and are equivalent to an annual death-rate from these causes of 1·7 per thousand. These deaths include 1 from chicken-pox, 16 from measles, 2 from scarlet fever, 2 from diphtheria, 14 from hooping-cough, 20 from diarrhœas, and 5 from cerebro-spinal meningitis. There were no deaths from enteric fever. Deaths from diarrhœas and diphtheria are both 6 fewer than in the previous week, those from cerebro-spinal meningitis are 2 fewer, and those from scarlet fever 1 fewer, but the deaths from measles and hooping-cough are both 8 more than in that week. The death-rate from these causes ranged from 4·4 in Dundee, to 0 in Leith and Perth. Of the 5 deaths from cerebro-spinal meningitis, 4 were registered in Glasgow, and 1 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 88; they are 17 more than in the previous week, but 14 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 105; they are 4 more than in the previous week, but 51 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 123; they are 3 fewer than in the previous week, and 4 fewer than in the corresponding week of last year.

The mean temperature was 47°·6, being 1°·8 above that for the week immediately preceding, but 1°·1 below that for the corresponding week of 1906. The mean rainfall was 0·73 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 26, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Oct. 26, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	904	499	190	58·7	34·0	47·6	0·73
GLASGOW, . . .	12,789	847,584	66·274	9·18	426	274	102	56·2	35·0	47·7	1·58
EDINBURGH, . .	11,416	345,747	30·286	13·58	156	80	37	53·3	41·7	47·5	0·56
DUNDEE, . . .	4,162	165,748	39·824	11·85	90	42	13	52·0	38·0	46·7	0·60
ABERDEEN, . .	6,795	174,579	25·692	14·75	92	34	17	56·2	34·0	46·6	0·38
PAISLEY, . . .	3,538	88,710	25·073	14·93	29	27	8	56·8	41·0	48·8	0·39
LEITH, ...	2,044	83,668	40·933	11·68	49	15	3	53·9	35·7	47·5	0·74
GREENOCK, . .	1,440	71,269	49·492	10·63	41	17	3	58·7	41·8	48·9	0·63
PERTH, ...	2,122	34,866	16·431	18·44	21	10	7	54·5	36·0	46·8	0·93
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	901	558	227	61·9	30·0	48·7	1·10

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1907. 89/1420.

[TURN OVER.

Week ending Saturday, OCTOBER 26, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 26, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·4	1·7	499	105	123	*1	16	2	2	14	†5	20	0	88	20	160	15	1
GLASGOW, .	16·9	2·2	274	67	52	*1	6	1	1	10	†4	13	0	53	14	94	9	1
EDINBURGH,	12·1	0·8	80	12	28	0	0	1	0	2	†1	1	0	10	2	31	3	0
DUNDEE, . .	13·2	4·4	42	7	13	0	8	0	1	2	0	3	0	8	0	12	0	0
ABERDEEN, .	10·2	0·3	34	4	10	0	0	0	0	0	0	1	0	5	2	8	0	0
PAISLEY, . .	15·9	0·6	27	6	6	0	0	0	0	0	0	1	0	4	1	5	2	0
LEITH, . . .	9·4	0·0	15	2	6	0	0	0	0	0	0	0	0	5	0	4	1	0
GREENOCK, .	12·4	2·2	17	4	4	0	2	0	0	0	0	1	0	1	1	2	0	0
PERTH, . . .	15·0	0·0	10	3	4	0	0	0	0	0	0	0	0	2	0	4	0	0

* Chicken-pox. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 27, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·3	2·2	558	156	127	0	6	1	8	12	8	40	0	102	24	141	21	5
GLASGOW, .	17·2	2·9	275	77	46	0	3	0	4	9	*8	22	0	51	12	64	8	3
EDINBURGH,	16·1	1·4	105	27	34	0	0	0	1	0	0	8	0	19	3	33	8	1
DUNDEE, . .	17·4	1·6	56	18	14	0	1	0	0	1	0	3	0	12	3	14	1	0
ABERDEEN, .	12·8	1·5	42	15	11	0	2	0	0	1	0	2	0	7	2	9	3	1
PAISLEY, . .	16·2	2·4	27	6	6	0	0	1	2	0	0	1	0	3	0	6	0	0
LEITH, . . .	12·6	0·6	20	2	7	0	0	0	0	0	0	1	0	2	3	8	1	0
GREENOCK, .	17·7	2·9	24	9	6	0	0	0	0	1	0	3	0	8	1	4	0	0
PERTH, . . .	13·6	1·5	9	2	3	0	0	0	1	0	0	0	0	0	0	3	0	0

* 6 Cerebro-spinal meningitis

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 2, 1907.

During the week ending 2nd November 1907 there were registered in Eight of the Principal Towns of Scotland the births of 844 living children, and the deaths of 570 persons. The equivalent annual birth-rate is 24·3 per thousand of the estimated population of these towns, and the equivalent annual death-rate 16·4 per thousand.

The death-rates of the three preceding weeks were 14·4, 14·0, and 13·8. The death-rate of this week is thus 2·0 more than that of the previous week, and 2·3 more than the mean of the death-rates of the three preceding weeks.

The death-rate of the week was highest in Dundee, 20·8, and lowest in Perth, 13·5. In Greenock it was 19·0, in Leith 16·8, in Glasgow 16·3, in Paisley 15·9, in Edinburgh 15·4, and in Aberdeen 14·6.

Deaths from the principal epidemic diseases numbered 75; they are 15 more than in the previous week, and equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 32 from measles, of which 16 were in Dundee, 9 from diphtheria, of which 5 were in Paisley, 11 from hooping-cough, 2 from enteric fever, 17 from diarrhœas, and 4 from cerebro-spinal meningitis. There were no deaths from scarlet fever. Deaths from measles were 16 more, from diphtheria 7 more, and from enteric fever 2 more than in the previous week, but deaths from hooping-cough and diarrhœas are each 3 fewer, from scarlet fever 2 fewer, and from cerebro-spinal meningitis 1 fewer than in that week. The death-rate from these causes ranged from 6·0 in Dundee, 4·7 in Paisley, and 4·4 in Greenock, to 0·6 in Aberdeen, and 0·8 in Edinburgh. Of the 4 deaths from cerebro-spinal meningitis, 2 were registered in Edinburgh, and 1 each in Leith and Greenock. This is the first week since that ending 12th May 1906 in which no death from cerebro-spinal meningitis was registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 90; they are 2 more than in the previous week, but 4 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 109; they are 4 more than in the previous week, and 16 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 132; they are 9 more than in the previous week, but 30 fewer than in the corresponding week of last year.

The mean temperature was 45°·1, being 2°·5 below that for the previous week, but 0°·5 above that for the corresponding week of 1906. The mean rainfall was 0·31 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 2, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Nov. 2, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	844	570	246	57·4	27·0	45·1	0·31
GLASGOW, . . .	12,789	847,584	66·274	9·18	428	264	135	55·2	31·0	45·5	0·04
EDINBURGH, . .	11,416	345,747	30·286	13·58	148	102	48	54·5	37·7	45·4	0·47
DUNDEE, . . .	4,162	165,748	39·824	11·85	77	66	17	51·0	33·1	44·3	0·44
ABERDEEN, . .	6,795	174,579	25·692	14·75	67	49	16	53·2	39·0	46·8	0·37
PAISLEY, . . .	3,538	88,710	25·073	14·93	28	27	8	55·0	31·7	44·8	0·13
LEITH, ...	2,044	83,668	40·933	11·68	45	27	8	57·4	37·9	47·7	0·55
GREENOCK, . .	1,440	71,269	49·492	10·63	38	26	11	51·0	34·0	43·7	0·21
PERTH, ...	2,122	34,866	16·431	18·44	13	9	3	53·0	27·0	43·0	0·28
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	886	548	310	56·0	28·0	44·6	1·83

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, NOVEMBER 2, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 2, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·4	2·2	570	109	132	0	32	0	9	11	*6	17	0	90	23	177	17	2
GLASGOW, .	16·3	1·9	264	51	53	0	12	0	3	5	2	9	0	53	13	91	7	1
EDINBURGH,	15·4	0·8	102	22	29	0	0	0	0	2	†2	1	0	15	5	40	4	0
DUNDEE, . .	20·8	6·0	66	18	10	0	16	0	0	0	0	3	0	5	2	10	3	0
ABERDEEN, .	14·6	0·6	49	9	11	0	0	0	0	1	0	1	0	7	2	9	2	1
PAISLEY, . .	15·9	4·7	27	2	7	0	0	0	5	0	0	3	0	1	0	9	1	0
LEITH, . . .	16·8	1·9	27	2	10	0	0	0	0	2	†1	0	0	4	0	8	0	0
GREENOCK, .	19·0	4·4	26	4	9	0	4	0	1	0	†1	0	0	4	1	4	0	0
PERTH, . . .	13·5	1·5	9	1	3	0	0	0	0	1	0	0	0	1	0	6	0	0

* Enteric fever, 2; Cerebro-spinal meningitis, 4. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 3, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·0	1·4	548	93	162	0	5	4	8	4	8	19	0	94	23	169	20	0
GLASGOW, .	16·2	2·1	260	46	68	0	2	3	6	3	*8	12	0	51	14	82	10	0
EDINBURGH,	14·4	0·6	94	14	30	0	0	1	0	1	0	2	0	13	3	41	5	0
DUNDEE, . .	19·0	0·9	60	15	17	0	0	0	1	0	0	2	0	11	1	19	0	0
ABERDEEN, .	13·4	0·9	44	6	14	0	3	0	0	0	0	0	0	9	1	7	2	0
PAISLEY, . .	16·8	0·0	28	4	8	0	0	0	0	0	0	0	0	5	2	6	1	0
LEITH, . . .	16·4	1·3	26	5	7	0	0	0	0	0	0	2	0	3	2	6	1	0
GREENOCK, .	17·7	1·5	24	3	9	0	0	0	1	0	0	1	0	2	0	4	0	0
PERTH, . . .	18·1	0·0	12	0	9	0	0	0	0	0	0	0	0	0	0	4	1	0

* 5 Cerebro-spinal meningitis

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 9, 1907.

During the week ending 9th November 1907 there were registered in Eight of the Principal Towns the births of 883 living children, and the deaths of 530 persons. The equivalent annual birth-rate is 25·4 per thousand of the estimated population of these towns, and the equivalent annual death-rate 15·3 per thousand.

The death-rates of the three preceding weeks were 16·4, 14·4, and 14·0. The death-rate of this week is thus 1·1 less than the death-rate of the previous week, but 0·4 more than the mean of the death-rates of the three preceding weeks.

The death-rate for the week was highest in Greenock, 19·0 per thousand, and lowest in Aberdeen, 11·7. In Leith it was 17·5, in Glasgow 16·6, in Perth 16·5, in Dundee 14·5, in Paisley 13·5, and in Edinburgh 13·1.

Deaths from the principal epidemic diseases numbered 75; they are of the same number as in the previous week, and are equivalent to an annual death-rate from these causes of 2·2 per thousand. These deaths include 1 from chicken-pox, 29 from measles, 3 from scarlet fever, 5 from diphtheria, 14 from hooping-cough, 1 from enteric fever, 18 from diarrhœas, and 4 from cerebro-spinal meningitis. Deaths from diphtheria are 4 fewer than in the previous week, from measles 3 fewer, and from enteric fever 1 fewer, but those from cerebro-spinal meningitis are of the same number, those from diarrhœas 1 more, and those from scarlet fever and hooping-cough each 3 more than in that week. The death-rate from these causes ranged from 4·1 in Dundee, to 0·5 in Edinburgh. Of the 4 cases of cerebro-spinal meningitis, 3 were registered in Glasgow, and 1 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 93; they are 3 more than in the previous week, but 7 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 90; they are 19 fewer than in the previous week, and 36 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 127; they are 5 fewer than in the previous week, and 40 fewer than in the corresponding week of last year.

The mean temperature was 46°·2, being 1°·1 above that for the week immediately preceding, and 3°·0 above that for the corresponding week of 1906. The mean rainfall was 0·23 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 9, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Nov. 9, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	883	530	239	59·7	28·0	46·2	0·23
GLASGOW, . . .	12,789	847,584	66·274	9·18	450	270	152	59·6	36·2	46·9	0·15
EDINBURGH, . .	11,416	345,747	30·286	13·58	146	87	40	55·3	39·6	46·9	0·19
DUNDEE, . . .	4,162	165,748	39·824	11·85	85	46	11	55·5	34·8	45·4	0·18
ABERDEEN, . .	6,795	174,579	25·692	14·75	74	39	13	53·5	33·5	45·8	0·30
PAISLEY, . . .	3,538	88,710	25·073	14·93	40	23	9	59·1	36·0	46·8	0·18
LEITH, ...	2,044	83,668	40·933	11·68	33	28	9	59·7	40·5	47·8	0·30
GREENOCK, . .	1,440	71,269	49·492	10·63	43	26	5	57·0	35·2	46·7	0·32
PERTH, ...	2,122	34,866	16·431	18·44	12	11	0	57·0	28·0	43·5	0·23
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	830	581	224	53·2	27·0	43·2	0·76

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1907. 89/1420.

[TURN OVER.

Week ending Saturday, NOVEMBER 9, 1907.

Table II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, November 9, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from													
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·3	2·2	530	90	127	1	29	3	5	14	†5	18	1	93	16	132	9	2
GLASGOW, . .	16·6	2·6	270	46	51	*1	21	1	3	7	‡4	6	0	53	6	74	4	2
EDINBURGH,	13·1	0·5	87	12	31	0	0	0	0	1	§1	1	0	15	4	21	4	0
DUNDEE, . .	14·5	4·1	46	10	8	0	6	1	0	2	0	4	0	7	4	11	0	0
ABERDEEN, .	11·7	1·2	39	10	14	0	0	1	1	1	0	1	0	3	1	11	1	0
PAISLEY, . .	13·5	2·9	23	6	4	0	1	0	1	1	0	2	0	5	0	5	0	0
LEITH, . . .	17·5	1·2	28	1	10	0	0	0	0	2	0	0	1	6	0	6	0	0
GREENOCK, .	19·0	2·9	26	5	6	0	1	0	0	0	0	3	0	2	1	2	0	0
PERTH, . . .	16·5	1·5	11	0	3	0	0	0	0	0	0	1	0	2	0	2	0	0

* Chicken-pox. † 1 Enteric fever; 4 Cerebro-spinal meningitis.
‡ 3 Cerebro-spinal meningitis. § Cerebro-spinal meningitis.

Table III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, November 10, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	1·4	581	126	167	0	7	2	6	9	8	16	0	100	18	161	17	1
GLASGOW, .	18·9	1·6	303	67	81	0	0	1	3	7	*6	9	0	55	11	85	12	1
EDINBURGH,	13·8	0·6	90	14	31	0	0	0	3	0	1	0	0	16	4	34	4	0
DUNDEE, . .	20·6	1·9	65	16	18	0	2	0	0	1	0	3	0	9	1	17	0	0
ABERDEEN, .	14·9	2·1	49	13	13	0	5	0	0	1	0	1	0	5	1	9	0	0
PAISLEY, . .	13·2	1·2	22	4	7	0	0	0	0	0	1	1	0	4	0	3	1	0
LEITH, . . .	12·6	0·6	20	4	8	0	0	0	0	0	0	1	0	1	1	7	0	0
GREENOCK, .	17·0	0·7	23	8	6	0	0	0	0	0	0	1	0	9	0	2	0	0
PERTH, . . .	13·6	1·5	9	0	3	0	0	1	0	0	0	0	0	1	0	4	0	0

* 4 Cerebro-spinal meningitis

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 16, 1907.

During the week ending 16th November 1907 there were registered in Eight of the Principal Towns of Scotland the births of 829 living children, and the deaths of 552 persons. The equivalent annual birth-rate is 23·9 per thousand of the estimated population, and the equivalent annual death-rate 15·9 per thousand.

The death-rates of the three preceding weeks were 15·3, 16·4, and 14·4. The death-rate of this week is thus 0·6 more than that of the previous week, and 0·5 more than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Dundee, 23·6, and lowest in Aberdeen, 9·0. In Greenock it was 18·3, in Glasgow 17·4, in Leith 15·6, in Perth 15·0, in Paisley 14·1, and in Edinburgh 12·1.

Deaths from the principal epidemic diseases numbered 80; they are 5 more than in the previous week, and equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 1 from chicken-pox, 33 from measles, of which 17 were in Glasgow and 13 in Dundee, 4 from scarlet fever, 10 from diphtheria, 12 from hooping-cough, 4 from enteric fever, 11 from diarrhœas, and 5 from cerebro-spinal meningitis. Deaths from diarrhœas are 7 fewer than in the previous week, and from hooping-cough 2 fewer, but those from scarlet fever and cerebro-spinal meningitis are each 1 more, from enteric fever 3 more, from measles 4 more, and from diphtheria 5 more. The death-rate from these causes ranged from 6·6 in Dundee, to 0·6 in Edinburgh. Of the 5 deaths from cerebro-spinal meningitis, 3 were registered in Glasgow, and 1 each in Edinburgh and Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 104; they are 11 more than in the previous week, but 19 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 124; they are 34 more than in the previous week, but 17 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 127; they are the same as in the previous week, and 15 fewer than in the corresponding week of last year.

The mean temperature was 44°·1, being 2°·1 below that for the week immediately preceding, but 2°·2 above that for the corresponding week of 1906. The mean rainfall was 0·67 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 16, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Nov. 16, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	829	552	198	56·2	27·0	44·1	0·67
GLASGOW, . . .	12,789	847,584	66·274	9·18	420	283	90	56·2	33·3	46·0	0·67
EDINBURGH, . .	11,416	345,747	30·286	13·58	129	80	44	53·7	37·6	44·2	0·33
DUNDEE, . . .	4,162	165,748	39·824	11·85	68	75	17	52·4	32·9	42·8	0·14
ABERDEEN, . .	6,795	174,579	25·692	14·75	69	30	21	53·0	30·5	41·3	0·47
PAISLEY, . . .	3,538	88,710	25·073	14·93	48	24	8	55·2	34·8	46·0	1·13
LEITH, ...	2,044	83,668	40·933	11·68	40	25	6	55·6	39·9	46·8	0·27
GREENOCK, . .	1,440	71,269	49·492	10·63	39	25	8	54·7	35·5	44·6	2·19
PERTH, ...	2,122	34,866	16·431	18·44	16	10	4	54·5	27·0	41·4	0·20
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	882	582	191	52·1	29·0	41·9	0·87

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

-11/1907. 89/1420.

[TURN OVER.

Week ending Saturday, NOVEMBER 16, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 16, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·9	2·3	552	124	127	1	33	4	10	12	†9	11	0	104	20	152	13	1
GLASGOW, .	17·4	2·3	283	75	59	*1	17	1	3	5	‡7	3	0	74	9	88	3	1
EDINBURGH,	12·1	0·6	80	11	23	0	0	0	0	2	§1	1	0	7	3	25	4	0
DUNDEE, . .	23·6	6·6	75	15	19	0	13	1	2	1	0	4	0	5	4	21	1	0
ABERDEEN, .	9·0	0·9	30	7	9	0	0	0	1	0	0	2	0	4	3	4	2	0
PAISLEY, . .	14·1	2·4	24	5	6	0	0	1	2	1	0	0	0	6	0	3	1	0
LEITH, . . .	15·6	2·5	25	6	4	0	0	1	1	2	0	0	0	4	0	5	1	0
GREENOCK, .	18·3	2·9	25	4	5	0	1	0	1	0	§1	1	0	3	1	3	1	0
PERTH, . . .	15·0	4·5	10	1	2	0	2	0	0	1	0	0	0	1	0	3	0	0

* Chicken-pox. † 4 Enteric fever; 5 Cerebro-spinal meningitis.
‡ 3 Cerebro-spinal meningitis. § Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 17, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	2·0	582	141	142	0	10	4	8	13	11	24	2	123	24	140	23	5
GLASGOW, .	16·6	2·4	266	73	47	0	1	1	2	10	*11	14	1	58	11	73	12	5
EDINBURGH,	15·3	1·1	100	18	40	0	1	0	3	0	0	3	0	19	5	29	5	0
DUNDEE, . .	19·3	1·6	61	15	17	0	0	1	1	1	0	2	0	21	4	13	1	0
ABERDEEN, .	18·0	4·0	59	13	16	0	8	0	1	1	0	3	1	7	0	11	1	0
PAISLEY, . .	17·4	0·6	29	3	8	0	0	0	0	1	0	0	0	3	0	3	3	0
LEITH, . . .	15·2	0·6	24	9	5	0	0	1	0	0	0	0	0	4	2	4	0	0
GREENOCK, .	18·4	2·2	25	8	5	0	0	0	1	0	0	2	0	8	0	2	0	0
PERTH, . . .	27·2	1·5	18	2	4	0	0	1	0	0	0	0	0	3	2	5	1	0

* 10 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 23, 1907.

During the week ending 23rd November 1907 there were registered in Eight of the Principal Towns the births of 890 living children, and the deaths of 579 persons. The equivalent annual birth-rate is 25·6 per thousand, and the equivalent annual death-rate 16·7 per thousand.

The death-rates of the three preceding weeks were 15·9, 15·3, and 16·4. The death-rate of this week is thus 0·8 higher than that of the previous week, and the same more than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Greenock, 29·3, and lowest in Paisley, 10·0. In Dundee it was 21·7, in Glasgow 18·3, in Perth 18·0, in Leith 15·0, in Edinburgh 12·8, and in Aberdeen 10·2.

Deaths from the principal epidemic diseases numbered 75; they are 5 fewer than in the previous week, and equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 33 from measles, 2 from scarlet fever, 7 from diphtheria, 12 from hooping-cough, 1 from enteric fever, 16 from diarrhœas, and 4 from cerebro-spinal meningitis. The deaths from measles and hooping-cough are of the same number as in the previous week, but those from cerebro-spinal meningitis are 1 fewer, those from scarlet fever are 2 fewer, from diphtheria and enteric fever each 3 fewer than in that week, while those from diarrhœas are 5 more. The death-rate from these causes ranged from 5·1 in Greenock, and 4·1 in Dundee, to 0·6 in Aberdeen and Leith. Of the 33 deaths from measles, 16 were registered in Glasgow, and 11 in Dundee. Of the 4 deaths from cerebro-spinal meningitis, 3 were registered in Glasgow, and 1 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 106; they are 2 more than in the previous week, but 33 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 133; they are 9 more than in the previous week, but 34 fewer than in the corresponding week of last year. Deaths of persons of over sixty numbered 139; they are 12 more than in the previous week, but 21 fewer than in the corresponding week of last year.

The mean temperature was 41°·0, being 3°·1 below that for the week immediately preceding, and 3°·9 below that for the corresponding week of 1906. The mean rainfall was 0·66 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 23, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Nov. 23, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	890	579	192	53·2	22·0	41·0	0·66
GLASGOW, . . .	12,789	847,584	66·274	9·18	425	298	94	52·9	30·8	42·0	0·75
EDINBURGH, . .	11,416	345,747	30·286	13·58	135	85	41	50·4	33·0	41·6	0·14
DUNDEE, . . .	4,162	165,748	39·824	11·85	94	69	12	49·6	27·6	39·9	0·19
ABERDEEN, . .	6,795	174,579	25·692	14·75	94	34	18	47·2	26·0	38·9	0·64
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	17	6	53·2	29·1	42·4	1·40
LEITH, ...	2,044	83,668	40·933	11·68	36	24	9	49·1	32·9	41·9	0·14
GREENOCK, . .	1,440	71,269	49·492	10·63	38	40	6	51·0	30·2	43·2	1·91
PERTH, ...	2,122	34,866	16·431	18·44	19	12	6	48·0	22·0	37·9	0·13
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	931	653	184	61·8	28·5	44·9	0·48

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1907. 89/1420.

[TURN OVER.

Week ending Saturday, NOVEMBER 23, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 23, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·7	2·2	579	133	139	0	33	2	7	12	*5	16	1	106	14	142	11	0
GLASGOW, .	18·3	2·5	298	76	58	0	16	1	4	5	†4	11	1	72	3	69	7	0
EDINBURGH,	12·8	0·8	85	10	28	0	0	0	1	2	0	2	0	8	7	36	2	0
DUNDEE, . .	21·7	4·1	69	15	17	0	11	0	0	1	0	1	0	8	3	9	0	0
ABERDEEN, .	10·2	0·6	34	9	13	0	0	0	0	2	0	0	0	4	0	6	0	0
PAISLEY, . .	10·0	2·4	17	3	2	0	2	1	1	0	0	0	0	2	1	4	0	0
LEITH, . . .	15·0	0·6	24	6	7	0	0	0	0	0	‡1	0	0	4	0	8	2	0
GREENOCK, .	29·3	5·1	40	11	10	0	4	0	1	1	0	1	0	6	0	7	0	0
PERTH, . . .	18·0	3·0	12	3	4	0	0	0	0	1	0	1	0	2	0	3	0	0

* 1 Enteric fever; 4 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 24, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·1	2·0	653	167	160	0	13	4	6	13	7	26	1	139	22	163	25	0
GLASGOW, .	19·3	1·9	309	83	60	0	0	2	1	7	*5	15	1	70	9	87	11	0
EDINBURGH,	21·0	1·2	137	27	45	0	2	1	2	0	0	3	0	36	6	40	10	0
DUNDEE, . .	18·3	1·6	58	16	16	0	0	1	0	1	0	3	0	15	3	11	0	0
ABERDEEN, .	19·2	5·2	63	21	14	0	11	0	1	2	0	3	0	6	1	8	0	0
PAISLEY, . .	17·4	0·0	29	8	6	0	0	0	0	0	0	0	0	3	0	7	1	0
LEITH, . . .	19·6	1·9	31	7	10	0	0	0	1	1	0	1	0	5	2	4	3	0
GREENOCK, .	11·8	3·7	16	3	5	0	0	0	1	2	1	1	0	4	1	3	0	0
PERTH, . . .	15·1	1·5	10	2	4	0	0	0	0	0	1	0	0	0	0	3	0	0

* 4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, NOVEMBER 30, 1907.

During the week ending 30th November 1907 there were registered in Eight of the Principal Towns the births of 865 living children, and the deaths of 671 persons. The equivalent annual birth-rate is 24·9 per thousand, and the equivalent annual death-rate 19·3 per thousand.

The death-rates of the three preceding weeks were 16·7, 15·9, and 15·3. The death-rate of this week is thus 2·6 higher than that of the previous week, and 3·3 more than the mean of the rates of the three preceding weeks.

The death-rate of the week ranged from 26·1 in Dundee to 12·9 in Paisley. In Perth it was 24·0, in Greenock, 23·4, in Glasgow 21·4, in Edinburgh 15·2, in Leith 14·3, and in Aberdeen 13·7.

Deaths from the principal epidemic diseases numbered 112; they are 37 more than in the previous week, and equal to an annual death-rate from these causes of 3·2 per thousand. These deaths include 1 from chicken-pox, 43 from measles, 2 from scarlet fever, 23 from hooping-cough, 2 from enteric fever, 36 from diarrhœas, and 5 from cerebro-spinal meningitis. Deaths from diarrhœas are 20 more than in the previous week, from hooping-cough 11 more, from measles 10 more, and from enteric fever and cerebro-spinal meningitis each 1 more, but those from scarlet fever are of the same number. There were no deaths in these towns from diphtheria in this week; in the previous week there were 7. The death-rate from these causes ranged from 9·8 in Dundee, where 17 deaths from measles were registered, to 0·6 in Aberdeen, and 0·8 in Edinburgh. Of the 5 deaths from cerebro-spinal meningitis, 4 were registered in Glasgow, and 1 in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 137; they are 31 more than in the previous week, but 8 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 167; they are 34 more than in the previous week, and 26 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 165; they are 26 more than in the previous week, and 16 more than in the corresponding week of last year.

The mean temperature was 35°·1, being 5°·9 below that for the week immediately preceding, and 12°·8 below that for the corresponding week of 1906. The mean rainfall was 0·72 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 30, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Nov. 30, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	865	671	246	47·8	20·0	35·1	0·72
GLASGOW, . . .	12,789	847,584	66·274	9·18	434	348	116	42·8	25·5	34·6	0·35
EDINBURGH, . .	11,416	345,747	30·286	13·58	148	101	51	47·8	29·9	36·6	0·37
DUNDEE, . . .	4,162	165,748	39·824	11·85	86	83	14	42·8	26·3	34·3	0·83
ABERDEEN, . .	6,795	174,579	25·692	14·75	69	46	26	43·0	28·0	36·2	0·87
PAISLEY, . . .	3,538	88,710	25·073	14·93	34	22	9	44·2	27·2	35·7	0·88
LEITH, ...	2,044	83,668	40·933	11·68	42	23	12	42·9	28·6	36·6	0·38
GREENOCK, . .	1,440	71,269	49·492	10·63	39	32	12	42·5	28·0	36·1	0·81
PERTH, ...	2,122	34,866	16·431	18·44	13	16	6	41·0	20·0	31·1	1·24
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	882	604	221	57·9	32·0	47·9	1·00

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1907. 89/1420.

[TURN OVER.

Week ending Saturday, NOVEMBER 30, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 30, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·3	3·2	671	167	165	1	43	2	0	23	†7	36	1	137	21	153	23	1
GLASGOW, . .	21·4	3·5	348	93	75	*1	23	1	0	10	‡5	17	1	83	11	79	11	1
EDINBURGH,	15·2	0·8	101	18	33	0	0	0	0	3	1	1	0	13	3	36	6	0
DUNDEE, . .	26·1	9·8	83	29	10	0	17	0	0	3	0	11	0	18	3	10	1	0
ABERDEEN, .	13·7	0·6	46	5	21	0	0	0	0	0	0	2	0	4	2	9	1	0
PAISLEY, . .	12·9	2·4	22	7	4	0	0	1	0	1	§1	1	0	6	1	8	2	0
LEITH, . . .	14·3	2·5	23	7	3	0	0	0	0	3	0	1	0	4	0	4	1	0
GREENOCK, .	23·4	4·4	32	6	12	0	2	0	0	2	0	2	0	6	1	4	1	0
PERTH, . . .	24·0	4·5	16	2	7	0	1	0	0	1	0	1	0	3	0	3	0	0

* Chicken-pox. † 2 Enteric fever; 5 Cerebro-spinal meningitis.
‡ 4 Cerebro-spinal meningitis. § Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 1, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·6	1·8	604	141	149	0	11	2	3	16	7	22	2	145	26	169	25	9
GLASGOW, .	17·0	1·9	273	70	53	0	1	0	1	14	*6	8	1	62	10	82	14	9
EDINBURGH,	14·2	0·9	93	22	24	0	1	1	1	0	†1	2	0	31	5	38	6	0
DUNDEE, . .	22·5	1·9	71	16	21	0	0	1	1	0	0	4	0	26	3	23	0	0
ABERDEEN, .	27·8	3·1	91	16	33	0	7	0	0	2	0	1	1	17	3	14	3	0
PAISLEY, . .	12·6	1·8	21	2	5	0	0	0	0	0	0	3	0	2	1	3	1	0
LEITH, . . .	13·9	1·3	22	3	5	0	2	0	0	0	0	0	0	2	1	7	0	0
GREENOCK, .	19·9	2·2	27	7	7	0	0	0	0	0	0	3	0	4	2	2	1	0
PERTH, . . .	9·1	1·5	6	5	1	0	0	0	0	0	0	1	0	1	1	0	0	0

* 4 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 7, 1907.

During the week ending Saturday, 7th December 1907 there were registered in Eight of the Principal Towns of Scotland the births of 922 living children, and the deaths of 716 persons. The equivalent annual birth-rate is 26·5 per thousand, and the equivalent annual death-rate 20·6 per thousand.

The death-rates of the three preceding weeks were 19·3, 16·7, and 15·9. The death-rate of this week is thus 1·3 above that for the previous week, and 3·3 above the mean of the three preceding weeks.

The death-rate of the week ranged from 32·4 in Dundee to 14·6 in Aberdeen. In Perth it was 22·5, in Leith 21·8, in Glasgow and in Greenock 20·5, in Paisley 20·0, and in Edinburgh 18·0.

Deaths from the principal epidemic diseases numbered 133; they are 21 more than in the previous week, and are equal to an annual death-rate from these causes of 3·8 per thousand. These deaths include 1 from chicken-pox, 79 from measles, of which 48 occurred in Glasgow and 22 in Dundee, 2 from scarlet fever, 9 from diphtheria, 13 from hooping-cough, 5 from enteric fever, 21 from diarrhœal diseases, and 3 from cerebro-spinal meningitis. Deaths from diarrhœal diseases are 15 fewer than in the previous week, from hooping-cough 10 fewer, and from cerebro-spinal meningitis 2 fewer, while those from scarlet fever and chicken-pox number the same, those from enteric fever are 3 more, from diphtheria 9 more, and from measles 36 more. The death-rate from these causes ranged from 10·1 in Dundee to 0·3 in Aberdeen. Of the 3 deaths from cerebro-spinal meningitis, 2 were registered in Leith, and 1 in Paisley. This is the smallest number registered in any week since that ending 20th October 1906.

Deaths from pneumonia, bronchitis, and pleurisy numbered 167; they are 30 more than in the previous week, and 41 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 153; they are 14 fewer than in the previous week, but 14 more than in the corresponding week of 1906. Deaths of persons of over sixty numbered 161; they are 4 fewer than in the previous week, and 15 fewer than in the corresponding week of last year.

The mean temperature was 38°·0, being 2°·9 above that for the week immediately preceding, but 5°·7 below that for the corresponding week of 1906. The mean rainfall was 1·20 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 7, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Dec. 7, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	922	716	299	49·0	23·0	38·0	1·20
GLASGOW, . . .	12,789	847,584	66·274	9·18	442	333	130	49·0	24·5	38·9	1·38
EDINBURGH, . .	11,416	345,747	30·286	13·58	140	119	68	46·7	31·5	38·8	0·69
DUNDEE, . . .	4,162	165,748	39·824	11·85	83	103	25	45·8	26·0	36·4	0·56
ABERDEEN, . .	6,795	174,579	25·692	14·75	97	49	37	48·4	29·0	38·1	0·88
PAISLEY, . . .	3,538	88,710	25·073	14·93	43	34	14	48·8	26·5	39·3	2·20
LEITH, ...	2,044	83,668	40·933	11·68	50	35	14	45·7	29·9	38·9	0·65
GREENOCK, . .	1,440	71,269	49·492	10·63	48	28	6	46·0	28·0	37·7	2·63
PERTH, ...	2,122	34,866	16·431	18·44	19	15	5	47·0	23·0	35·9	0·63
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	843	632	308	56·0	32·0	43·7	0·83

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—840—12/1907. 89/1420.

[TURN OVER.

Week ending Saturday, DECEMBER 7, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, December 7, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·6	3·8	716	153	161	1	79	2	9	13	†8	21	2	167	24	181	22	3
GLASGOW, .	20·5	4·4	333	65	70	0	48	2	3	3	3	12	2	87	12	97	12	1
EDINBURGH,	18·0	0·6	119	24	30	*1	0	0	1	1	0	1	0	30	4	35	3	0
DUNDEE, . .	32·4	10·1	103	27	21	0	22	0	1	2	1	6	0	18	0	20	0	0
ABERDEEN, .	14·6	0·3	49	11	17	0	1	0	0	0	0	0	0	8	2	9	3	2
PAISLEY, . .	20·0	4·1	34	7	7	0	2	0	3	1	‡1	0	0	11	1	7	2	0
LEITH, . . .	21·8	6·2	35	8	5	0	0	0	1	5	‡2	2	0	8	2	8	0	0
GREENOCK, .	20·5	4·4	28	9	7	0	5	0	0	0	1	0	0	5	2	2	2	0
PERTH, . . .	22·5	3·0	15	2	4	0	1	0	0	1	0	0	0	0	1	3	0	0

* Chicken-pox. † 5 Enteric fever; 3 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during th Week ending Saturday, December 8, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·4	2·0	632	139	176	0	10	6	6	17	8	21	2	126	21	174	12	4
GLASGOW, .	18·8	2·2	301	66	67	0	0	2	3	12	*7	12	1	57	15	88	8	3
EDINBURGH,	15·9	0·6	104	17	46	0	1	1	0	0	0	2	0	22	4	28	4	0
DUNDEE, . .	20·6	1·9	65	20	14	0	0	3	0	0	0	3	1	15	0	21	0	1
ABERDEEN, .	20·7	3·4	68	15	20	0	7	0	0	3	0	1	0	18	0	16	0	0
PAISLEY, . .	12·0	1·2	20	3	5	0	0	0	1	1	0	0	0	1	0	6	0	0
LEITH, . . .	24·0	3·8	38	8	15	0	2	0	2	0	0	2	0	4	0	7	0	0
GREENOCK, .	15·5	2·2	21	8	7	0	0	0	0	1	1	1	0	6	1	4	0	0
PERTH, . . .	22·7	0·0	15	2	2	0	0	0	0	0	0	0	0	3	1	4	0	0

* 5 Cerebro-spinal meningitis.

FFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

o. 50. WEEK ENDING SATURDAY, DECEMBER 14, 1907.

During the week ending Saturday, 14th December, 1907 there were registered in Eight of the Principal Towns of Scotland the births of 836 living children, and the deaths of 696 persons. The equivalent annual birth-rate is 24·1 per thousand, and the death-rate 20·0.

The death-rates of the three preceding weeks were 20·6, 19·3, and 16·7 per thousand. The death-rate for this week is thus 0·6 below that for the previous week, but 1·1 above the mean of the rates for the three preceding weeks.

The death-rate for the week ranged from 25·6 in Leith to 14·3 in Aberdeen. In Dundee it was 25·2, in Greenock 24·2, in Perth 21·0, in Glasgow 20·7, in Paisley 18·2, and in Edinburgh 16·9.

Deaths from the principal epidemic diseases numbered 127; they are 6 fewer than in the previous week, and are equal to an annual death-rate from these causes of 3·7 per thousand. These deaths include 71 from measles, of which 43 occurred in Glasgow and 19 in Dundee, 3 from scarlet fever, 8 from diphtheria, 24 from hooping-cough, 2 from enteric fever, 18 from diarrhœal diseases, and 1 from cerebro-spinal meningitis, which occurred in Edinburgh. Deaths from measles are 8 fewer than in the previous week, from enteric fever and from diarrhœal diseases each 3 fewer, from cerebro-spinal meningitis 2 fewer, from diphtheria 1 fewer, from scarlet fever 1 more, and from hooping-cough 11 more. The death-rate from these causes ranged from 8·5 in Dundee to 0·8 in Edinburgh. The last occasion on which only one death was registered in any week as due to cerebro-spinal meningitis, was the week ending 20th October 1906.

Deaths from pneumonia, bronchitis, and pleurisy numbered 161; they are 6 fewer than in the previous week, but 28 more than in the corresponding week of 1906.

Deaths of children of less than one year old numbered 143; they are 10 fewer than in the previous week, but 5 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 176; they are 15 more than in the previous week, and 11 more than in the corresponding week of 1906.

The mean temperature was 39°·4, which is 1°·4 more than in the previous week, and 6°·2 more than in the corresponding week of 1906. The mean rainfall was 1·79 inch.

ABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 14, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Dec. 14, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	836	696	250	48·8	25·0	39·4	1·79
GLASGOW, . . .	12,789	847,584	66·274	9·18	425	337	101	48·5	34·5	41·9	1·79
EDINBURGH, . .	11,416	345,747	30·286	13·58	125	112	71	48·8	32·7	40·7	1·68
DUNDEE, . . .	4,162	165,748	39·824	11·85	66	80	26	44·7	28·0	37·6	1·38
ABERDEEN, . .	6,795	174,579	25·692	14·75	82	48	29	45·0	26·4	38·3	1·08
PAISLEY, . . .	3,538	88,710	25·073	14·93	49	31	4	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	46	41	10	48·6	30·9	41·1	1·63
GREENOCK, . .	1,440	71,269	49·492	10·63	32	33	6	48·2	31·0	39·8	3·08
PERTH, ...	2,122	34,866	16·431	18·44	11	14	3	47·0	25·0	36·4	1·86
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	864	620	262	45·0	21·0	33·2	1·02

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240 12/1907. 89/1420.

[TURN OVER.

Week ending Saturday, DECEMBER 14, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 14, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·0	3·7	696	143	176	0	71	3	8	24	*3	18	1	161	21	177	20	4
GLASGOW, .	20·7	4·3	337	71	82	0	43	1	4	10	1	11	0	85	10	103	10	2
EDINBURGH,	16·9	0·8	112	22	41	0	1	1	0	0	†1	2	0	30	4	31	7	0
DUNDEE, . .	25·2	8·5	80	14	12	0	19	0	2	3	0	3	1	16	3	11	0	0
ABERDEEN, .	14·3	1·5	48	12	15	0	0	0	2	1	1	1	0	6	2	10	1	1
PAISLEY, . .	18·2	2·9	31	5	6	0	2	1	0	1	0	1	0	7	0	6	1	1
LEITH, . . .	25·6	3·1	41	9	11	0	0	0	0	5	0	0	0	8	2	9	0	0
GREENOCK, .	24·2	5·1	33	7	6	0	6	0	0	1	0	0	0	7	0	4	1	0
PERTH, . . .	21·0	4·5	14	3	3	0	0	0	0	3	0	0	0	2	0	3	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 15, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·1	1·6	620	138	165	0	4	1	13	15	8	14	1	133	28	165	13	2
GLASGOW, .	18·0	2·1	289	65	65	0	0	1	6	13	*7	6	0	58	13	88	3	2
EDINBURGH,	19·1	0·8	125	20	40	0	0	0	1	1	0	3	1	21	6	43	5	0
DUNDEE, . .	18·3	1·3	58	19	16	0	0	0	3	0	0	1	0	17	2	9	0	0
ABERDEEN, .	17·7	2·4	58	15	18	0	4	0	2	0	0	2	0	18	4	10	2	0
PAISLEY, . .	16·8	1·2	28	6	8	0	0	0	1	0	0	1	0	6	0	6	3	0
LEITH, . . .	17·0	0·0	27	7	9	0	0	0	0	0	0	0	0	7	2	5	0	0
GREENOCK, .	16·2	0·7	22	4	6	0	0	0	0	1	0	0	0	5	1	1	0	0
PERTH, . . .	19·6	3·0	13	2	3	0	0	0	0	0	1	1	0	1	0	3	0	0

* 4 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 21, 1907.

During the week ending 21st December, 1907 there were registered in Eight of the Principal Towns of Scotland the births of 864 living children, and the deaths of 724 persons. The equivalent annual birth-rate is 24·9 per thousand, and the death-rate 20·8.

The death-rates of the three preceding weeks were 20·0, 20·6, and 19·3. The death-rate of this week is thus 0·8 above that of the previous week, and 0·8 more than the mean of the rates of the three preceding weeks.

The death-rate of the week was highest in Dundee, 30·5 and lowest in Aberdeen, 13·7. In Leith it was 27·4, in Perth 26·9, in Glasgow 20·8, in Greenock 20·5, in Paisley 20·0, and in Edinburgh 18·0.

Deaths from the principal epidemic diseases numbered 116; they are 11 fewer than in the previous week, and equal to an annual death-rate from these causes of 3·3 per thousand. These deaths include 53 from measles, 3 from scarlet fever, 11 from diphtheria, 26 from hooping-cough, 2 from enteric fever, 14 from diarrhœas, and 7 from cerebro-spinal meningitis. Deaths from measles are 18 fewer than in the previous week, and those from diarrhœas 4 fewer, but those from scarlet fever and enteric fever are of the same number as in that week, while those from hooping-cough are 2 more, from diphtheria 3 more, and from cerebro-spinal meningitis 6 more. The death-rate from these causes ranged from 7·5 per thousand in Perth, and 5·9 in Greenock to 1·4 in Edinburgh. Of the deaths from cerebro-spinal meningitis, 3 were registered in Glasgow, 2 in Paisley, and 1 each in Edinburgh and Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 157; they are 4 fewer than in the previous week, but 38 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 170; they are 27 more than in the previous week, and 46 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 155; they are 21 fewer than in the previous week, and 33 fewer than in the corresponding week of last year.

The mean temperature was 41°·2, being 1°·8 above that for the week immediately preceding, but 2°·7 below that for the corresponding week of 1906. The mean rainfall was 1·54 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 21, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Dec. 21, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	864	724	207	51·7	23·0	41·2	1·54
GLASGOW, . . .	12,789	847,584	66·274	9·18	436	338	92	50·8	27·8	42·9	1·84
EDINBURGH, . .	11,416	345,747	30·286	13·58	132	119	43	48·5	32·9	42·1	1·27
DUNDEE, . . .	4,162	165,748	39·824	11·85	74	97	13	47·5	27·0	39·2	1·07
ABERDEEN, . .	6,795	174,579	25·692	14·75	76	46	29	50·0	32·0	41·6	0·93
PAISLEY, . . .	3,538	88,710	25·073	14·93	43	34	5	...	...	...	...
LEITH, ...	2,044	83,668	40·933	11·68	48	44	11	50·7	31·6	43·3	1·32
GREENOCK, . .	1,440	71,269	49·492	10·63	43	28	6	51·7	29·0	40·5	3·08
PERTH, ...	2,122	34,866	16·431	18·44	12	18	8	50·0	23·0	38·8	1·24
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	921	681	256	53·8	26·0	43·9	0·10

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1907. 89/1420.

[TURN OVER.

Week ending Saturday, DECEMBER 21, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 21, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·8	3·3	724	170	155	0	53	3	11	26	*9	14	1	157	31	203	23	2
GLASGOW, .	20·8	3·9	338	70	70	0	35	1	3	11	†5	8	1	67	14	108	9	2
EDINBURGH,	18·0	1·4	119	31	27	0	1	1	1	4	‡1	1	0	37	9	42	9	0
DUNDEE, . .	30·5	4·7	97	21	27	0	10	0	0	1	0	4	0	25	3	22	0	0
ABERDEEN, .	13·7	1·8	46	14	6	0	0	1	1	4	0	0	0	7	1	6	3	0
PAISLEY, . .	20·0	3·5	34	10	11	0	1	0	3	0	‡2	0	0	7	1	8	2	0
LEITH, . . .	27·4	2·5	44	11	7	0	0	0	2	1	‡1	0	0	9	2	12	0	0
GREENOCK, .	20·5	5·9	28	9	3	0	5	0	0	2	0	1	0	4	0	0	0	0
PERTH, . . .	26·9	7·5	18	4	4	0	1	0	1	3	0	0	0	1	1	5	0	0

* 2 Enteric fever; 7 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis.
‡ Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 22, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·9	2·0	681	124	188	0	5	6	11	19	*7	21	1	119	23	171	28	2
GLASGOW, .	20·6	2·3	330	60	77	0	0	2	5	14	*7	9	0	64	19	88	13	1
EDINBURGH,	17·9	0·9	117	14	41	0	1	1	1	0	0	3	1	16	1	35	9	1
DUNDEE, . .	25·3	3·2	80	19	20	0	0	2	3	1	0	4	0	17	0	19	2	0
ABERDEEN, .	18·6	2·4	61	17	19	0	3	0	1	2	0	2	0	7	1	10	2	0
PAISLEY, . .	20·4	1·8	34	6	13	0	0	1	0	1	0	1	0	7	2	11	2	0
LEITH, . . .	12·0	1·3	19	2	2	0	1	0	0	0	0	1	0	3	0	4	0	0
GREENOCK, .	19·2	0·7	26	4	11	0	0	0	0	1	0	0	0	5	0	3	0	0
PERTH, . . .	21·1	3·0	14	2	5	0	0	0	1	0	0	1	0	0	0	1	0	0

* 5 Cerebro-spinal meningitis.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 28, 1907.

During the week ending Saturday, 28th December, 1907 there were registered in Eight of the Principal Towns of Scotland the births of 864 living children, and the deaths of 632 persons. The equivalent annual birth-rate is 24·9 per thousand, and the death-rate 18·2 per thousand.

The death-rates of the three preceding weeks were 20·8, 20·0, and 20·6. The death-rate of this week is thus 2·6 lower than the death-rate of the previous week, and 2·3 less than the mean of the death-rates of the three preceding weeks.

The death-rate of the week was highest in Perth, 25·4. and lowest in Leith, 12·5. In Greenock it was 24·2, in Glasgow 19·5, in Dundee 19·5, in Paisley 17·1, in Edinburgh 16·6, and in Aberdeen 13·2.

Deaths from the principal epidemic diseases numbered 109; they are 7 fewer than in the previous week, and are equal to an annual death-rate from these causes of 3·1 per thousand. These deaths include 53 from measles, 5 from scarlet fever, 7 from diphtheria, 24 from hooping-cough, 3 from enteric fever, 14 from diarrhœas, and 3 from cerebro-spinal meningitis. Compared to the numbers of such deaths recorded in the previous week, those from measles and diarrhœas are of the same number, but those from diphtheria and cerebro-spinal meningitis are each 4 fewer, and from hooping-cough 2 fewer, while those from scarlet fever are 2 more, and and from enteric fever 1 more than in that week. The death-rate from these causes ranged from 9·0 in Perth, and 5·1 in Greenock to 1·1 in Edinburgh. The three deaths from cerebro-spinal meningitis were all registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 127; they are 30 fewer than in the previous week, and 40 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 143; they are 27 fewer than in the previous week, but 10 more than in the corresponding week of last year. Deaths of persons of over sixty numbered 159; they are 4 more than in the previous week, but 34 fewer than in the corresponding week of last year.

The mean temperature was 38°·2, being 3°·0 below that for the week immediately preceding, but 6°·8 above that for the corresponding week of 1906. The mean rainfall was 0·19 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 28, 1907, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1907.	Persons to an Acre. 1907.	Proximity in Yards.	Registered during the Week ending Dec. 28, 1907.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	44,306	1,812,171	40·901	11·69	864	632	412	49·7	28·0	38·2	0·19
GLASGOW, . . .	12,789	847,584	66·274	9·18	432	317	182	48·8	33·8	39·2	0·12
EDINBURGH, . .	11,416	345,747	30·286	13·58	130	110	73	48·8	31·0	38·2	0·03
DUNDEE, . . .	4,162	165,748	39·824	11·85	87	62	40	46·7	31·0	37·6	0·32
ABERDEEN, . .	6,795	174,579	25·692	14·75	83	44	72	47·4	28·0	36·5	0·29
PAISLEY, . . .	3,538	88,710	25·073	14·93	42	29	12	49·2	33·1	39·2	0·11
LEITH, ...	2,044	83,668	40·933	11·68	40	20	16	49·7	32·9	38·5	0·12
GREENOCK, . .	1,440	71,269	49·492	10·63	38	33	11	49·0	32·0	39·1	0·26
PERTH, ...	2,122	34,866	16·431	18·44	12	17	6	48·0	29·0	37·0	0·25
Corresponding Week of 1906 — Eight Towns.	44,306	1,787,788	40·351	11·77	905	652	512	45·8	13·0	31·4	0·57

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1907. 89/1420.

[TURN OVER.

Week ending Saturday, DECEMBER 28, 1907.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1907.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·2	3·1	632	143	159	0	53	5	7	24	*6	14	0	127	20	174	22	4
GLASGOW, .	19·5	3·7	317	62	71	0	38	3	4	6	†4	5	0	75	11	102	13	3
EDINBURGH,	16·6	1·1	110	25	36	0	0	1	1	3	0	2	0	18	3	38	5	0
DUNDEE, . .	19·5	4·7	62	19	13	0	8	0	1	3	1	2	0	11	1	10	1	1
ABERDEEN, .	13·2	1·8	44	13	15	0	2	1	0	0	0	3	0	8	2	8	0	0
PAISLEY, . .	17·1	2·9	29	7	6	0	1	0	1	1	0	2	0	5	2	5	2	0
LEITH, . . .	12·5	1·9	20	5	7	0	0	0	0	3	0	0	0	4	0	2	0	0
GREENOCK, .	24·2	5·1	33	9	5	0	4	0	0	2	1	0	0	6	0	5	1	0
PERTH, . . .	25·4	9·0	17	3	6	0	0	0	0	6	0	0	0	0	1	4	0	0

* 3 Enteric fever; 3 Cerebro-spinal meningitis. † 3 Cerebro-spinal meningitis.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 29, 1906.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·0	1·6	652	133	193	0	6	4	4	18	9	14	2	167	35	197	22	2
GLASGOW, .	19·9	2·1	318	67	79	0	0	3	1	16	*9	4	0	85	14	94	8	2
EDINBURGH,	17·7	0·8	116	19	39	0	0	0	0	0	0	5	0	24	8	40	2	0
DUNDEE, . .	20·9	0·6	66	12	22	0	0	1	0	0	0	1	1	18	1	23	1	0
ABERDEEN, .	23·2	3·1	75	14	32	0	6	0	2	1	0	1	0	21	5	24	5	0
PAISLEY, . .	14·4	2·4	24	6	6	0	0	0	1	0	0	3	0	4	2	4	4	0
LEITH, . . .	15·2	0·0	24	10	5	0	0	0	0	0	0	0	1	9	2	3	1	0
GREENOCK, .	13·3	0·7	18	4	3	0	0	0	0	1	0	0	0	5	3	6	1	0
PERTH, . . .	15·1	0·0	10	1	7	0	0	0	0	0	0	0	0	1	0	3	0	0

* 4 Cerebro-spinal meningitis. * 1 Typhus.